Astronomy & Astrophysics manuscript no. AN˙BD˙etal
October 27, 2015
© ESO 2015

arXiv:1510.07159v1 [astro-ph.SR] 24 Oct 2015

The Penn State - Toruń Centre for Astronomy Planet Search stars ⋆

III. The evolved stars sample

A. Niedzielski[1], B. Deka-Szymankiewicz[1], M. Adamczyk[1], M. Adamów[2,1], G. Nowak[3,4,1], and A. Wolszczan[5,6]

[1] Toruń Centre for Astronomy, Nicolaus Copernicus University in Toruń, Grudziadzka 5, 87-100 Toruń, Poland
e-mail: Andrzej.Niedzielski@umk.pl

[2] McDonald Observatory and Department of Astronomy, University of Texas at Austin, 2515 Speedway, Stop C1402, Austin, Texas, 78712-1206, USA

[3] Instituto de Astrofísica de Canarias, C/ Vía Láctea, s/n, E38205 - La Laguna,Tenerife, Spain

[4] Departamento de Astrofísica, Universidad de La Laguna, E-38206 La Laguna, Tenerife, Spain

[5] Department of Astronomy and Astrophysics, Pennsylvania State University, 525 Davey Laboratory, University Park, PA 16802

[6] Center for Exoplanets and Habitable Worlds, Pennsylvania State University, 525 Davey Laboratory, University Park, PA 16802

Received ; accepted

ABSTRACT

Aims. We intend to present complete spectroscopic analysis of 455 stars observed within the Penn State - Toruń Centre for Astronomy Planet Search (PTPS) with the High Resolution Spectrograph of the 9.2 m Hobby-Eberly Telescope. We will also present the total sample of 744 evolved stars of PTPS and discuss masses of stellar hosts in our and other surveys devoted to evolved planetary systems.

Methods. Stellar atmospheric parameters were determined through a strictly spectroscopic LTE analysis of equivalent widths of Fe I and Fe II lines. Rotational velocities were obtained from synthetic spectra fitting. Radial velocities were obtained from Gaussian function fitting to the cross-correlation function. We determined stellar masses, ages and luminosities via Bayesian analysis of theoretical isochrones. The radii were calculated either from derived masses and $\log g$ or from $T_{\rm eff}$ and luminosities.

Results. We present basic atmospheric parameters ($T_{\rm eff}$, $\log g$, $v_{\rm t}$ and [Fe/H]), rotation velocities and absolute radial velocities as well as luminosities, masses, ages and radii for 402 stars (including 11 single-lined spectroscopic binaries), mostly subgiants and giants. For 272 of them we present parameters for the first time. For another 53 stars we present estimates of $T_{\rm eff}$ and $\log g$ based on photometric calibrations. More than half objects were found to be subgiants, there is also a large group of giants and a few stars appeard to be dwarfs. The results show that the presented sample is composed of stars with masses ranging from 0.52 to 3.21 $M_{\odot}$ of which 17 have masses $\geq 2.0\,M_{\odot}$. The radii of stars studied in this paper range from 0.66 to 36.04 $R_{\odot}$ with vast

majority having radii between 2.0 and 4.0 $R_{\odot}$. They are generally less metal abundant than the Sun with median [Fe/H]= −0.07. For 62 stars in common with other planet searches we found a very good agreement in obtained stellar atmospheric parameters. We also present basic properties of the complete list of 744 stars that form the PTPS evolved stars sample. We examined stellar masses for 1255 stars in five other planet searches and found some of them likely to be significantly overestimated. Applying our uniformly determined stellar masses we confirm the apparent increase of companions masses for evolved stars, and we explain it, as well as lack of close-in planets with limited effective radial velocity precision for those stars due to activity.
Conclusions.

Key words. Stars: fundamental parameters - Stars: atmospheres - Stars: late-type - Techniques: spectroscopic - Planetary systems

1. Introduction

After over 20 years of research, with ∼2000 planets found around other stars since discoveries of the first extrasolar systems by Wolszczan & Frail (1992); Mayor & Queloz (1995) and Marcy & Butler (1996), it appears clear that of all available observational techniques applied to searches for exoplanets the precise radial velocity (RV) and stellar transits delivered most of data.

The RV technique has been proved to be especially useful in search for planets around massive and evolved stars. Massive and intermediate-mass main-sequence (MS) stars have high effective temperatures and rotate rapidly. Due to paucity of spectral lines and their width these stars are not suitable for high precision RV searches for planetary companions. Unfortunately, planetary candidates around such stars, even if discovered occasionally in transit searches (cf. Borucki et al. 2011; Schwamb et al. 2013), are very difficult to confirm with RV measurements. Consequently, transit projects have delivered very few planetary systems around stars much more massive than the Sun, with Kepler-432 (Ciceri et al. 2015; Ortiz et al. 2015; Quinn et al. 2015), Kepler-435 (Almenara et al. 2015) being the most prominent examples so far.

RV searches that focus on giant and subgiant stars which are evolving off the MS, cooling down, and considerably slowing their rotation, exhibiting abundant narrow-line line spectrum that makes them accessible to RV technique, deliver most of data on such planetary systems. The slowly growing population of currently known ∼ 60 planets around evolved stars is a result of intense research in projects like McDonald Observatory Planet Search (Cochran & Hatzes 1993; Hatzes & Cochran 1993), Okayama Planet Search (Sato et al. 2003), Tautenberg Planet Search (Hatzes et al. 2005), Lick K-giant Survey (Frink et al. 2002), ESO FEROS planet search (Setiawan et al. 2003a,b), Retired A Stars and Their Companions (Johnson et al. 2007), Coralie & HARPS search (Lovis & Mayor 2007), Boyunsen Planet Search (Lee et al. 2011), our own Pennsylvania-Toruń Planet Search (PTPS, Niedzielski et al. 2007; Niedzielski & Wolszczan 2008), and several others.

The most massive hosts of planetary systems come almost exclusively from such surveys (e.g. Sato et al. 2007, 2010, 2012, 2013). They have demonstrated, for example, a paucity of planets within 0.5 AU of their parent stars (Johnson et al. 2007; Sato et al. 2008; Jones et al. 2014), a borderline currently broken by Kepler 91 b (Lillo-Box et al. 2014; Barclay et al. 2015). They also

⋆ Based on observations obtained with the Hobby-Eberly Telescope, which is a joint project of the University of Texas at Austin, the Pennsylvania State University, Stanford University, Ludwig-Maximilians-Universität München, and Georg-August-Universität Göttingen.

proved capable of delivering evidence for recent violent star-planet interactions in aging planetary systems (Adamów et al. 2012). We note, however, a slowly growing statistics of planetary systems around MS stars more massive than the Sun discovered in transit surveys (KELT-7 - Bieryla et al. 2015, WASP-78 - Smalley et al. 2012, HET-P-40 - Hartman et al. 2012).

Stellar masses are essential in determining planetary mass companions minimum masses ($m_{\rm P} \sin i$) in all RV planet searches. Precise determinations of masses of isolated single MS stars are already not easy, but in the case of evolved stars, like subgiants or giants, they are even more difficult. From all indirect methods to estimate stellar mass, asteroseismology is probably the most reliable one. Unfortunately vast majority of stars searched for planets with the RV technique are not studied for oscillations intensively enough to deliver masses. This situation will hopefully improve with Transiting Exoplanet Survey Satellite (TESS; Ricker et al. 2014) or PLATO 2.0 (Rauer et al. 2014), especially with the new, more precise parallaxes from GAIA (Gilmore et al. 1998; Perryman et al. 2001).

It is not surprising then, that masses of evolved stars studied in planet searches are very uncertain. If systematic effects are present in addition to large uncertainties in stellar mass estimates, the problem may be even more severe as masses for some types of stars may be systematically incorrect. In this context it is important to note that one of the most striking features of known planetary systems around evolved stars is a significant stellar and companion mass increase for more evolved stars (Niedzielski et al. 2015b). An average dwarf[1] with a planetary system is usually a solar-mass, F or G spectral type star. An average subgiant known to poses a planetary system is already a star with a mass of $\approx 1.5\,M_{\odot}$ (MS spectral type A-F), and an average giant with planets (MS A-type star) is almost twice as massive as a dwarf ($5-10\sigma$ difference).

On the other hand among the known stars with planets an average giant hosts a companion about twice as massive as a dwarf, and a bright giant's companion is 3 times more massive, on average. That puts companions to bright giants, on average, at the brown dwarf – planet borderline (see also Mitchell et al. 2013). It is rather obvious that such an increase a giant planet mass cannot be explained by accretion during its host's red giant branch evolution (Duncan & Lissauer 1998).

Stellar mass is not expected to increase during MS and the subgiant branch evolution. Therefore stellar masses of evolved stars in planet searches are sometimes considered overestimated (Lloyd 2011, 2013; Schlaufman & Winn 2013). This is a very important issue as uncertainties in stellar masses immediately lead to uncertainties in planetary masses and in a consequence make statistical considerations of exoplanets more difficult. Sousa et al. (2015) already considered in more detail masses of hosts of known planetary systems and found some of them overestimated. Here we will present a more general approach to this problem.

With this paper we continue a series dedicated to detailed description of the complete sample of $\sim$ 1000 stars studies within PTPS. This project is performed with the Hobby-Eberly Telescope (HET, Ramsey et al. 1998) and devoted to planets in evolved planetary systems. So far 20 planets in 17 systems have been found (Niedzielski et al. 2007, 2009a,b; Gettel et al. 2012b,a; Adamów et al. 2012; Nowak et al. 2013; Niedzielski et al. 2015a,b).

In the first paper of this series the red giant clump (RGC) sample was presented (Zieliński et al. 2012 - hereafter Paper I). In the second one we presented Li abundances in that sample (Adamów

[1] After Niedzielski et al. (2015b) in the following we will, for simplicity, call dwarfs stars with $\log g = 4.5 \pm 0.5$, subgiants: $\log g = 3.5 \pm 0.5$, giants: $\log g = 2.5 \pm 0.5$ and bright giants: $\log g = 1.5 \pm 0.5$

et al. 2014 - Paper II). The purpose of the present paper is to deliver physical parameters, such as effective temperatures ($T_{\rm eff}$), stellar gravitational accelerations ($\log g$), microturbulence velocities ($v_{\rm t}$) and metallicities ([Fe/H]) for 455 GK-type stars, presumably subgiants and red giants observed within PTPS survey. The atmospheric parameters, together with existing photometric data and parallaxes (when available) will allow us to estimate stellar masses ($M/M_{\odot}$), radii ($R/R_{\odot}$) and ages. We will also discuss the complete PTPS evolved stars sample and stellar masses in our and several other planet searches.

The scope of the paper is the following: in Section 2, we describe the sample and the observational material to be used in the analysis. The spectroscopic analysis of collected data is described in more detail in Section 3. In Section 4 we present stellar integrated parameters: masses, luminosities, ages and radii. Section 5 contains a short description of the complete PTPS evolved stars sample while in Sections 6 we compare the sample to other samples of evolved stars searched for planets, for which basic data are available in the literature. In Section 7 a discussion of results is presented together with a more detailed analysis of the origin of planetary masses increase apparent in evolved planetary systems. Section 8 contains short conclusions of the paper.

2. Targets selection and observations

Spectroscopic observations presented here were made with the HET and its High Resolution Spectrograph (HRS, Tull 1998) in the queue scheduled mode (Shetrone et al. 2007). The spectrograph was used in the R=60 000 resolution mode and it was fed with a 2 arcsec fiber. The configuration and observing procedure were identical to those described in Paper I.

Collected spectra consist of 46 ”blue” echelle orders (407 - 592 nm) and 24 ”red” orders (602 - 784 nm). Data reduction was done with a pipeline based on IRAF[2] tasks (flat fielding, wavelength calibration and normalization to continuum). The signal to noise was typically better than 200 per resolution element. For every star at least one so-called GC0 spectrum is available, which is a spectrum obtained without a I_2 gas cell inserted into optical path, and a series of GC1 spectra, obtained with the gas cell inserted. The observational material used in this paper are the best quality GC0 spectra and all available GC1 spectra for a sample of 455 subgiant and giant stars. The sample includes 11 SB1 systems.

The sample was designed as a *blind* extension of the RGC sample that had been observed with HET (see Paper I) and consists of a set of field stars that meet several requirements. One of them is location on Herztsprung-Russell Diagram (HRD) that corresponds to subgiants and giants. To identify those objects we used photometric data and parallaxes from Hipparcos and Tycho catalogs, choosing stars with B-V=0.55–0.95, located in expected M_V range. For efficient use of HET/HRS observing time, selected stars are randomly distributed over the HET field of view ($\delta = -10^{\circ}20'$ to $+71^{\circ}40'$). Adopted observing strategy puts a limit for stellar brightness of observed stars. In case of PTPS, observed stars should be brighter than 10.5^{mag} and this threshold was also applied during the selection. The complete list of selected targets is presented in Table 1 (see also Fig. 1).

[2] IRAF is distributed by the National Optical Astronomy Observatories, which are operated by the Association of Universities for Research in Astronomy, Inc., under cooperative agreement with the National Science Foundation.



Fig. 1. Histograms of the apparent magnitudes in the V band (left panel) and $(B - V)$ (right panel) for 402 stars observed within PTPS.

3. Spectroscopic analysis

The spectroscopic analysis included a check for presence of stellar companions with a cross-correlation technique, absolute radial RV measurements, atmospheric parameters determinations with an LTE analysis of Fe I and II lines, and rotation velocities estimates.

This approach was proved to be robust. For three objects from Paper I, HD 102272, BD+20 2457 and BD+48 738, practically identical (within 1σ) atmospheric parameters were obtained by Mortier et al. (2013) (except [Fe/H] for BD+20 2457 that was found $\sim 3\sigma$ lower). Agreement within 1σ was also obtained for parameters of another five stars analyzed by Sousa et al. (2015): HD 17092, HD 240210, HD 240237, HD 96127 and HD 219415 .

3.1. CCF analysis

To construct the cross-correlation functions (CCFs) we correlated all available GC1 stellar spectra for every stars with a numerical mask consisting of 1 and 0 value points, after cleaning the spectra from the I2 lines, using the ALICE code (Nowak 2012; Nowak et al. 2013). The non-zero points correspond to the positions of 300 non-blended, isolated stellar absorption lines at zero velocity, present in a synthetic ATLAS9 (Kurucz 1993) spectrum of a K2 star. We used only the first 17 orders of the ”blue” spectra. They are free from telluric lines and corrected in the wavelength scale using the I_2 lines. The CCF was computed step by step for each velocity point in a single order. For every order the algorithm selected from the mask only these lines that are suitable for a given wavelength range. CCFs from all orders were finally added to get the final CCF for the whole spectrum.

The shape of the CCF and its variation in the series of available spectra were used to identify spectroscopic binaries with resolved spectral line systems (SB2), objects with variable CCF and stars with flat CCF (fast rotators or low metallicity stars). Typical CCFs for various cases are presented in Fig. 2. A summary of results of CCF analysis is presented in Table 2.

Due to the nature of star selection for the presented sample, after the preliminary analysis some objects appeared unsuitable for a planet search and were rejected. Altogether 53 stars were rejected based on various conditions. Our CCF analysis revealed a group of 25 stars with multiple CCF and 22 with unresolved and variable depth of CCF. A “Spectroscopic binaries - SB2” and “Variable CCF/SB2 ” label was assigned to those stars, respectively. For another group of 5 stars



Fig. 2. Sample of CCF for four objects: top left - single star or SB1; top right - SB2; bottom left - week line (low metallicity or fast rotator); both right: variable CCF/SB2.

the absorption line system was too weak to measure EW realistically. To those stars we assigned "weak CCF" label, and they may be fast rotators or very low metallicity stars also unsuitable for a planet search. We excluded also from further analysis one object with probably very low effective temperature.

For those stars a detailed spectroscopic analysis was not possible as their equivalent widths are misleading or accompanied with huge uncertainties. To roughly estimate atmospheric parameters for these stars in our analysis we adopted for all of them $T_{\rm eff}$, $\log g$ as well as initial luminosity estimates from Adamów & Niedzielski (2010), i.e. values of $T_{\rm eff}$ obtained from empirical calibration of Ramírez & Meléndez (2005) based on Tycho and 2MASS photometry as well as $\log g$ roughly estimated using the method of Bilir et al. (2006) and Gelino et al. (2005). The results of this simplified analysis are presented in Table 2 for completeness but they will be ignored in further analysis.

3.2. Absolute radial velocities

The absolute radial velocity was measured by fitting a Gaussian function to the co-added CCFs for the 17 orders of the blue spectrum of the best available GC0 spectrum, obtained with the ALICE code (Nowak 2012; Nowak et al. 2013).

The uncertainty of the resulting RV was computed as $RMS/\sqrt{17}$ of the 17 RVs obtained for each order separately. The mean standard uncertainty obtained in this way is $\sigma{\rm RV_{CCF}} = 0.039\,{\rm km\ s^{-1}}$. However, as HET/HRS is neither thermally nor pressure stabilized, the RVs are subject to seasonal variations and the actual precision is in the $2-3\,{\rm km\ s^{-1}}$ range. The distribution of RVs and their uncertainties is presented in Fig. 3.



Fig. 3. Histograms of the RVs obtained from the cross-correlation function (left panel) and their uncertainties (right panel) for studied PTPS stars.



Fig. 4. Histograms of the rotational velocities and its uncertainties obtained from SME (Valenti & Piskunov 1996) synthetic spectrum fitting.

RVs were transformed to the barycenter of the Solar System with the algorithm of Stumpff (1980) for all stars in our sample They are presented in Table 1 (column 11), together with the epochs of observation as modified julian date (MJD, column 12).

3.3. Rotational velocities

We obtained projected rotational velocities, $v \sin i_\star$, through modeling of GC0 and „red" stellar spectra with the Spectroscopy Made Easy tool (SME, Valenti & Piskunov 1996). A more detailed description of this method is presented in Paper II. Estimated rotational velocities are presented in Table 1 (column 10). Majority of our objects are slow rotators with $v \sin i_\star$ of $1 - 3\,\mathrm{km\,s^{-1}}$. Only two objects show $v \sin i_\star$ larger than $10\,\mathrm{km\,s^{-1}}$: TYC 1427-00095-1 and TYC 1515-00866-1. Histograms of our estimates of $v \sin i_\star$ and its uncertainties are shown in Fig. 4.

3.4. Equivalent widths

We used Automatic Routine for line Equivalent widths in stellar Spectra (ARES, Sousa et al. 2007) to measure the equivalent widths (EWs) of spectral lines. The code allowed us to automatically measure EWs for a set of neutral and ionized iron absorption lines and we found it more flexible than DAOSPEC (Stetson & Pancino 2008) used in Paper I. To test the consistency between ARES and DAOSPEC measurements, we compared EW's measurements of Fe lines (with EW $<$ 200mÅ)

for 5 stars (HD 3933, 102842, 187094, 215443, 9416) obtained with both tools. We found a very good agreement between the two sets of measurements (the Pearson correlation coefficient r=0.943), $EW_{DAOSPEC} = 0.911 \pm 0.017 \times EW_{ARES} + 5.049 \pm 0.852$, with an average difference of 6.50 ± 10.22mÅ and average ratio of $EW_{ARES}/EW_{DAOSPEC} = 1.06 \pm 0.41$ We found it justified to continue with ARES.

The selection of spectra lines used in spectroscopic analysis may lead to slight variations in results (Tsantaki et al. 2013; Alves et al. 2015). In this paper, for consistency with Paper I, and to exploit the available spectra we chose the line list by Takeda et al. (2005) as the most adequate for our HET/HRS spectra following the results of analysis of Adamów et al. (2015). We removed from it all lines in regions of strong telluric lines occurrence. Finally we included 220 lines (200 Fe I and 20 Fe II) in the $4813 - 7855$Å range in our spectroscopic analysis.

3.5. Atmospheric parameters

Having EW measurements we applied them as input data to determine the LTE atmospheric parameters of our sample stars. The $T_{\rm eff}$, $\log g$, $v_{\rm t}$ and [Fe/H] (defined in standard manner as [Fe/H]= $\log(N_{\rm Fe}/N_{\rm H}) - \log(N_{\rm Fe}/N_{\rm H})_{\odot}$), were obtained with TGVIT code developed by Takeda et al. (2002, 2005). See Paper I for more detailed description of our implementation of the code. For [Fe/H] calculations, we adopted the A(Fe) solar value of 7.50 dex (Kurucz 1993; Holweger et al. 1991). For 402 objects we obtained converged solutions for each of stellar parameters typically in 10 or less iterations.

To test presented methodology of atmospheric parameters determination, we applied it to Arcturus. We acquired several spectra for this object within PTPS and we used the one of the best quality (S/N=420). The atmospheric parameters we obtained: $T_{\rm eff} = 4254 \pm 20$K, $\log g = 1.61 \pm 0.08$, $v_{\rm t} = 1.54 \pm 0.07$ and [Fe/H]= -0.61 ± 0.08. are in very good agreement with those from Ramírez & Allende Prieto (2011): $T_{\rm eff} = 4286 \pm 30$K, $\log g = 1.66 \pm 0.5$, and [Fe/H]= -0.52 ± 0.04, and from Martin (1977): $T_{\rm eff} = 4300 \pm 90$K, $\log g = 1.74 \pm 0.2$, $v_{\rm t} = 1.70$ and [Fe/H]= -0.51 ± 0.08 (see Sect 3.6 for a comment on atmospheric parameters uncertainty). We are therefore confident that the applied methodology is correct.

The results of our determinations of atmospheric parameters for 402 GK stars are presented in Table 1 (columns 6-9), where the numerical values of $T_{\rm eff}$, $\log g$, $v_{\rm t}$ and [Fe/H] are presented together with their intrinsic uncertainties.

The values of resulting atmospheric parameters were found to stay generally within the range of the TGVIT model grids.

Fig. 5 presents relations between atmospheric parameters presented in Table 1. We note that results obtained for single line spectroscopic binaries (SB1) agree very well with those for apparently single stars.

The effective temperature $T_{\rm eff}$ is in range between 4398 K and 6394 K with a median value at 5167 K. The distribution of $T_{\rm eff}$, presented in Fig. 6a, shows two maxima, one for giants (cooler) and one for subgiants (warmer), which are the two most numerous groups of stars in the presented sample. The intrinsic uncertainty distribution in $T_{\rm eff}$ is presented in Fig. 6e.

The gravitational accelerations $\log g$ for the presented sample range between 1.49 and 4.72 with the median of 3.65. The distribution of $\log g$ is presented in Fig. 6b. We found that 5 stars have



Fig. 5. Relations between $T_{\rm eff}$, $\log g$, $v_{\rm t}$ and [Fe/H] for 402 stars with complete spectroscopic analysis. Results for 11 SB1 are marked as open circles.



Fig. 6. Histograms of of $T_{\rm eff}$, $\log g$, $v_{\rm t}$ and [Fe/H] obtained for 402 stars with complete spectroscopic analysis. Results for 11 SB1 are marked in black.

$\log g < 2.0$, 60 have $3.0 > \log g \geq 2.0$, 277 have $4.0 > \log g \geq 3.0$ and 60 stars have $\log g \geq 4.0$. We can see that majority of our stars (194) have $\log g$ of $3.5-4.0$ making them generally subgiants. The uncertainty distribution in $\log g$ is presented in Fig. 6f.

The microturbulence velocity, $v_{\rm t}$, reaches values from 0.43 km s^{-1} to 1.93 km s^{-1} and has the median at 1.03 km s^{-1}. Most of our stars have $v_{\rm t}$ between 0.8 km s^{-1} and 1.2 km s^{-1} (Fig. 6c). The uncertainty distribution in $v_{\rm t}$ is presented in Fig. 6g.



Fig. 7. Relations between intrinsic uncertainties of $\sigma T_{\rm eff}$ (top panel), $\sigma \log g$ (middle panel) and σ[Fe/H] (bottom panel) vs. $T_{\rm eff}$ for 402 stars. Results for 11 SB1 are marked as open circles.

The metallicity of stars in the presented sample, [Fe/H], stays within −1.52 to +0.51 limit with the median value at −0.08. Most of our objects have the [Fe/H] in the range of −0.25 to 0.25. Fig. 6d presents the distribution and we can see that our stars are mostly less metal abundant than the Sun. The uncertainty distribution in [Fe/H] is presented in Fig. 6h.

3.6. Atmospheric parameters uncertainty estimates

The mean intrinsic, i.e. delivered by TGVIT, uncertainties of our determinations are: $\sigma T_{\rm eff} = 15$ K, $\sigma \log g = 0.04$, $\sigma v_{\rm t} = 0.07$ km s^{-1} and σ[Fe/H] = 0.02. Fig. 7 shows the intrinsic uncertainties of these three parameters as a function of $T_{\rm eff}$. No correlation exists between uncertainties and the obtained parameter values for any of the atmospheric parameters in the wide range of $T_{\rm eff}$ between 4500 K – 6000 K. The scatter of the uncertainties is uniformly distributed over the whole range of resulting parameters. We note, however, that for stars with $T_{\rm eff}$ below 4500 K or above 6000 K the uncertainties are slightly higher, especially in $T_{\rm eff}$ and [Fe/H].

To test the impact of EWs shift between DAOSPEC and ARES measurements presented in Section 3.4 we calculated stellar atmospheric parameters for the same 5 five stars using DAOSPEC and ARES EWs separately. We obtained agreement within 1σ intrinsic in all parameters except microturbulence velocity, in which the results differ by 2-3 intrinsic σ. We are allowed to assume, therefore, that our results presented here are consistent with those of Paper I.

All these intrinsic uncertainties, except [Fe/H], are numerical uncertainties resulting from the iterative procedures of TGVIT, representing actually a goodness of fit only. The intrinsic uncertainties in metallicities are estimated in TGVIT from the actual Fe abundance distribution as the standard deviation of the mean. A detailed comparison with Soubiran et al. (1998) and Butler et al. (2006) presented in Paper I suggests that our intrinsic uncertainties in $T_{\rm eff}$, $\log g$ and $v_{\rm t}$ are un-

derestimated by a factor of 2-3. In Table 1 we present, however, the intrinsic uncertainties from TGVIT allowing for future more detailed uncertainty analysis.

Both atmospheric parameters and their uncertainties for SB1 stars in the presented sample fit well the general trends for single stars (Fig. 5, 7) and therefore in the following we will address single and SB1 stars together.

3.7. Comparison with literature

Atmospheric parameters for 272 stars discussed here were determined for the first time.

In our attempt to compare our results with those available in PASTEL catalogue (Soubiran et al. 2010) we found 130 stars in common, many with multiple records in PASTEL resulting sometimes in large scatter. After removing from the comparison the objects with most discrepant values (labeled in Fig. 8) good agreement was found in the case of all parameters.

For $T_{\rm eff}$ (444 measurements in Pastel)- the Pearson correlation coefficient is r=0.96 (Fig. 8a), mean difference between measurements $\delta = 87 \pm 86$ K and average our to their result ratio is $\rho = 1.00 \pm 0.02$.

For $\log g$ (244 records in Pastel) we also found very good agreement with r=0.92, $\delta = 0.19 \pm 0.15$ and $\rho = 1.02 \pm 0.08$ (Fig. 8b).

In the case of [Fe/H] (248 records in Pastel), we found r=0.95, $\delta = 0.09 \pm 0.08$ and $\rho = 0.75 \pm 2.47$ (Fig. 8c). Technically this result suggests that our [Fe/H] determinations are systematically lower than those present in Pastel. That result is, however, misleading and caused by a scatter in results for $|[\mathrm{Fe/H}]| < 0.1$, usually actually consistent within uncertainties. For 181 records with $|[\mathrm{Fe/H}]| > 0.1$ we found $\rho = 0.93 \pm 0.5$.

In Fig. 8d the RVs obtained here with the CCF technique are compared with literature data for 279 objects included in SIMBAD[3] database. We found r=0.97, $\delta = 1.8 \pm 3.2\,\mathrm{km\,s^{-1}}$, and $\rho = 0.98 \pm 0.92$).

No systematic effects were found. Our results agree with those obtained by other authors within estimated uncertainties.

4. Luminosities, masses, ages and radii

We estimated intrinsic color index $(B-V)_0$ and bolometric corrections $BC_{\rm V}$ for our stars using empirical calibrations by Alonso et al. (1999). For 374 stars with available Hipparcos parallaxes (van Leeuwen 2007) assuming the standard interstellar reddening with total to selective extincion ratio $R_V = 3.1$ (Rieke & Lebofsky 1985) luminosities were directly calculated. These luminosities were used in further analysis.

4.1. Stellar masses and ages

Stellar masses $M/\,M_{\odot}$ and estimates of ages were obtained with the Adamczyk et al. (2015) modification of the Bayesian method based on Jørgensen & Lindegren (2005) formalism, modified by da Silva et al. (2006) to avoid statistical biases and to take uncertainty estimates of observed quantities into consideration. We adopted theoretical stellar models from Bressan et al. (2012) and used

[3] The SIMBAD astronomical database is operated at CDS, Strasbourg, France.



Fig. 8. Comparisons between our $T_{\rm eff}$,$\log g$, [Fe/H] and literature values from PASTEL catalogue (Soubiran et al. 2010). Radial velocities derived from our cross-correlation analysis are compared with measurements available in SIMBAD. The RVs uncertainties are presented if available. The solid lines present the one to one relations.



Fig. 9. Distributions of $\log L/L_\odot$, $M/\,M_\odot$, log(age/yr) and $R/\,R_\odot$ for 402 stars with complete spectroscopic analysis (panels a-d). The histograms for uncertainty estimates are presented in panels e-h. Results for 11 SB1 are marked in black.

isochrones with Z= 0.0001, 0.0004, 0.0008, 0.001, 0.002, 0.004, 0.006, 0.008, 0.01, 0.0152, 0.02, 0.025, 0.03, 0.04, 0.05, 0.06 and 0.008 interval in $\log$ (age/yr). The adopted solar distribution of heavy elements corresponds to Sun's metallicity $Z \simeq 0.0152$ (Caffau et al. 2011). The helium abundance for given metallicity was obtained from relation $Y = 0.2485 + 1.78Z$ Bressan et al. (2012). For majority of our targets with Hipparcos parallaxes available we used $T_{\rm eff}$, $\log g$, [Fe/H] and luminosity as input parameters for the Bayesian analysis. In case of stars with no reliable parallax we were able to obtain from the Bayesian analysis also an estimates of luminosity.

A detailed description of that approach is presented in Adamczyk et al. (2015).

The resulting masses range from $0.52\,M_\odot$ to $3.21\,M_\odot$ as the histogram of $M/\,M_\odot$ for all our stars presents (Fig. 9b). We can see that majority of stars have masses up to $1.19\,M_\odot$ (median). However, there is a significant number (17 or $\sim 4.2\%$) of stars which fall in the intermediate-mass range $2\,M_\odot \leq M \leq 3.21\,M_\odot$. Table 1 (column 17) presents the final adopted masses.

The uncertainties of stellar masses obtained by comparison with theoretical isochrones depend on the accuracy of determination of star's location in the [$\log L/L_\odot$, $\log g$, $\log\ T_{\rm eff}$] space.

The main source of uncertainty in mass is the parallax, or luminosity, and its uncertainties. In the case of stars, for which the parallax was more precise the simplified treatment of metallicity may introduce additional uncertainty in mass through the choice of the metallicity model and then isochrone. We found that for the whole sample the mean uncertainty for stellar mass is $\sigma M/\,M_\odot = 0.07$. However, uncertainties may become much larger for very confusing isochrones at lower temperatures ($T_{\rm eff} \leq 4500$ K). We also note that for stars from the RGC, which may undergo stellar mass-loss the masses obtained this way are the upper limits as in Bressan et al. (2012) the stellar mass lost due to mass loss is added while constructing the isochrones and the MS masses are given.

Estimated stellar ages are presented in Table 1 (column 19) and in (Fig. 9c). We found that typical stars from our sample have $\log(\mathrm{age/yr})$ between 9.5 and 10 and have mean uncertainties around 0.09.

4.2. Stellar luminosities

For 28 stars with no parallaxes (or $\sigma_\pi > \pi$) the luminosity was adopted from fits to the isochrones, corresponding to determined stellar mass. In Table 1 (column 15) the final adopted luminosity is provided. The $\log L/L_\odot$ ranges from -1.25 to 2.84 with the median of 0.76 (Fig. 9a).

For stars with luminosities calculated from Hipparcos parallaxes luminosity uncertainties were calculated using the standard exact differential law for calculations based on the available π and photometry uncertainties. For Bayesian estimates they were estimated as dispersion of respective PDF (Fig. 10) for the proper stellar mass. The average value of luminosity uncertainty for the whole sample is $\sigma \log L/L_\odot = 0.14$.

In Fig. 11 we present a comparison of stellar luminosities obtained from Hipparcos parallaxes ($\sigma_\pi < \pi$) and from our Bayesian analysis based on atmospheric parameters only. A general agreement is clear although for stars with very small parallaxes ($\pi \lesssim 10$ mas) both estimates may vary substantially. In Fig. 11 we also present (in red) luminosities obtained with the two methods for the Paper I stars by Adamczyk et al. (2015). That sample contains more distant stars for which luminosity is certainly less reliable.

4.3. Stellar radii

With either spectroscopic $\log g$ and adopted stellar mass or spectroscopic $T_{\rm eff}$ and adopted luminosities, we were able to calculate stellar radii (see Adamczyk et al. 2015 for more details). Although for several stars the radii obtained from those two sets of parameters differ significantly, the general agreement between both $R/R_\odot$ estimates is good (r=0.93). The maximum uncertainties were estimated in both approaches by application of the standard exact differential law.

As it can be seen from Fig. 9d, the radii range from $0.66\,R_\odot$ to $36.04\,R_\odot$. Most of our stars have radius of about $0.66 - 4\,R_\odot$. Median and mean $R/R_\odot$ was found to be 2.76 and 4.24, respectively. On average the precision is $\sigma R/R_\odot = 0.19$. The adopted stellar radii are presented in Table 1 (column18).

The ranges of adopted uncertainties of radii as well as luminosities, masses and ages are depicted in Fig. 9 (panels e-h).

5. The PTPS evolved stars sample

The sample of 402 stars presented in this paper, together with 342 stars from the RGC sample discussed in Paper I with revised, integrated parameters presented in Adamczyk et al. (2015), constitute the evolved stars sample of PTPS. For all 744 stars atmospheric parameters as well as masses, luminosities, ages and radii were obtained in a uniform way. Both subsamples, in spite of differences resulting from their definitions are complementary. The main difference between them is that giants and distant bright giants are mostly present among Paper I sample, while subgiants are highly abundant in the sample presented here. Another difference is the amount of stars with Hipparcos



Fig. 10. The H-R diagram for the complete PTPS sample of evolved stars. The stars presented in this paper are displayed as circles, and objects discussed in Paper I as squares. We also present preliminary results for dwarfs (open triangles, Deka-Szymankiewicz et al. in prep.), included also in PTPS, for completeness. Theoretical evolutionary tracks (Bertelli et al. 2008, 2009) are presented for stellar masses of $1-3\,M_{\odot}$ and two metallicities: the solid and dashed lines correspond to [Fe/H] = −0.3 and 0.3 respectively. Stellar metallicity is color-coded.

parallaxes available. Contrary to the sample presented in Paper I, for most of stars discussed in the present paper parallaxes are available. As a result, luminosity, masses and ages estimates presented in this paper are presumably more precise (cf. Adamczyk et al. 2015). In Fig. 10 we present the HRD for the complete evolved sample of the PTPS stars, together with a subsample of dwarfs, not discussed in this paper.

We applied Johnson & Soderblom (1987) approach to constrain space velocity components (U,V,W) for the PTPS evolved stars sample. Following Ibukiyama & Arimoto (2002) criteria, we assigned our objects to galactic populations. Stars from thin disc, thick disc and halo have $V > -62\,\mathrm{km\,s^{-1}}$, $-182 \leq V < -62\,\mathrm{km\,s^{-1}}$ and $V < -182\,\mathrm{km\,s^{-1}}$, respectively. Objects with $V > -62\,\mathrm{km\,s^{-1}}$ but with distance from the galactic plane $z > 600$ pc are classified as thick disc stars - Fig. 12.

Most of our objects belong to the thin disc (over 64%), over 33% stars are thick disc stars and a few percents of objects belong to the galactic halo. Stars in the joint sample are generally less metal abundant than the Sun, with median of [Fe/H] = −0.12. However, the median for each population



Fig. 11. Comparison of stellar luminosities obtained from Hipparcos parallaxes and from our Bayesian analysis. The stars presented here are represented by black symbols while those of Paper I by red ones. The solid line presents the one to one relation.

is different: [Fe/H] = -0.1 for thin disc, [Fe/H] = -0.16 for thick disc and [Fe/H] = -0.90 for halo stars.

With a substantial number of stars in both thin and thick disk the sample is also suitable for future analyses of planetary systems in a wider galactic perspective.

6. Evolved stars in other planets search projects

To our knowledge the PTPS evolved stars sample is the largest existing sample of stars beyond the MS searched for low-mass companions with a high precision RV technique. As such it constitutes and interesting comparison to several other samples of stars searched for planets around evolved stars. In Fig. 10 one can see that the PTPS evolved stars sample covers a wide range of effective



Fig. 12. Galactic rotational velocities of stars with respect to the Galactic Center versus distances from the galactic plane z. The stars presented here are represented by black symbols while those of Paper I by red ones.



Fig. 13. Histograms for log g, [Fe/H] and $M/M_{\odot}$ for planets search projects around evolved stars.

temperatures, between 4000 and 6500 K, luminosity range over three orders of magnitude, log $L/L_{\odot}$ between -1 and 3, log g ranging from 1 to 5, and metallicity from 0.5 down to -1.5. It contains stars from both subgiant and red giant branches, as well a subset of highly evolved stars in horizontal branch or early AGB - Fig. 10. The distribution of logg, [Fe/H] and masses of stars in the sample is presented in Fig. 13.

To put our sample in a perspective, we collected available atmospheric and stellar parameters for evolved stars from several other planet search projects. We can this way compare our sample with other 5 planets search projects : Okayama Planet Search (Sato et al. 2003) and its extensions - *EAPSNet*, 488 stars in total for which stellar parameters are available in Takeda et al. (2008); Liu et al. (2010); Wang et al. (2011); *Lick K-giant Survey* (Frink et al. 2002) - stellar parameters for



Fig. 14. A comparison of stellar atmospheric for 62 PTPS stars also included in other planet searches.

359 stars presented in Reffert et al. (2014); *Retired A Stars and Their Companions* (Johnson et al. 2007) with stellar parameters for 244 stars available from Ghezzi & Johnson (2015); and a radial velocity survey of 164 bright G and K giant stars in the southern hemisphere *EXPRESS* (Jones et al. 2011), containing altogether 1255 stars. For all these stars stellar atmospheric parameters as well as stellar masses, determined in various ways, are available in respective papers. We also added to the analysis the *Coralie* & HARPS search (Lovis & Mayor 2007), with 257 stars for which atmospheric parameters (but no stellar masses) are available in Alves et al. (2015).

A comparison of basic properties of these star samples is presented in Fig. 13 from which one can easily note similarities and differences between them. From Fig. 13a it is clear that our evolved stars sample covers much wider range of stellar hosts than any other project, from bright giants to subgiants. Most of other samples cover the evolved stars range down to $\log g = 1.5$ except the Lick K-giant Survey Reffert et al. (2014) sample that extends to bright giants/super giants with $\log g$ as low as 0.5. In most samples, however, the largest number of stellar hosts present $\log g = 2.5 - 3.0$. The Retired A Stars and Their Companions sample (Ghezzi & Johnson 2015) presents on the other hand a sample complementary to most other surveys, well consistent, however, with our sample. Very similar is the $T_{\rm eff}$ distribution with most stars in 4750-5000 K range, again with the exception of Reffert et al. (2014) sample that extends to effective temperatures of 3750 K.

Another important feature of the samples compared here is very similar [Fe/H] distribution in all except Jones et al. (2011), which apparently contains super-solar [Fe/H] objects preferentially (Fig. 13b).

In Fig. 13c we present a comparison of stellar host masses distributions in all six surveys. Compared to our sample, but also to *Retired A Stars and Their Companions* (Ghezzi & Johnson 2015) those of *EAPSNet* (Takeda et al. 2008) and *Lick K-giant Survey* (Reffert et al. 2014) contain much larger number of intermediate-mass ($M/\,M_{\odot} = 2 - 5$) stars, mostly in the $M/\,M_{\odot} = 2 - 3$ range. The figure suggests that the samples were defined to preferentially contain stars in that mass range. A quick comparison of mass distribution in Takeda et al. (2008); Liu et al. (2010); Wang et al. (2011), Reffert et al. (2014) and the presented here samples prove that they are especially



Fig. 15. A comparison of stellar masses presented by respective authors with calculated by us using published stellar atmospheric parameters. Stellar masses presented by Reffert et al. (2014) Lick K-giant Survey and Ghezzi & Johnson (2015) Retired A Stars and Their Companions projects agree well with our estimates, while stellar masses presented by other authors do not agree well with our estimates.

abundant in $2-3M/\,M_\odot$, $2-3M/\,M_\odot$ and $1-2M/\,M_\odot$, respectively, making them complementary to other planet search around evolved stars and potentially effective in searches for planets around stars more massive than the Sun.

In Table 3 we present a compilation of basic parameters for 62 PTPS stars also included in other surveys. We note a good agreement in atmospheric parameters, as illustrated in Fig. 14. However, the agreement in stellar masses is not very good.

To consider in more detail stellar masses presented in various searches, we calculated masses for all 1255 targets from all 5 surveys with the same method we use for our data (Adamczyk et al. 2015) and compared them to those presented in respective survey definition papers. Results are presented in Fig. 15. We note a good agreement with Ghezzi & Johnson (2015) and very good with Reffert et al. (2014) results - Fig. 15a-b. In the case of Reffert et al. (2014) stellar masses derived

by us agree with their original results within 1σ on average, with $M_R/M_{our} = 1.04 \pm 0.07$ (with Parsons correlation coefficient of r=0.977). Similar agreement between our and Ghezzi & Johnson (2015) data is apparent, with $M_G/M_{our} = 1.05 \pm 0.29$, i.e. with noticeably larger scatter (r=0.81).

In all other cases the stellar masses derived by us are noticeably smaller. For Takeda et al. (2008) we have $M_T/M_{our} = 1.29 \pm 0.24$ (r=0.911), for Wang et al. (2011) $M_W/M_{our} = 1.28 \pm 0.15$ (r=0.948), for Liu et al. (2010) $M_L/M_{our} = 1.43 \pm 0.24$ (r=0.851), and for Jones et al. (2011) $M_J/M_{our} = 1.15 \pm 0.10$ (r=0.941) (Fig 15c-f). The difference between obtained here and the published stellar masses is in some cases quite large, on average.

On top of that we note, that the procedure that we use to estimate stellar masses is based on Bressan et al. (2012) isochrones, and assumes very moderate Reimers mass-loss with $\eta = 0.2$, which amount is added to the resulting final stellar mass. In this approach the resulting stellar masses are MS masses actually, but as the estimated effect of mass-loss is low (Miglio et al. 2012), below estimated uncertainties, the simplification is justified. In any case our stellar mass estimated are already most likely upper limits what makes stellar mass estimates of the several other samples of Takeda et al. (2008); Liu et al. (2010); Jones et al. (2011); Wang et al. (2011) likely to be overestimated.

7. Discussion. Do evolved stars host more massive planets?

Using the sample presented here and available data on other samples of evolved stars searched for planets we are in position to discuss one of the most intriguing features of the currently available sample of exoplanets around stars past the MS, the suspicious growth of planetary masses with evolutionary stage of theirs host (Niedzielski et al. 2015b).

Planetary systems around evolved stars are often mixed with planetary systems around stars more massive than the Sun. Although generally not true this is somewhat justified with increase (Niedzielski et al. 2015b) of average host mass as moving from dwarfs ($M/M_\odot = 0.997 \pm 0.016$), through subgiants ($M/M_\odot = 1.446 \pm 0.031$), to giants ($M/M_\odot = 1.885 \pm 0.091$), or bright giants ($M/M_\odot = 1.464 \pm 0.12$). Stellar mass increase for evolved stars with planets is not a physical phenomenon and it only reflects selection effects caused by the most important scientific driver for planets searches beyond the MS - search for planets around stars more massive than the Sun. A real effect, postulated by Lovis & Mayor (2007) and supported by theory by Bowler et al. (2010) might be an increase of planetary system mass with a stellar mass. That is, however more difficult to prove (Niedzielski et al. 2015b), to much extend due to uncertain masses of hosts.

The question of reliability of masses of evolved stars hosting planetary system was raised by Lloyd (2011, 2013); Schlaufman & Winn (2013) and resulted in further studies (Sousa et al. 2015; Adamczyk et al. 2015). Meanwhile Mitchell et al. (2013) and Niedzielski et al. (2013) noticed that the frequency of brown dwarf (BD) companions to evolved stars seems to be surprisingly large, suggesting no BD desert around these stars. Indeed, Niedzielski et al. (2015b) showed that the average mass of a companion (according to exoplanet.eu) increases (RV detected companions only) from $2.25 \pm 0.1\ M_J$ around dwarfs, through $2.956 \pm 0.467\ M_J$ around subgiants, up to $6.533 \pm 1.00\ M_J$ around giants and $7.798 \pm 1.186\ M_J$ around bright giants. Such an over 3 times increase in companions mass in turn of stellar evolution is unlikely real (Duncan & Lissauer 1998). It is also much faster than planetary system hosts average mass increase in these types of stars.



Fig. 16. A comparison of companions masses originally published and calculated with our Bayesian approach. Systems listed in compilation of Reffert et al. (2014) are presented. Most companions, show masses very similar to originally published.

What is therefore the reason for such a fast companions mass increase in evolved stars? We have shown already in Sect. 6 that in some planet searches around evolved stars stellar masses may be overestimated by up to 43%.

In Table 4 we present a compilation of stellar masses for evolved planetary system hosts from the list of Reffert et al. (2014) as well as all hosts of planetary systems detected within PTPS. The stellar masses estimated here are larger for Retired Stars and Their Companions and the Lick K-giants Survey. The original to estimated here stellar mass ratios are 0.91 ± 0.09 and 0.93 ± 0.15. In all other surveys stellar masses are overestimated relative to our determinations and the respective mass ratios are 1.13 ± 0.22 for EXPRESS, 1.42 ± 0.31 for EAPSNet and 1.14 ± 0.45 for PTPS. On average, however, stellar masses for evolved planetary systems included in the compilation of Reffert et al. (2014) are only very slightly overestimated with original to presented here average mass ratio of 1.12 ± 0.35.

In Fig. 16 we see that companions masses, recalculated with our estimates of hosts masses for all systems from the compilation of Reffert et al. (2014) generally agree with original published values, with very few exceptions. This is not surprising as the 12% overestimate of stellar hosts masses contributes as $\sim m^{2/3}$ to companions masses. Therefore the apparent overestimate of stellar hosts masses in several planet search projects does not result in overestimate of companions masses.

In Table 5 we collected from exoplanet.eu basic data concerning planetary systems around evolved stars ($\log g < 3$) discovered with the RV technique according the same selection criteria as in Niedzielski et al. (2015b). For all these systems we calculated new stellar masses of stellar host, including our own detections, based on available atmospheric parameters. We also scaled masses of their companions assuming the new hosts masses. We found that for individual system both increase and decrease of companion's masses may occur. We also calculated median, mean and

standard deviations within $\log g = 2.5 \pm 0.5$ (giants, 44 stars) and $\log g = 1.5 \pm 0.5$ (bright giants, 16 stars) ranges. For giants and bright giants respectively mean, median and standard deviations of companions masses are 5.46, 3.33 0.84 and 7.89, 6.38 and 1.12. We found that the low-mass companions masses around giants show lower mean masses, compared to Niedzielski et al. (2015b), but both values agree within 1σ. For bright giants the mean companions mass remains essentially the same. Again, the evident overestimate of stellar hosts masses in several planet search projects does not seem to be the reason of the apparent companions mass increase for evolved stars.

We conclude therefore that even with stellar masses corrected for possible overestimates existing data show virtually the same companions mass increase for evolved stars as presented in Niedzielski et al. (2015b). We are therefore confident that the apparent companions mass increase for evolved stars is either real or caused by other factors than hosts masses overestimates.

Obviously sample definitions in planet search projects devoted to evolved stars, especially the abundance of relatively massive targets may play a role. There may be, however, more simple reasons. First of all of instrumental nature, like limited actual precision of RV measurements as not all surveys delivered companions in 1 $M_{\rm J}$ mass range. Certainly the stellar jitter, unresolved in time p-mode oscillations (Kjeldsen & Bedding 1995) that in evolved stars are expected to reach $\sim 100\,{\rm m\,s^{-1}}$ might be another factor limiting the actual, effective RV precision when applied to luminous stars. Although it has been demonstrated by various authors, that with systematic observations of such stars companions of $\leq 1\ M_{\rm J}$ can be undoubtfully detected (Gettel et al. 2012a,b) it is tempting to try to study those two factors in more detail.

In a search for simple explanation of the apparent low-mass companions mass increase for evolved stars we assumed that the effective RV precision of a planet search is:
$\sigma_e = \sqrt{\sigma^2_{\rm RV} + jitter^2}$,
where $\sigma_{\rm RV}$ is the instrumental RV precision and *jitter* is the amplitude of p-mode oscillations for given stellar mass and luminosity according to Kjeldsen & Bedding (1995). We also assumed that within a planet search a low mass companion can be detected if RV semiamplitude $K \geq K_c = 3{\times}\sigma_e$. In Figure 17 we present the resulting K_c at various orbital separations for $\sigma_{\rm RV} = 10\,{\rm m\,s^{-1}}$, average stellar hosts masses for dwarfs, subgiants, giants and bright giants from Niedzielski et al. (2015b); and assuming (arbitrary) luminosities of $L/L_\odot = 1$, 25, 200 and 500, respectively.

There are two immediate conclusions obvious from Figure 17: (i) the minimum detectable companion mass increases with orbital separation and for evolved, more active stars; and (ii) for evolved stars detection of nearby low-mass companions ($m_{\rm p} \leq 2\ M_{\rm J}$ within 1 AU) is difficult, if at all possible.

Figure 17 shows that the planetary mass distributions for dwarfs and subgiants are very similar as the detectabillity of companions to those stars is limited by instrumental RV precision mainly. Moreover the increase of minimum detectable companions masses for evolved stars comes naturally from the increased level of additional stellar noise. Assuming further for simplicity a uniform distribution of companions orbit with 5 AU we obtained average minimum masses (in $M_{\rm J}$) of detectable companions to dwarfs, subgiants, giants and bright giants 1.2, 1.3, 3.0 and 5.6, respectively, in qualitative agreement with observations.

The conclusion (ii) above suggests that the apparent lack of planets within $\sim$ 0.5 AU around evolved stars (Johnson et al. 2007; Sato et al. 2008) may not be a physical phenomenon but only a reflection of limited effective RV precision, if for some reason, companions more massive than $\sim$



Fig. 17. Minimum detectable companion masses vs. semi major axis for stars at various evolutionary stages. See text for explanation.

2 M_J are not so abundant in close-in orbits around evolved stars (an assumption very well supported by observations). This finding seems to be also supported with recent discovery of Kepler 91 b , a 0.66±0.06 M_J planet in only $a/R_\star$ = 2.253±0.046 ($R_\star$ = 6.30±0.16 $R_\odot$) orbit around a 1.3±0.1 $M_\odot$, $\log g$ = 2.953 ± 0.07 giant (Lillo-Box et al. 2014; Barclay et al. 2015; Sato et al. 2015).

If we anyway assume that low mass companions around giants and bright giants are present outside 0.5 AU. only the average minimum companions masses to those stars grow to 3.9 and 7.4, respectively, which makes our conclusion even stronger.

Based on instrumental precision and stellar activity only we can at least qualitatively explain the observed apparent increase of companions masses for evolved stars and question the reality of the apparent lack of low mass companions to evolved stars within ∼ 0.5 AU.

8. Conlusions

We have presented atmospheric parameters, luminosities, masses, stellar ages and radii for 402 stars from the PTPS . We also presented estimated atmospheric parameters for another 53 stars, originally included in PTPS but rejected as unsuitable for a planet search. For 272 stars presented results are first determinations. We presented and discussed in more detail the complete sample of 744 stars beyond the MS that form the evolved stars sample of PTPS

In a search for reason of apparent planetary mass companion increase for evolved stars we have compiled atmospheric parameters for 1255 stars from another 5 planet searches and estimated stellar masses in a uniform way. We found very good agreement with two Lick K-giant Survey Reffert et al. (2014) and Retired A stars and their Companions (Ghezzi & Johnson 2015) but we also found that stellar masses presented in two other projects appear to be seriously overestimated.

We do not claim that our estimates of stellar masses are better, more precise or more reliable. The only point we make is that the problem of stellar masses of evolved planetary systems hosts indeed exists. We stress that stellar mass estimated by us are already most likely upper limits what makes stellar mass estimates of the several other samples worth more detailed analysis.

With uniformly determined stellar masses we checked reality of the apparent planetary mass increase for evolved stars and we found that it is not a result of stellar mass overestimate by some authors.

We demonstrated that the apparent increase of evolved stars companion masses and the lack of planetary mass companions to evolved stars within 0.5 AU may both originate from limited RV precision and additional noise introduced by stellar p-mode oscillations.

Acknowledgements. We thank Dr Yoichi Takeda for making his codes available for us and Dr Luan Ghezzi for sharing his results prior to publication. We thank the HET resident astronomers and telescope operators for their continuous support. We thank the anonymous referee for comments that let us improve the paper substantially. MiA, AN, BS-D, MA and GN were supported by the Polish National Science Centre grant no. UMO-2012/07/B/ST9/04415. MA acknowledges the Mobility+III fellowship from the Polish Ministry of Science and Higher Education. The Hobby Eberly Telescope (HET) is a joint project of the University of Texas at Austin, the Pennsylvania State University, Stanford University, Ludwig-Maximilians-Universität München, and Georg-August-Universität Göttingen. The HET is named in honor of its principal benefactors, William P. Hobby and Robert E. Eberly. The Center for Exoplanets and Habitable Worlds is supported by the Pennsylvania State University, the Eberly College of Science, and the Pennsylvania Space Grant Consortium. This research has made extensive use of the SIMBAD database, operated at CDS (Strasbourg, France) and NASA's Astrophysics Data System Bibliographic Services.

References

Adamczyk, M., Deka-Szymankiewicz, B., & Niedzielski, A. 2015, A&A, submitted

Adamów, M. & Niedzielski, A. 2010, in EAS Publications Series, Vol. 42, EAS Publications Series, ed. K. Gożdziewski, A. Niedzielski, & J. Schneider, 91–95

Adamów, M., Niedzielski, A., Villaver, E., Nowak, G., & Wolszczan, A. 2012, ApJ, 754, L15

Adamów, M., Niedzielski, A., Villaver, E., Wolszczan, A., & Nowak, G. 2014, A&A, 569, A55

Adamów, M., M., Niedzielski, A., Villaver, E., et al. 2015, A&A, 581, A94

Almenara, J. M., Damiani, C., Bouchy, F., et al. 2015, A&A, 575, A71

Alonso, A., Arribas, S., & Martínez-Roger, C. 1999, A&AS, 140, 261

Alves, S., Benamati, L., Santos, N. C., et al. 2015, MNRAS, 448, 2749

Barclay, T., Endl, M., Huber, D., et al. 2015, ApJ, 800, 46

Bertelli, G., Girardi, L., Marigo, P., & Nasi, E. 2008, A&A, 484, 815

Bertelli, G., Nasi, E., Girardi, L., & Marigo, P. 2009, A&A, 508, 355

Bieryla, A., Collins, K., Beatty, T. G., et al. 2015, AJ, 150, 12

Bilir, S., Karaali, S., Güver, T., Karataş, Y., & Ak, S. G. 2006, Astronomische Nachrichten, 327, 72

Borucki, W. J., Koch, D. G., Basri, G., et al. 2011, ApJ, 728, 117

Bowler, B. P., Johnson, J. A., Marcy, G. W., et al. 2010, ApJ, 709, 396

Bressan, A., Marigo, P., Girardi, L., et al. 2012, MNRAS, 427, 127

Butler, R. P., Wright, J. T., Marcy, G. W., et al. 2006, ApJ, 646, 505

Caffau, E., Ludwig, H.-G., Steffen, M., Freytag, B., & Bonifacio, P. 2011, Sol. Phys., 268, 255

Ciceri, S., Lillo-Box, J., Southworth, J., et al. 2015, A&A, 573, L5

Cochran, W. D. & Hatzes, A. P. 1993, in Astronomical Society of the Pacific Conference Series, Vol. 36, Planets Around Pulsars, ed. J. A. Phillips, S. E. Thorsett, & S. R. Kulkarni, 267–273

da Silva, L., Girardi, L., Pasquini, L., et al. 2006, A&A, 458, 609

Duncan, M. J. & Lissauer, J. J. 1998, Icarus, 134, 303

Frink, S., Mitchell, D. S., Quirrenbach, A., et al. 2002, ApJ, 576, 478

Gelino, C. R., Shao, M., Tanner, A. M., & Niedzielski, A. 2005, in Protostars and Planets V, 8602–+

Gettel, S., Wolszczan, A., Niedzielski, A., et al. 2012a, ApJ, 756, 53

Gettel, S., Wolszczan, A., Niedzielski, A., et al. 2012b, ApJ, 745, 28

Ghezzi, L. & Johnson, J. 2015, IAU General Assembly, 22, 58066

Gilmore, G. F., Perryman, M. A., Lindegren, L., et al. 1998, in Society of Photo-Optical Instrumentation Engineers (SPIE) Conference Series, Vol. 3350, Astronomical Interferometry, ed. R. D. Reasenberg, 541–550

Hartman, J. D., Bakos, G. Á., Béky, B., et al. 2012, AJ, 144, 139

Hatzes, A. P. & Cochran, W. D. 1993, ApJ, 413, 339

Hatzes, A. P., Guenther, E. W., Endl, M., et al. 2005, A&A, 437, 743

Holweger, H., Bard, A., Kock, M., & Kock, A. 1991, A&A, 249, 545
Ibukiyama, A. & Arimoto, N. 2002, A&A, 394, 927
Johnson, D. R. H. & Soderblom, D. R. 1987, AJ, 93, 864
Johnson, J. A., Fischer, D. A., Marcy, G. W., et al. 2007, ApJ, 665, 785
Jones, M. I., Jenkins, J. S., Bluhm, P., Rojo, P., & Melo, C. H. F. 2014, A&A, 566, A113
Jones, M. I., Jenkins, J. S., Rojo, P., & Melo, C. H. F. 2011, A&A, 536, A71
Jørgensen, B. R. & Lindegren, L. 2005, A&A, 436, 127
Kjeldsen, H. & Bedding, T. R. 1995, A&A, 293, 87
Kurucz, R. 1993, ATLAS9 Stellar Atmosphere Programs and 2 km/s grid. Kurucz CD-ROM No. 13. Cambridge, Mass.: Smithsonian Astrophysical Observatory, 1993., 13
Lee, B.-C., Mkrtichian, D. E., Han, I., Kim, K.-M., & Park, M.-G. 2011, A&A, 529, A134
Lillo-Box, J., Barrado, D., Moya, A., et al. 2014, A&A, 562, A109
Liu, Y., Sato, B., Takeda, Y., Ando, H., & Zhao, G. 2010, PASJ, 62, 1071
Lloyd, J. P. 2011, ApJ, 739, L49
Lloyd, J. P. 2013, ApJ, 774, L2
Lovis, C. & Mayor, M. 2007, A&A, 472, 657
Marcy, G. W. & Butler, R. P. 1996, ApJ, 464, L147+
Martin, P. 1977, A&A, 61, 591
Mayor, M. & Queloz, D. 1995, Nature, 378, 355
Miglio, A., Brogaard, K., Stello, D., et al. 2012, MNRAS, 419, 2077
Mitchell, D. S., Reffert, S., Trifonov, T., Quirrenbach, A., & Fischer, D. A. 2013, A&A, 555, A87
Mortier, A., Santos, N. C., Sousa, S. G., et al. 2013, A&A, 557, A70
Niedzielski, A., Goździewski, K., Wolszczan, A., et al. 2009a, ApJ, 693, 276
Niedzielski, A., Konacki, M., Wolszczan, A., et al. 2007, ApJ, 669, 1354
Niedzielski, A., Nowak, G., Adamów, M., & Wolszczan, A. 2009b, ApJ, 707, 768
Niedzielski, A., Villaver, E., Wolszczan, A., et al. 2015a, A&A, 573, A36
Niedzielski, A. & Wolszczan, A. 2008, in IAU Symposium, Vol. 249, IAU Symposium, ed. Y.-S. Sun, S. Ferraz-Mello, & J.-L. Zhou, 43–47
Niedzielski, A., Wolszczan, A., Adamów, M., et al. 2013, Mem. Soc. Astron. Italiana, 84, 1035
Niedzielski, A., Wolszczan, A., Nowak, G., et al. 2015b, ApJ, 803, 1
Nowak, G. 2012, PhD thesis, Nicolaus Copernicus Univ., Toruń, Poland
Nowak, G., Niedzielski, A., Wolszczan, A., Adamów, M., & Maciejewski, G. 2013, ApJ, 770, 53
Ortiz, M., Gandolfi, D., Reffert, S., et al. 2015, A&A, 573, L6
Perryman, M. A. C., de Boer, K. S., Gilmore, G., et al. 2001, A&A, 369, 339
Quinn, S. N., White, T. R., Latham, D. W., et al. 2015, ApJ, 803, 49
Ramírez, I. & Allende Prieto, C. 2011, ApJ, 743, 135
Ramírez, I. & Meléndez, J. 2005, ApJ, 626, 446
Ramsey, L. W., Adams, M. T., Barnes, T. G., et al. 1998, in Society of Photo-Optical Instrumentation Engineers (SPIE) Conference Series, Vol. 3352, Society of Photo-Optical Instrumentation Engineers (SPIE) Conference Series, ed. L. M. Stepp, 34–42
Rauer, H., Catala, C., Aerts, C., et al. 2014, Experimental Astronomy, 38, 249
Reffert, S., Bergmann, C., Quirrenbach, A., Trifonov, T., & Kuenstler, A. 2014, VizieR Online Data Catalog, 357, 49116
Ricker, G. R., Winn, J. N., Vanderspek, R., et al. 2014, in Society of Photo-Optical Instrumentation Engineers (SPIE) Conference Series, Vol. 9143, Society of Photo-Optical Instrumentation Engineers (SPIE) Conference Series, 20
Rieke, G. H. & Lebofsky, M. J. 1985, ApJ, 288, 618
Sato, B., Ando, H., Kambe, E., et al. 2003, ApJ, 597, L157
Sato, B., Hirano, T., Omiya, M., et al. 2015, ApJ, 802, 57
Sato, B., Izumiura, H., Toyota, E., et al. 2008, PASJ, 60, 539
Sato, B., Izumiura, H., Toyota, E., et al. 2007, ApJ, 661, 527
Sato, B., Omiya, M., Harakawa, H., et al. 2012, PASJ, 64, 135
Sato, B., Omiya, M., Harakawa, H., et al. 2013, PASJ, 65, 85
Sato, B., Omiya, M., Liu, Y., et al. 2010, PASJ, 62, 1063

Schlaufman, K. C. & Winn, J. N. 2013, ApJ, 772, 143
Schwamb, M. E., Orosz, J. A., Carter, J. A., et al. 2013, ApJ, 768, 127
Setiawan, J., Hatzes, A. P., von der Lühe, O., et al. 2003a, A&A, 398, L19
Setiawan, J., Pasquini, L., da Silva, L., von der Lühe, O., & Hatzes, A. 2003b, A&A, 397, 1151
Shetrone, M., Cornell, M. E., Fowler, J. R., et al. 2007, PASP, 119, 556
Smalley, B., Anderson, D. R., Collier-Cameron, A., et al. 2012, A&A, 547, A61
Soubiran, C., Katz, D., & Cayrel, R. 1998, A&AS, 133, 221
Soubiran, C., Le Campion, J.-F., Cayrel de Strobel, G., & Caillo, A. 2010, A&A, 515, A111
Sousa, S. G., Santos, N. C., Israelian, G., Mayor, M., & Monteiro, M. J. P. F. G. 2007, A&A, 469, 783
Sousa, S. G., Santos, N. C., Mortier, A., et al. 2015, A&A, 576, A94
Stetson, P. B. & Pancino, E. 2008, PASP, 120, 1332
Stumpff, P. 1980, A&AS, 41, 1
Takeda, Y., Ohkubo, M., & Sadakane, K. 2002, PASJ, 54, 451
Takeda, Y., Ohkubo, M., Sato, B., Kambe, E., & Sadakane, K. 2005, PASJ, 57, 27
Takeda, Y., Sato, B., & Murata, D. 2008, PASJ, 60, 781
Tsantaki, M., Sousa, S. G., Adibekyan, V. Z., et al. 2013, A&A, 555, A150
Tull, R. G. 1998, in Society of Photo-Optical Instrumentation Engineers (SPIE) Conference Series, Vol. 3355, Society of Photo-Optical Instrumentation Engineers (SPIE) Conference Series, ed. S. D'Odorico, 387–398
Valenti, J. A. & Piskunov, N. 1996, A&AS, 118, 595
van Leeuwen, F. 2007, A&A, 474, 653
Wang, L., Liu, Y., Zhao, G., & Sato, B. 2011, PASJ, 63, 1035
Wolszczan, A. & Frail, D. A. 1992, Nature, 355, 145
Zieliński, P., Niedzielski, A., Wolszczan, A., Adamów, M., & Nowak, G. 2012, A&A, 547, A91

Table 1. Derived physical parameters for the PTPS Red Giants Clump sample stars.

Ident	Ident	V	B − V	π	$T_{\rm eff}$	$\log g$	$v_{\rm t}$	[Fe/H]	$v \sin i_*$	RV	MJD	$(B-V)_0$	M_V	BC_V	$\log L/L_\odot$	M	R	log age
TYC	HD or BD	[mag]	[mag]	[mas]	[K]		[km s^{-1}]		[km s^{-1}]	[km s^{-1}]	+2400000 [d]	[mag]	[mag]	[mag]		[$M_\odot$]	[$R_\odot$]	[yr]
0003-01118-1	HD 2221	8.42	0.780 ± 0.030	10.60 ± 0.93	5291 ± 5	3.77 ± 0.01	0.93 ± 0.05	-0.13 ± 0.01	1.19 ± 0.39	-19.603 ± 0.025	54428.10088	0.761	3.48	-0.181	0.58 ± 0.13	1.07 ± 0.04	2.28 ± 0.26	9.85 ± 0.06
0011-00529-1	HD 4352	7.68	0.940 ± 0.030	6.57 ± 0.70	4878 ± 5	3.00 ± 0.01	1.09 ± 0.04	-0.28 ± 0.01	1.54 ± 0.48	-11.644 ± 0.024	53985.32437	0.930	1.69	-0.305	1.35 ± 0.15	1.01 ± 0.04	5.94 ± 0.74	9.94 ± 0.07
0019-01406-1	HD 6734	6.46	0.850 ± 0.020	20.63 ± 0.45	4986 ± 15	3.54 ± 0.04	0.85 ± 0.06	-0.47 ± 0.01	1.86 ± 1.27	-94.760 ± 0.027	54000.39176	0.851	3.03	-0.269	0.79 ± 0.07	0.90 ± 0.03	2.99 ± 0.37	10.07 ± 0.05
0048-00271-1	HD 18012	6.75	0.900 ± 0.020	8.14 ± 0.80	4790 ± 5	2.68 ± 0.03	1.12 ± 0.04	-0.67 ± 0.01	1.02 ± 0.39	-124.812 ± 0.027	53757.11663	0.926	1.30	-0.342	1.52 ± 0.13	0.88 ± 0.03	7.73 ± 1.08	10.07 ± 0.07
0052-00372-1	HD 16466	8.41	0.805 ± 0.037	12.16 ± 1.31	5474 ± 12	4.23 ± 0.04	0.90 ± 0.08	0.02 ± 0.02	1.68 ± 0.64	47.583 ± 0.026	53996.31227	0.712	3.76	-0.275	0.50 ± 0.24	0.94 ± 0.02	1.60 ± 0.37	10.10 ± 0.05
0061-01209-1	HD 18747	8.13	0.940 ± 0.041	12.99 ± 1.40	4994 ± 10	3.69 ± 0.04	0.86 ± 0.06	-0.03 ± 0.01	0.0 ± 0.51	47.501 ± 0.041	54081.25039	0.904	3.62	-0.263	0.56 ± 0.17	1.10 ± 0.07	2.52 ± 0.48	9.88 ± 0.10
0116-01316-1	HD 38529	5.94	0.746 ± 0.020	25.46 ± 0.40	5618 ± 15	3.96 ± 0.04	1.13 ± 0.07	0.38 ± 0.02	0.63 ± 0.37	30.240 ± 0.031	53743.16876	0.703	2.97	-0.106	0.75 ± 0.08	1.36 ± 0.05	2.26 ± 0.31	9.61 ± 0.06
0185-02499-1	HD 65345	5.30	0.916 ± 0.020	13.50 ± 0.34	4989 ± 15	2.88 ± 0.06	1.27 ± 0.06	-0.05 ± 0.02	1.4 ± 0.37	40.455 ± 0.040	55549.30492	0.904	0.91	-0.264	1.64 ± 0.07	2.06 ± 0.11	8.71 ± 1.44	9.08 ± 0.08
0193-01005-1	HD 64815	7.86	0.640 ± 0.030	12.97 ± 0.91	5685 ± 10	3.80 ± 0.03	0.98 ± 0.10	-0.37 ± 0.01	0.47 ± 1.05	-28.604 ± 0.039	54065.37625	0.598	3.30	-0.114	0.63 ± 0.12	1.03 ± 0.05	2.12 ± 0.29	9.84 ± 0.07
0197-01100-1	HD 71431	7.57	0.600 ± 0.030	13.67 ± 1.42	5834 ± 17	3.80 ± 0.04	1.12 ± 0.08	-0.03 ± 0.02	1.83 ± 0.97	6.098 ± 0.026	54052.45383	0.577	3.14	-0.084	0.68 ± 0.15	1.23 ± 0.06	2.23 ± 0.39	9.67 ± 0.08
0212-00161-1	HD 75639	9.01	0.960 ± 0.050	-	5045 ± 20	4.72 ± 0.06	0.58 ± 0.31	-0.08 ± 0.03	0.0 ± 0.43	-19.851 ± 0.039	54920.20456	0.874	7.43	-0.247	-0.52 ± 0.03	0.80 ± 0.03	0.68 ± 0.09	8.81 ± 0.55
0224-01333-1	-	3.49	0.760 ± 0.020	-	5084 ± 15	3.00 ± 0.05	0.63 ± 0.06	-0.17 ± 0.02	2.59 ± 0.84	40.462 ± 0.034	53786.32399	0.850	0.97	-0.240	1.64 ± 0.09	1.99 ± 0.14	7.92 ± 1.27	9.06 ± 0.08
0227-02500-1	HD 80149	8.30	0.520 ± 0.030	7.14 ± 0.78	6109 ± 42	3.55 ± 0.09	1.65 ± 0.26	-0.39 ± 0.04	5.28 ± 1.42	0.982 ± 0.130	53801.17109	0.474	2.28	-0.068	1.01 ± 0.15	1.29 ± 0.07	3.00 ± 0.84	9.51 ± 0.07
0231-01052-1	HD 81795	8.25	0.940 ± 0.030	0.00 ± 1.13	4671 ± 10	1.78 ± 0.04	1.60 ± 0.11	-1.52 ± 0.02	2.1 ± 1.52	105.816 ± 0.026	55556.36675	0.922	-2.87	-0.402	2.52 ± 0.07	0.88 ± 0.10	23.91 ± 3.04	9.96 ± 0.11
0235-02368-1	HD 83329	6.88	0.960 ± 0.020	10.22 ± 0.70	4891 ± 10	3.06 ± 0.04	1.05 ± 0.04	-0.20 ± 0.01	1.27 ± 0.58	39.649 ± 0.023	53794.18888	0.934	1.84	-0.300	1.29 ± 0.11	1.25 ± 0.08	5.82 ± 0.90	9.63 ± 0.10
0247-00588-1	HD 87160	8.07	0.540 ± 0.030	4.42 ± 0.82	5922 ± 20	3.40 ± 0.05	1.54 ± 0.09	-0.13 ± 0.02	5.76 ± 1.35	4.238 ± 0.062	53726.52706	0.540	1.25	-0.080	1.43 ± 0.22	1.71 ± 0.11	4.63 ± 1.11	9.22 ± 0.09
0259-01552-1	HD 91612	5.08	0.918 ± 0.020	12.26 ± 0.27	5001 ± 12	2.77 ± 0.04	1.32 ± 0.05	-0.11 ± 0.02	1.93 ± 0.54	4.936 ± 0.024	54050.51871	0.890	0.44	-0.261	1.83 ± 0.07	1.95 ± 0.17	10.22 ± 1.46	9.13 ± 0.12
0277-00395-1	HD 100872	6.83	0.960 ± 0.030	5.07 ± 0.49	4800 ± 15	2.58 ± 0.05	1.25 ± 0.05	-0.44 ± 0.02	2.32 ± 0.39	-38.735 ± 0.032	53747.38722	0.950	0.27	-0.337	1.93 ± 0.14	1.48 ± 0.14	11.82 ± 2.34	9.37 ± 0.13
0278-00665-1	HD 102732	7.91	0.630 ± 0.030	12.26 ± 0.97	5828 ± 15	3.88 ± 0.03	1.19 ± 0.08	-0.02 ± 0.02	3.13 ± 0.59	0.124 ± 0.027	54066.52372	0.580	3.19	-0.084	0.66 ± 0.13	1.20 ± 0.05	2.08 ± 0.30	9.72 ± 0.07
0284-00566-1	HD 106529	7.95	0.960 ± 0.030	4.95 ± 0.99	4801 ± 10	2.73 ± 0.03	1.06 ± 0.02	-0.38 ± 0.01	1.13 ± 0.69	-35.820 ± 0.022	53763.36777	0.957	1.33	-0.336	1.50 ± 0.23	0.99 ± 0.09	7.61 ± 1.65	9.95 ± 0.13
0285-00035-1	HD 107498	8.40	0.842 ± 0.030	9.49 ± 0.97	5326 ± 20	3.93 ± 0.06	0.96 ± 0.06	0.20 ± 0.02	1.07 ± 0.44	-16.840 ± 0.025	53759.38767	0.795	3.21	-0.168	0.68 ± 0.15	1.26 ± 0.08	2.29 ± 0.49	9.71 ± 0.11
0289-01040-1	HD 109218	8.10	0.820 ± 0.030	10.52 ± 0.67	5260 ± 10	3.62 ± 0.03	1.01 ± 0.04	-0.13 ± 0.01	0.89 ± 0.74	18.427 ± 0.020	54586.14926	0.773	3.13	-0.189	0.72 ± 0.11	1.27 ± 0.06	2.83 ± 0.37	9.59 ± 0.07
0294-00976-1	HD 111661	8.44	0.680 ± 0.030	8.63 ± 1.02	5879 ± 10	4.08 ± 0.02	1.13 ± 0.08	0.09 ± 0.01	2.57 ± 0.55	-0.108 ± 0.025	54509.35188	0.575	2.84	-0.074	0.79 ± 0.16	1.15 ± 0.03	2.01 ± 0.30	9.79 ± 0.04
0295-00346-1	HD 109402	8.01	0.920 ± 0.030	14.25 ± 0.83	5038 ± 20	3.99 ± 0.06	0.85 ± 0.08	-0.01 ± 0.02	1.10 ± 0.99	49.163 ± 0.025	53753.41885	0.890	0.94	-0.250	0.52 ± 0.11	1.06 ± 0.06	2.05 ± 0.38	9.94 ± 0.09
0344-00323-1	HD 136565	8.50	0.814 ± 0.030	11.48 ± 1.12	5379 ± 15	3.98 ± 0.04	1.00 ± 0.09	0.00 ± 0.02	1.78 ± 0.55	-26.087 ± 0.031	54265.26884	0.738	3.73	-0.159	0.47 ± 0.15	1.03 ± 0.07	1.85 ± 0.35	9.98 ± 0.10
0353-00442-1	HD 142594	8.25	0.680 ± 0.028	10.70 ± 1.03	5485 ± 15	3.83 ± 0.04	0.90 ± 0.09	-0.34 ± 0.02	1.66 ± 0.54	-10.596 ± 0.023	54601.34905	0.667	3.34	-0.146	0.62 ± 0.14	1.01 ± 0.08	2.14 ± 0.38	9.89 ± 0.11
0359-00650-1	HD 139424	8.08	0.930 ± 0.030	3.45 ± 0.79	4754 ± 5	1.68 ± 0.03	1.76 ± 0.06	-1.21 ± 0.01	1.95 ± 0.86	-124.700 ± 0.034	54639.12502	0.888	0.69	-0.362	1.77 ± 0.26	1.02 ± 0.15	17.78 ± 3.69	9.77 ± 0.21
0363-00775-1	HD 140345	8.13	0.665 ± 0.029	10.65 ± 0.89	5804 ± 15	3.79 ± 0.04	1.12 ± 0.09	-0.04 ± 0.02	1.21 ± 1.05	29.226 ± 0.029	54628.29631	0.586	3.06	-0.088	0.71 ± 0.13	1.25 ± 0.06	2.30 ± 0.38	9.65 ± 0.07

Table 1. continued.

Ident	Ident	V	B − V	π	$T_{\rm eff}$	log g	$v_{\rm t}$	[Fe/H]	$v \sin i_*$	RV	MJD	$(B-V)_0$	M_V	BC_V	log $L/L_\odot$	M	R	log age
TYC	HD or BD	[mag]	[mag]	[mas]	[K]		[km s^{-1}]		[km s^{-1}]	[km s^{-1}]	+2400000 [d]	[mag]	[mag]	[mag]		[$M_\odot$]	[$R_\odot$]	[yr]
0412-00533-1	HD 156893	8.14	0.771 ± 0.028	13.07 ± 0.96	5335 ± 10	3.96 ± 0.03	0.85 ± 0.07	-0.23 ± 0.01	0.0 ± 0.54	-83.620 ± 0.028	54524.49182	0.735	3.65	-0.173	0.51 ± 0.12	0.94 ± 0.04	1.89 ± 0.26	10.03 ± 0.07
0493-03355-1	HD 188512	3.71	0.850 ± 0.016	73.00 ± 0.20	5163 ± 12	3.71 ± 0.04	0.88 ± 0.06	-0.10 ± 0.01	0.53 ± 0.48	-40.626 ± 0.024	54612.35281	0.819	2.95	-0.213	0.81 ± 0.04	1.30 ± 0.03	2.90 ± 0.27	9.55 ± 0.03
0507-01612-1	HD 192344	7.70	0.670 ± 0.020	16.36 ± 1.24	5633 ± 15	3.97 ± 0.04	1.05 ± 0.06	0.19 ± 0.02	1.4 ± 1.13	-3.456 ± 0.060	54321.32392	0.670	3.77	-0.107	0.44 ± 0.11	1.12 ± 0.04	1.78 ± 0.27	9.87 ± 0.06
0530-02252-1	HD 200663	6.35	0.938 ± 0.020	8.26 ± 0.48	4841 ± 10	2.39 ± 0.04	1.35 ± 0.04	-0.42 ± 0.01	3.05 ± 0.94	-14.797 ± 0.027	53928.30164	0.931	0.91	-0.320	1.66 ± 0.10	1.37 ± 0.10	10.98 ± 1.69	9.47 ± 0.1
0534-02537-1	HD 200964	6.49	0.892 ± 0.026	13.85 ± 0.52	5013 ± 10	3.22 ± 0.04	1.07 ± 0.04	-0.21 ± 0.01	0.67 ± 0.54	-72.634 ± 0.029	53898.37694	0.872	2.12	-0.258	1.16 ± 0.09	1.35 ± 0.06	4.89 ± 0.67	9.52 ± 0.0
0543-01428-1	HD 206635	8.30	0.910 ± 0.030	8.34 ± 0.79	4973 ± 7	3.70 ± 0.03	0.76 ± 0.05	-0.21 ± 0.01	0.0 ± 0.51	-40.158 ± 0.037	54659.33996	0.891	2.83	-0.271	0.88 ± 0.14	0.96 ± 0.03	3.00 ± 0.45	10.04 ± 0.0
0568-00245-1	HD 215476	7.46	0.940 ± 0.030	6.67 ± 1.07	4995 ± 10	3.20 ± 0.03	1.02 ± 0.04	-0.20 ± 0.01	1.22 ± 0.5	18.528 ± 0.025	53950.43561	0.881	1.50	-0.264	1.41 ± 0.20	1.35 ± 0.08	5.81 ± 1.14	9.52 ± 0.0
0568-01721-1	HD 215110	7.74	0.860 ± 0.020	10.72 ± 0.75	4989 ± 20	3.42 ± 0.07	0.91 ± 0.07	-0.43 ± 0.02	0.97 ± 1.64	-7.218 ± 0.026	53964.40455	0.854	2.89	-0.268	0.85 ± 0.11	0.93 ± 0.05	3.33 ± 0.68	10.03 ± 0.0
0573-00516-1	HD 214059	8.24	0.680 ± 0.020	11.51 ± 1.14	5548 ± 10	4.03 ± 0.02	0.91 ± 0.06	-0.31 ± 0.01	2.32 ± 1.03	-9.336 ± 0.028	54044.17145	0.648	3.55	-0.134	0.54 ± 0.13	0.90 ± 0.02	1.77 ± 0.22	10.09 ± 0.0
0576-00459-1	HD 217984	8.33	0.910 ± 0.020	-	4871 ± 10	3.11 ± 0.04	0.81 ± 0.06	-0.45 ± 0.01	0.91 ± 0.83	66.712 ± 0.028	53724.06282	0.910	0.85	-0.310	1.17 ± 0.06	0.91 ± 0.04	4.90 ± 0.58	10.06 ± 0.0
0576-01918-1	HD 218527	5.43	0.889 ± 0.020	12.27 ± 0.68	4816 ± 15	2.31 ± 0.06	1.08 ± 0.06	-0.39 ± 0.02	0.91 ± 0.94	-31.948 ± 0.037	54639.43271	0.950	0.80	-0.330	1.71 ± 0.09	1.32 ± 0.11	11.81 ± 2.29	9.51 ± 0.1
0580-00657-1	BD+02 4630	8.13	0.73 ± 0.03	12.67 ± 0.84	5605 ± 15	4.12 ± 0.04	0.98 ± 0.07	0.01 ± 0.01	0.43 ± 0.83	7.436 ± 0.030	53733.04595	0.655	3.50	-0.116	0.55 ± 0.12	1.02 ± 0.04	1.72 ± 0.26	9.98 ± 0.0
0580-01884-1	HD 219615	3.69	0.920 ± 0.020	23.64 ± 0.18	4854 ± 10	2.43 ± 0.04	1.31 ± 0.05	-0.54 ± 0.01	2.25 ± 0.76	-14.485 ± 0.025	53731.05840	0.909	0.52	-0.316	1.82 ± 0.05	1.32 ± 0.06	11.55 ± 1.24	9.47 ± 0.0
0594-00243-1	HD 449	8.57	0.690 ± 0.030	11.09 ± 0.84	5835 ± 25	4.23 ± 0.05	1.05 ± 0.06	0.33 ± 0.02	3.18 ± 0.9	26.892 ± 0.031	54068.19601	0.603	3.67	-0.194	0.51 ± 0.18	1.20 ± 0.06	1.57 ± 0.34	9.69 ± 0.0
0606-01511-1	HD 3088	6.76	0.943 ± 0.027	5.92 ± 0.52	4840 ± 10	2.46 ± 0.05	1.36 ± 0.04	-0.44 ± 0.01	1.03 ± 0.64	-70.142 ± 0.027	53928.41812	0.929	0.54	-0.321	1.81 ± 0.13	1.46 ± 0.14	11.58 ± 2.21	9.38 ± 0.1
0609-01620-1	HD 2816	7.25	0.930 ± 0.027	12.91 ± 0.47	5024 ± 10	3.58 ± 0.03	0.92 ± 0.06	0.08 ± 0.02	1.48 ± 0.57	-12.924 ± 0.024	54039.11257	0.906	2.72	-0.252	0.91 ± 0.09	1.45 ± 0.04	3.51 ± 0.41	9.50 ± 0.0
0614-00516-1	HD 8956	8.04	0.510 ± 0.020	9.05 ± 0.90	4718 ± 20	2.74 ± 0.07	1.28 ± 0.08	0.18 ± 0.03	1.23 ± 0.54	2.676 ± 0.027	53754.09528	1.070	0.80	-0.370	0.94 ± 0.13	1.12 ± 0.10	5.96 ± 1.52	9.92 ± 0.1
0630-01238-1	HD 13421	5.64	0.517 ± 0.020	24.56 ± 0.30	6066 ± 42	3.81 ± 0.09	1.55 ± 0.11	0.14 ± 0.04	8.96 ± 1.52	-19.573 ± 0.165	53984.33650	0.524	2.52	-0.052	0.91 ± 0.06	1.53 ± 0.04	2.56 ± 0.56	9.42 ± 0.0
0643-00549-1	HD 17662	8.44	0.780 ± 0.040	13.39 ± 1.36	5551 ± 40	3.70 ± 0.11	1.72 ± 0.14	0.06 ± 0.04	8.39 ± 1.12	-42.118 ± 0.112	53956.43522	0.680	1.34	-0.120	0.39 ± 0.17	1.05 ± 0.08	2.04 ± 0.70	9.95 ± 0.1
0647-00160-1	HD 18044	8.74	0.880 ± 0.050	9.69 ± 1.27	5298 ± 15	4.03 ± 0.04	0.95 ± 0.07	0.29 ± 0.02	0.0 ± 0.67	-29.610 ± 0.026	55960.13337	0.821	3.59	-0.173	0.53 ± 0.21	1.10 ± 0.09	1.94 ± 0.45	9.94 ± 0.1
0650-01471-1	HD 21120	3.60	0.890 ± 0.016	11.21 ± 0.87	5094 ± 15	2.43 ± 0.06	1.56 ± 0.07	-0.13 ± 0.02	3.29 ± 0.61	-19.794 ± 0.058	53731.07534	0.846	-1.23	-0.233	2.49 ± 0.11	3.21 ± 0.12	20.28 ± 3.66	8.51 ± 0.0
0652-00716-1	HD 20278	8.01	0.580 ± 0.020	10.27 ± 0.76	5830 ± 20	3.83 ± 0.05	1.22 ± 0.08	0.06 ± 0.02	2.91 ± 1.64	46.275 ± 0.030	53726.09422	0.587	3.07	-0.082	0.71 ± 0.11	1.25 ± 0.06	2.23 ± 0.38	9.66 ± 0.07
0660-00723-1	HD 22254	8.28	0.570 ± 0.020	8.92 ± 0.91	6069 ± 55	3.89 ± 0.13	1.57 ± 0.14	0.25 ± 0.05	8.36 ± 1.73	60.204 ± 0.105	54443.29936	0.534	2.90	-0.047	0.76 ± 0.15	1.44 ± 0.09	2.22 ± 0.79	9.47 ± 0.07
0661-00782-1	HD 23825	7.92	0.770 ± 0.030	9.18 ± 0.81	5564 ± 10	3.64 ± 0.03	1.12 ± 0.06	0.09 ± 0.02	1.88 ± 0.69	-14.159 ± 0.029	54044.25030	0.682	2.59	-0.122	0.91 ± 0.14	1.47 ± 0.05	3.05 ± 0.45	9.48 ± 0.04
0663-01231-1	HD 22682	6.67	0.900 ± 0.016	13.89 ± 0.57	5094 ± 12	3.48 ± 0.04	0.95 ± 0.06	-0.02 ± 0.02	1.19 ± 0.64	-28.597 ± 0.022	53743.22499	0.859	2.30	-0.231	1.07 ± 0.08	1.57 ± 0.05	4.09 ± 0.53	9.38 ± 0.04
0690-01425-1	HD 29862	7.39	0.758 ± 0.027	17.82 ± 0.83	5685 ± 12	4.12 ± 0.04	1.08 ± 0.04	0.34 ± 0.01	2.19 ± 0.61	20.469 ± 0.030	53988.43140	0.668	3.48	-0.095	0.54 ± 0.11	1.17 ± 0.04	1.74 ± 0.24	9.81 ± 0.06
0697-01743-1	HD 32734	7.88	0.830 ± 0.030	11.96 ± 1.08	5381 ± 10	3.88 ± 0.04	1.02 ± 0.04	0.24 ± 0.01	2.09 ± 0.56	70.494 ± 0.030	53735.31411	0.779	3.20	-0.155	0.68 ± 0.14	1.27 ± 0.06	2.33 ± 0.39	9.70 ± 0.07
0698-02198-1	HD 33340	6.96	0.510 ± 0.020	12.28 ± 1.78	5906 ± 25	3.16 ± 0.05	1.44 ± 0.12	-0.27 ± 0.03	7.69 ± 1.58	-62.816 ± 0.090	54081.20565	0.539	2.36	-0.083	0.99 ± 0.17	1.56 ± 0.09	4.20 ± 0.87	9.31 ± 0.07

Table 1. continued.

Ident	Ident	V	B − V	π	$T_{\rm eff}$	log g	$v_{\rm t}$	[Fe/H]	$v \sin i_*$	RV	MJD	$(B-V)_0$	M_V	BC_V	log $L/L_\odot$	M	R	log age
TYC	HD or BD	[mag]	[mag]	[mas]	[K]		[km s^{-1}]		[km s^{-1}]	[km s^{-1}]	+2400000 [d]	[mag]	[mag]	[mag]		[$M_\odot$]	[$R_\odot$]	[yr]
0701-02047-1	HD 37160	4.09	0.950 ± 0.020	27.76 ± 0.27	4734 ± 10	2.64 ± 0.04	1.09 ± 0.04	-0.58 ± 0.01	1.63 ± 0.67	98.507 ± 0.036	53806.13454	0.967	1.31	-0.365	1.52 ± 0.06	0.86 ± 0.02	7.94 ± 0.90	10.10 ± 0.03
0799-01273-1	HD 70374	7.68	0.867 ± 0.029	4.12 ± 0.73	5046 ± 7	2.54 ± 0.03	1.58 ± 0.06	-0.64 ± 0.01	1.02 ± 0.8	61.808 ± 0.025	53753.22858	0.804	0.67	-0.253	1.73 ± 0.21	1.22 ± 0.10	9.70 ± 1.82	9.59 ± 0.12
0800-00811-1	BD+11 1837	9.11	0.720 ± 0.050	8.11 ± 1.22	5625 ± 15	4.17 ± 0.04	1.01 ± 0.06	0.39 ± 0.02	1.68 ± 0.43	-1.278 ± 0.026	54906.24115	0.701	3.60	-0.104	0.50 ± 0.24	1.11 ± 0.04	1.65 ± 0.38	9.87 ± 0.05
0806-00967-1	HD 68197	7.30	0.840 ± 0.030	15.05 ± 0.49	5150 ± 17	3.69 ± 0.05	0.79 ± 0.09	-0.13 ± 0.02	1.35 ± 0.79	60.460 ± 0.027	53745.22992	0.822	3.11	-0.217	0.74 ± 0.09	1.22 ± 0.06	2.78 ± 0.44	9.66 ± 0.08
0816-00789-1	HD 74227	7.96	0.860 ± 0.030	4.69 ± 0.81	4841 ± 10	2.76 ± 0.04	0.91 ± 0.05	-0.77 ± 0.01	1.73 ± 0.94	81.631 ± 0.024	53749.42484	0.887	1.24	-0.323	1.53 ± 0.21	0.84 ± 0.03	7.31 ± 1.55	10.07 ± 0.07
0826-00789-1	HD 80811	8.35	0.870 ± 0.020	8.47 ± 1.15	4982 ± 15	3.60 ± 0.04	0.80 ± 0.07	-0.41 ± 0.01	0.0 ± 0.56	29.767 ± 0.027	53804.13552	0.861	2.99	-0.270	0.81 ± 0.17	0.89 ± 0.03	2.94 ± 0.55	10.08 ± 0.06
0826-01060-1	HD 81856	7.68	0.663 ± 0.026	12.34 ± 0.76	5909 ± 10	3.86 ± 0.03	1.22 ± 0.06	0.22 ± 0.01	3.43 ± 1.03	20.208 ± 0.031	54048.44653	0.579	2.91	-0.067	0.76 ± 0.11	1.44 ± 0.06	2.31 ± 0.30	9.52 ± 0.05
0834-00014-1	BD+13 2145	8.89	0.700 ± 0.050	5.50 ± 1.17	5550 ± 10	3.55 ± 0.03	1.22 ± 0.05	-0.36 ± 0.01	0.87 ± 0.97	-10.199 ± 0.027	54864.41117	0.643	2.49	-0.135	0.96 ± 0.27	1.32 ± 0.07	3.23 ± 0.73	9.48 ± 0.08
0835-01527-1	HD 86091	7.36	0.940 ± 0.030	4.52 ± 0.75	4832 ± 15	2.43 ± 0.06	1.40 ± 0.05	-0.52 ± 0.02	2.1 ± 0.81	47.055 ± 0.027	53753.46828	0.923	0.56	-0.324	1.81 ± 0.20	1.28 ± 0.16	11.43 ± 2.97	9.53 ± 0.15
0852-01409-1	HD 93291	5.49	0.894 ± 0.020	11.35 ± 0.37	5048 ± 10	2.94 ± 0.04	1.22 ± 0.05	-0.04 ± 0.02	1.7 ± 0.4	29.565 ± 0.028	53818.32056	0.878	0.72	-0.245	1.71 ± 0.08	2.24 ± 0.09	8.90 ± 1.16	8.96 ± 0.07
0861-00861-1	HD 98644	8.60	0.580 ± 0.016	7.40 ± 1.25	5809 ± 15	3.80 ± 0.03	1.19 ± 0.07	-0.19 ± 0.01	3.17 ± 2.34	-15.305 ± 0.025	54529.22897	0.573	2.87	-0.092	0.79 ± 0.19	1.20 ± 0.06	2.37 ± 0.43	9.66 ± 0.08
0867-00209-1	HD 103355	7.99	0.950 ± 0.030	12.00 ± 0.78	4975 ± 10	3.69 ± 0.03	0.80 ± 0.07	0.04 ± 0.02	0.32 ± 0.88	-26.679 ± 0.024	53763.51558	0.923	3.30	-0.269	0.69 ± 0.12	1.12 ± 0.06	2.74 ± 0.39	9.85 ± 0.08
0886-01326-1	HD 113226	2.83	0.940 ± 0.020	29.76 ± 0.14	5043 ± 20	2.82 ± 0.06	1.38 ± 0.07	0.13 ± 0.03	2.37 ± 0.41	-14.963 ± 0.028	53796.29699	0.905	0.09	-0.246	1.96 ± 0.05	2.72 ± 0.12	11.54 ± 1.72	8.75 ± 0.07
0902-00161-1	HD 124244	8.45	0.670 ± 0.030	10.97 ± 0.91	5776 ± 15	4.03 ± 0.04	1.08 ± 0.07	0.08 ± 0.02	1.96 ± 0.69	37.668 ± 0.022	53778.40177	0.605	3.49	-0.088	0.54 ± 0.13	1.13 ± 0.04	1.78 ± 0.29	9.83 ± 0.06
0914-00866-1	HD 130355	8.13	0.920 ± 0.030	14.88 ± 0.86	5113 ± 15	3.90 ± 0.06	0.91 ± 0.08	0.29 ± 0.02	0.0 ± 0.69	1.547 ± 0.027	53778.42542	0.900	3.91	-0.223	0.42 ± 0.12	1.14 ± 0.08	2.02 ± 0.38	9.89 ± 0.11
0914-01741-1	HD 129336	5.56	0.940 ± 0.020	8.09 ± 0.33	4973 ± 10	2.81 ± 0.04	1.30 ± 0.05	-0.19 ± 0.02	1.58 ± 0.84	-23.414 ± 0.025	53768.45520	0.894	-0.04	-0.271	2.03 ± 0.08	2.55 ± 0.10	12.17 ± 1.64	8.75 ± 0.07
0955-00643-1	HD 141692	7.52	0.560 ± 0.030	9.59 ± 0.89	5936 ± 40	3.33 ± 0.10	1.43 ± 0.12	0.01 ± 0.04	6.34 ± 1.83	-71.294 ± 0.062	54280.27409	0.550	2.31	-0.070	1.00 ± 0.14	1.48 ± 0.08	3.68 ± 1.08	9.45 ± 0.06
0966-02013-1	HD 151059	8.07	0.950 ± 0.030	4.83 ± 0.79	4875 ± 15	2.36 ± 0.05	1.47 ± 0.04	-0.68 ± 0.02	0.95 ± 0.55	-4.148 ± 0.032	54286.27874	0.880	1.40	-0.310	1.46 ± 0.20	1.12 ± 0.16	9.54 ± 2.35	9.72 ± 0.21
0972-00454-1	HD 149160	8.18	0.600 ± 0.030	7.65 ± 0.99	5964 ± 60	3.92 ± 0.14	1.63 ± 0.17	0.06 ± 0.06	8.8 ± 1.51	22.103 ± 0.101	53805.40494	0.547	2.40	-0.065	0.97 ± 0.18	1.47 ± 0.11	2.54 ± 0.96	9.45 ± 0.08
0987-01893-1	HD 153226	6.37	0.929 ± 0.020	16.36 ± 0.47	4936 ± 10	3.37 ± 0.04	1.00 ± 0.04	0.03 ± 0.01	1.52 ± 0.8	-31.490 ± 0.026	53895.35014	0.941	2.44	-0.282	1.04 ± 0.07	1.35 ± 0.05	4.26 ± 0.52	9.58 ± 0.08
0988-01950-1	HD 154160	6.54	0.760 ± 0.016	27.57 ± 0.45	5617 ± 22	4.14 ± 0.06	1.05 ± 0.09	0.41 ± 0.02	1.7 ± 0.5	-52.864 ± 0.024	53895.35580	0.707	3.67	-0.105	0.47 ± 0.08	1.19 ± 0.05	1.67 ± 0.27	9.79 ± 0.07
0996-01001-1	HD 159798	7.37	0.880 ± 0.030	12.64 ± 0.57	4937 ± 15	3.37 ± 0.05	0.93 ± 0.06	-0.49 ± 0.02	0.94 ± 0.59	-47.920 ± 0.027	54278.17433	0.873	2.80	-0.286	0.89 ± 0.10	0.90 ± 0.03	3.53 ± 0.56	10.08 ± 0.05
1063-00519-1	HD 182572	5.16	0.770 ± 0.020	65.89 ± 0.26	5641 ± 22	4.37 ± 0.07	0.96 ± 0.10	0.43 ± 0.02	0.8 ± 0.39	-98.762 ± 0.051	54581.41752	0.660	4.18	-0.206	0.31 ± 0.10	1.11 ± 0.04	1.32 ± 0.24	9.83 ± 0.08
1080-00966-1	HD 190471	7.54	0.940 ± 0.030	-	4977 ± 15	3.64 ± 0.05	0.86 ± 0.06	-0.02 ± 0.02	0.0 ± 0.62	-76.717 ± 0.126	54046.08936	0.914	3.47	-0.268	0.61 ± 0.12	1.12 ± 0.10	2.68 ± 0.51	9.85 ± 0.15
1092-01776-1	HD 196755	5.05	0.720 ± 0.020	33.20 ± 0.28	5643 ± 10	3.69 ± 0.03	1.18 ± 0.04	0.01 ± 0.01	1.77 ± 0.75	-54.365 ± 0.039	53898.35348	0.642	2.57	-0.110	0.92 ± 0.05	1.43 ± 0.02	2.92 ± 0.26	9.49 ± 0.01
1100-01527-1	HD 196645	7.80	0.910 ± 0.030	10.61 ± 0.77	5082 ± 10	3.47 ± 0.04	0.99 ± 0.05	-0.13 ± 0.01	1.35 ± 0.67	-34.268 ± 0.026	54213.46897	0.850	0.96	-0.240	0.86 ± 0.12	1.25 ± 0.06	3.44 ± 0.54	9.62 ± 0.07
1153-01379-1	HD 216982	9.51	0.670 ± 0.070	3.99 ± 1.92	5555 ± 15	3.81 ± 0.04	1.09 ± 0.12	-0.55 ± 0.02	1.69 ± 0.77	23.929 ± 0.022	54821.07132	0.626	2.42	-0.140	0.99 ± 0.53	0.96 ± 0.08	2.69 ± 1.24	9.92 ± 0.13
1175-00861-1	HD 222035	8.26	0.763 ± 0.028	10.33 ± 0.79	5585 ± 20	4.01 ± 0.05	0.99 ± 0.07	0.25 ± 0.02	2.33 ± 0.53	11.375 ± 0.028	54001.17174	0.698	3.25	-0.114	0.64 ± 0.13	1.21 ± 0.06	2.01 ± 0.37	9.76 ± 0.08

Table 1. continued.

Ident	Ident	V	B − V	π	$T_{\rm eff}$	log g	$v_{\rm t}$	[Fe/H]	$v \sin i_*$	RV	MJD	$(B-V)_0$	M_V	BC_V	log $L/L_\odot$	M	R	log age
TYC	HD or BD	[mag]	[mag]	[mas]	[K]		[km s^{-1}]		[km s^{-1}]	[km s^{-1}]	+2400000 [d]	[mag]	[mag]	[mag]		[$M_\odot$]	[$R_\odot$]	[yr]
1183-00746-1	HD 2827	7.20	0.530 ± 0.020	10.88 ± 0.57	6039 ± 40	3.65 ± 0.07	1.63 ± 0.11	-0.12 ± 0.03	6.92 ± 1.07	-5.450 ± 0.095	54065.22063	0.511	2.20	-0.064	1.05 ± 0.09	1.42 ± 0.05	3.01 ± 0.60	9.45 ± 0.03
1198-01306-1	HD 9081	8.14	0.680 ± 0.020	10.70 ± 0.73	5664 ± 10	3.98 ± 0.03	1.08 ± 0.05	0.26 ± 0.01	2.06 ± 0.5	28.248 ± 0.027	53746.13544	0.667	3.29	-0.101	0.63 ± 0.11	1.22 ± 0.04	2.00 ± 0.26	9.75 ± 0.06
1203-01230-1	HD 8542	8.14	0.650 ± 0.016	10.05 ± 0.92	5697 ± 20	3.76 ± 0.05	1.04 ± 0.09	-0.06 ± 0.02	1.72 ± 0.96	-13.434 ± 0.027	53990.47497	0.618	3.07	-0.104	0.71 ± 0.12	1.25 ± 0.06	2.38 ± 0.42	9.65 ± 0.07
1211-01730-1	HD 10697	6.29	0.665 ± 0.020	30.70 ± 0.43	5620 ± 10	4.07 ± 0.02	1.06 ± 0.04	0.13 ± 0.01	1.79 ± 0.43	-46.733 ± 0.029	54073.26237	0.667	3.73	-0.111	0.45 ± 0.06	1.06 ± 0.02	1.67 ± 0.13	9.95 ± 0.05
1221-00257-1	HD 15028	7.85	0.790 ± 0.016	17.18 ± 0.95	5425 ± 15	3.99 ± 0.05	0.95 ± 0.07	0.10 ± 0.02	1.25 ± 0.68	8.042 ± 0.024	54040.38110	0.737	3.96	-0.148	0.38 ± 0.09	1.03 ± 0.04	1.73 ± 0.27	10.00 ± 0.05
1227-00327-1	HD 17659	6.63	0.591 ± 0.020	17.15 ± 0.64	6042 ± 20	3.84 ± 0.04	1.42 ± 0.08	0.29 ± 0.02	3.51 ± 0.95	6.095 ± 0.054	53985.34439	0.546	2.62	-0.049	0.87 ± 0.09	1.56 ± 0.05	2.49 ± 0.37	9.40 ± 0.05
1232-01000-1	HD 20512	7.41	0.790 ± 0.020	12.19 ± 1.15	5313 ± 12	3.97 ± 0.04	0.89 ± 0.06	-0.07 ± 0.01	1.46 ± 0.7	11.785 ± 0.029	53964.41951	0.758	2.84	-0.175	0.83 ± 0.13	1.26 ± 0.08	2.50 ± 0.41	9.65 ± 0.15
1237-00700-1	HD 21141	8.68	0.650 ± 0.040	9.55 ± 1.05	5801 ± 10	4.01 ± 0.03	1.10 ± 0.07	0.16 ± 0.01	2.72 ± 0.7	36.117 ± 0.037	54065.34551	0.605	3.46	-0.083	0.55 ± 0.17	1.14 ± 0.04	1.81 ± 0.30	9.82 ± 0.08
1238-01180-1	HD 22072	6.17	0.890 ± 0.020	24.76 ± 0.46	4982 ± 10	3.50 ± 0.03	0.87 ± 0.05	-0.29 ± 0.01	0.0 ± 0.45	11.387 ± 0.021	53734.27289	0.876	3.14	-0.269	0.75 ± 0.06	0.94 ± 0.03	3.02 ± 0.30	10.05 ± 0.05
1275-00059-1	HD 284842	9.30	0.900 ± 0.020	10.80 ± 1.28	5083 ± 7	3.93 ± 0.03	0.87 ± 0.07	-0.12 ± 0.01	0.0 ± 0.48	24.962 ± 0.022	55631.11728	0.852	4.47	-0.236	0.21 ± 0.15	0.91 ± 0.01	1.67 ± 0.24	10.12 ± 0.07
1287-00706-1	HD 33707	8.52	0.880 ± 0.016	13.20 ± 1.32	5092 ± 10	3.87 ± 0.03	0.85 ± 0.07	0.04 ± 0.02	0.0 ± 0.37	-70.521 ± 0.028	55954.24672	0.869	4.04	-0.231	0.38 ± 0.13	0.98 ± 0.04	1.95 ± 0.28	10.06 ± 0.05
1299-01640-1	HD 38585	8.31	0.852 ± 0.028	10.48 ± 0.93	5240 ± 15	3.76 ± 0.04	0.95 ± 0.06	-0.02 ± 0.01	0.59 ± 0.77	62.940 ± 0.031	53731.36216	0.792	3.33	-0.192	0.64 ± 0.13	1.25 ± 0.07	2.48 ± 0.43	9.67 ± 0.07
1328-00038-1	HD 45506	6.25	0.874 ± 0.020	14.51 ± 0.47	5049 ± 7	3.15 ± 0.03	1.05 ± 0.04	-0.07 ± 0.01	1.47 ± 1.02	42.155 ± 0.027	54050.52503	0.873	1.98	-0.245	1.21 ± 0.07	1.74 ± 0.05	5.54 ± 0.53	9.25 ± 0.05
1333-01399-1	HD 259979	8.07	0.743 ± 0.036	16.76 ± 1.00	5625 ± 10	4.09 ± 0.03	0.99 ± 0.05	0.30 ± 0.01	1.65 ± 0.65	-2.000 ± 0.023	53723.42178	0.688	4.12	-0.106	0.29 ± 0.13	1.07 ± 0.03	1.51 ± 0.21	9.94 ± 0.05
1357-02074-1	HD 54563	6.43	0.890 ± 0.020	21.82 ± 0.40	4950 ± 10	3.52 ± 0.04	0.80 ± 0.08	-0.40 ± 0.02	0.55 ± 0.93	-3.557 ± 0.024	53747.37131	0.880	0.90	-0.280	0.79 ± 0.06	0.88 ± 0.01	3.04 ± 0.31	10.11 ± 0.05
1372-01115-1	HD 58899	7.16	0.910 ± 0.020	6.03 ± 0.87	4767 ± 10	2.08 ± 0.04	1.40 ± 0.07	-0.62 ± 0.02	1.54 ± 0.47	31.674 ± 0.032	53743.19399	0.944	1.06	-0.351	1.62 ± 0.17	1.07 ± 0.12	12.53 ± 2.50	9.78 ± 0.13
1384-01078-1	HD 67150	7.69	0.580 ± 0.030	10.55 ± 0.72	5994 ± 22	3.64 ± 0.05	1.37 ± 0.09	0.04 ± 0.02	1.91 ± 1.03	17.877 ± 0.033	54052.39970	0.536	2.61	-0.063	0.88 ± 0.12	1.39 ± 0.06	2.75 ± 0.49	9.51 ± 0.07
1388-00067-1	HD 66948	7.22	0.750 ± 0.016	16.38 ± 1.64	5291 ± 15	3.61 ± 0.04	0.90 ± 0.08	-0.40 ± 0.02	1.78 ± 0.8	-7.508 ± 0.022	53755.39602	0.736	3.22	-0.186	0.69 ± 0.13	1.11 ± 0.08	2.69 ± 0.46	9.74 ± 0.11
1393-01968-1	HD 75528	6.38	0.629 ± 0.020	26.10 ± 0.51	5862 ± 15	4.04 ± 0.04	1.15 ± 0.05	0.19 ± 0.01	3.1 ± 0.56	45.098 ± 0.032	54052.42775	0.590	3.39	-0.074	0.57 ± 0.06	1.23 ± 0.05	1.81 ± 0.20	9.70 ± 0.05
1398-01452-1	BD+22 1950	9.14	0.630 ± 0.020	8.94 ± 1.50	5559 ± 10	3.68 ± 0.02	1.07 ± 0.05	-0.03 ± 0.01	1.6 ± 0.42	-59.286 ± 0.027	56233.40410	0.667	3.90	-0.125	0.39 ± 0.19	1.32 ± 0.05	2.21 ± 0.32	9.58 ± 0.08
1407-00224-1	HD 78050	7.70	0.760 ± 0.020	1.84 ± 1.23	4995 ± 15	2.13 ± 0.05	1.48 ± 0.09	-0.95 ± 0.02	2.84 ± 0.94	169.038 ± 0.062	53746.24469	0.784	-0.98	-0.274	2.40 ± 0.63	2.19 ± 0.49	21.06 ± 10.85	8.87 ± 0.28
1415-01005-1	HD 87211	7.90	0.861 ± 0.027	11.83 ± 0.92	5178 ± 10	3.83 ± 0.04	0.92 ± 0.06	-0.07 ± 0.01	0.97 ± 0.78	57.745 ± 0.027	53765.44649	0.816	3.18	-0.209	0.71 ± 0.12	1.23 ± 0.07	2.52 ± 0.38	9.70 ± 0.09
1416-01425-1	HD 83682	8.38	0.880 ± 0.030	6.83 ± 1.00	5111 ± 17	3.62 ± 0.05	0.76 ± 0.06	-0.03 ± 0.02	0.94 ± 0.61	-69.209 ± 0.051	53806.31784	0.850	2.47	-0.226	1.00 ± 0.19	1.39 ± 0.09	3.52 ± 0.79	9.53 ± 0.08
1422-01130-1	HD 88133	8.06	0.820 ± 0.020	12.28 ± 0.88	5412 ± 12	3.82 ± 0.04	1.06 ± 0.04	0.31 ± 0.01	1.14 ± 0.58	-3.482 ± 0.025	53758.27203	0.779	3.51	-0.147	0.56 ± 0.12	1.24 ± 0.07	2.22 ± 0.35	9.74 ± 0.08
1424-00297-1	HD 91988	8.38	0.670 ± 0.030	11.02 ± 0.75	5774 ± 10	4.09 ± 0.02	1.05 ± 0.04	0.15 ± 0.01	2.41 ± 0.78	45.212 ± 0.025	53774.44088	0.613	3.45	-0.087	0.55 ± 0.12	1.09 ± 0.02	1.72 ± 0.20	9.89 ± 0.03
1427-00095-1	HD 91455	7.29	0.540 ± 0.030	10.41 ± 0.55	6187 ± 65	3.76 ± 0.14	1.60 ± 0.29	0.15 ± 0.06	14.35 ± 4.61	16.774 ± 0.232	54051.48099	0.490	1.86	-0.040	1.00 ± 0.10	1.61 ± 0.07	2.75 ± 0.96	9.34 ± 0.05
1429-00834-1	HD 95022	8.84	0.870 ± 0.050	9.71 ± 0.99	5161 ± 15	3.99 ± 0.05	0.82 ± 0.08	-0.03 ± 0.02	1.86 ± 3.76	20.016 ± 0.024	54850.51241	0.828	3.70	-0.213	0.51 ± 0.17	1.05 ± 0.07	1.99 ± 0.42	9.95 ± 0.11
1430-01518-1	HD 95486	7.66	0.930 ± 0.020	4.23 ± 0.63	4810 ± 15	2.42 ± 0.06	1.17 ± 0.06	-0.62 ± 0.02	2.6 ± 0.9	-59.079 ± 0.038	53746.34642	0.922	0.77	-0.334	1.73 ± 0.18	1.16 ± 0.15	10.74 ± 2.59	9.67 ± 0.19

Table 1. continued.

Ident	Ident	V	B − V	π	$T_{\rm eff}$	log g	$v_{\rm t}$	[Fe/H]	$v \sin i_*$	RV	MJD	$(B-V)_0$	M_V	BC_V	log $L/L_\odot$	M	R	log age
TYC	HD or BD	[mag]	[mag]	[mas]	[K]		[km s^{-1}]		[km s^{-1}]	[km s^{-1}]	+2400000 [d]	[mag]	[mag]	[mag]		[$M_\odot$]	[$R_\odot$]	[yr]
1437-01801-1	BD+15 2316	8.82	0.700 ± 0.050	7.59 ± 1.17	5539 ± 5	3.73 ± 0.02	1.06 ± 0.06	-0.09 ± 0.01	1.91 ± 0.58	-5.965 ± 0.022	55637.36959	0.669	3.16	-0.130	0.69 ± 0.22	1.24 ± 0.07	2.46 ± 0.43	9.62 ± 0.08
1438-02279-1	HD 99833	7.71	0.820 ± 0.030	2.43 ± 0.66	4891 ± 18	1.68 ± 0.07	1.93 ± 0.06	-1.32 ± 0.03	999 ± 999	120.927 ± 0.035	54181.10858	0.810	-0.44	-0.310	2.20 ± 0.29	1.20 ± 0.27	21.93 ± 7.54	9.57 ± 0.29
1439-01487-1	HD 97561	6.93	0.750 ± 0.020	18.35 ± 0.96	5458 ± 10	4.05 ± 0.03	0.93 ± 0.06	0.01 ± 0.01	1.86 ± 0.63	43.022 ± 0.020	54160.20502	0.708	3.25	-0.143	0.66 ± 0.09	1.13 ± 0.05	2.03 ± 0.24	9.82 ± 0.07
1440-01432-1	HD 100885	9.38	0.790 ± 0.070	8.59 ± 1.22	5338 ± 10	3.74 ± 0.03	0.93 ± 0.05	-0.26 ± 0.01	2.01 ± 0.69	29.237 ± 0.022	54876.26429	0.730	1.16	-0.170	0.38 ± 0.23	1.05 ± 0.06	2.05 ± 0.40	9.86 ± 0.11
1441-02310-1	HD 103111	7.98	0.770 ± 0.030	14.76 ± 0.85	5349 ± 15	3.94 ± 0.05	0.93 ± 0.07	-0.08 ± 0.02	0.0 ± 0.63	24.644 ± 0.028	53751.36404	0.743	3.76	-0.167	0.46 ± 0.11	1.04 ± 0.07	1.89 ± 0.33	9.96 ± 0.11
1442-01012-1	HD 105086	7.98	0.870 ± 0.040	11.18 ± 0.79	5085 ± 10	3.64 ± 0.03	0.88 ± 0.05	-0.06 ± 0.01	0.57 ± 0.67	-40.301 ± 0.023	54436.49148	0.859	3.14	-0.234	0.74 ± 0.13	1.29 ± 0.06	2.93 ± 0.40	9.63 ± 0.09
1447-01126-1	HD 107550	8.37	0.713 ± 0.028	1.66 ± 0.79	5095 ± 15	2.35 ± 0.06	1.46 ± 0.09	-1.02 ± 0.02	6.61 ± 3.17	18.416 ± 0.086	54480.36374	0.743	-0.59	-0.247	2.23 ± 0.47	1.58 ± 0.42	15.29 ± 7.04	9.22 ± 0.31
1452-00904-1	HD 112060	6.40	0.780 ± 0.040	22.32 ± 0.50	5397 ± 10	3.77 ± 0.03	1.05 ± 0.04	0.15 ± 0.01	1.84 ± 0.8	-1.067 ± 0.025	53749.39858	0.757	3.07	-0.153	0.73 ± 0.09	1.35 ± 0.05	2.58 ± 0.30	9.58 ± 0.08
1467-00202-1	HD 122457	7.39	0.480 ± 0.020	7.86 ± 0.57	6173 ± 20	3.50 ± 0.04	1.36 ± 0.09	0.03 ± 0.02	1.9 ± 1.02	-29.917 ± 0.042	54486.43640	0.484	1.73	-0.045	1.23 ± 0.11	1.67 ± 0.05	3.71 ± 0.59	9.29 ± 0.05
1476-00392-1	HD 126945	7.44	0.660 ± 0.020	14.53 ± 0.81	5767 ± 10	4.09 ± 0.02	1.13 ± 0.05	0.36 ± 0.01	2.63 ± 0.66	-12.627 ± 0.027	54515.38868	0.636	3.25	-0.082	0.63 ± 0.11	1.25 ± 0.06	1.87 ± 0.22	9.68 ± 0.07
1488-00278-1	HD 132296	6.61	0.930 ± 0.016	9.76 ± 0.45	4977 ± 15	3.05 ± 0.05	1.06 ± 0.06	-0.12 ± 0.02	1.31 ± 0.61	-52.297 ± 0.024	53768.44547	0.901	1.48	-0.269	1.42 ± 0.08	1.57 ± 0.10	6.54 ± 1.01	9.34 ± 0.08
1492-00257-1	HD 134247	7.98	0.930 ± 0.030	11.38 ± 0.79	4978 ± 12	3.51 ± 0.04	0.90 ± 0.07	-0.12 ± 0.02	1.1 ± 0.87	20.299 ± 0.024	53753.49316	0.900	3.18	-0.269	0.74 ± 0.12	1.01 ± 0.05	3.04 ± 0.51	9.96 ± 0.08
1497-01508-1	HD 138666	8.50	0.670 ± 0.030	11.13 ± 0.98	5703 ± 10	3.96 ± 0.03	0.97 ± 0.08	0.04 ± 0.01	1.93 ± 0.66	27.639 ± 0.045	53806.35653	0.625	3.63	-0.100	0.49 ± 0.14	1.07 ± 0.04	1.80 ± 0.27	9.89 ± 0.06
1515-00866-1	HD 144544	7.25	0.540 ± 0.020	11.26 ± 0.57	5851 ± 40	3.13 ± 0.10	1.67 ± 0.14	-0.08 ± 0.04	10.63 ± 2.44	-23.559 ± 0.220	54248.38338	0.569	2.46	-0.083	0.95 ± 0.09	1.42 ± 0.06	4.13 ± 1.14	9.46 ± 0.04
1521-01174-1	HD 152776	8.37	0.695 ± 0.027	12.16 ± 0.94	5777 ± 15	4.23 ± 0.04	0.86 ± 0.08	0.24 ± 0.02	2.35 ± 5.21	17.077 ± 0.025	54212.30617	0.619	3.71	-0.201	0.50 ± 0.17	1.08 ± 0.03	1.55 ± 0.28	9.87 ± 0.06
1550-01676-1	HD 158573	8.00	0.660 ± 0.030	9.65 ± 1.07	5800 ± 20	3.81 ± 0.04	1.16 ± 0.08	0.07 ± 0.02	3.91 ± 2.29	-12.127 ± 0.024	55342.45193	0.597	2.76	-0.085	0.83 ± 0.16	1.32 ± 0.06	2.47 ± 0.48	9.60 ± 0.06
1553-00662-1	HD 163363	7.90	0.580 ± 0.030	10.70 ± 0.79	6119 ± 30	3.71 ± 0.07	1.50 ± 0.11	0.06 ± 0.03	5.79 ± 3.68	39.183 ± 0.036	54567.40088	0.502	2.75	-0.049	0.82 ± 0.12	1.43 ± 0.08	2.53 ± 0.57	9.47 ± 0.06
1554-01982-1	HD 164507	6.29	0.706 ± 0.020	22.44 ± 0.45	5534 ± 5	3.66 ± 0.02	1.04 ± 0.04	0.13 ± 0.01	2.28 ± 0.64	5.884 ± 0.023	53835.39966	0.700	3.05	-0.126	0.73 ± 0.06	1.39 ± 0.02	2.71 ± 0.20	9.54 ± 0.04
1563-03552-1	HD 160935	6.75	0.510 ± 0.020	11.13 ± 0.65	5805 ± 37	3.13 ± 0.07	1.40 ± 0.15	-0.40 ± 0.04	8.94 ± 1.57	25.937 ± 0.088	54589.30503	0.560	1.51	-0.100	1.17 ± 0.10	1.52 ± 0.07	4.67 ± 1.07	9.31 ± 0.05
1581-02329-1	HD 170829	6.50	0.790 ± 0.020	28.92 ± 0.41	5424 ± 10	4.00 ± 0.03	0.92 ± 0.04	0.15 ± 0.01	0.95 ± 0.65	-52.229 ± 0.028	54597.31112	0.746	3.81	-0.147	0.44 ± 0.06	1.08 ± 0.03	1.80 ± 0.18	9.93 ± 0.06
1627-00499-1	HD 187881	7.90	0.639 ± 0.026	11.62 ± 0.88	5761 ± 20	3.79 ± 0.05	1.08 ± 0.11	-0.02 ± 0.02	0.95 ± 1.33	-11.491 ± 0.029	54035.12698	0.600	3.11	-0.093	0.69 ± 0.12	1.24 ± 0.06	2.28 ± 0.41	9.67 ± 0.06
1634-03057-1	HD 197963	5.14	0.490 ± 0.020	26.35 ± 1.09	4757 ± 15	2.98 ± 0.05	1.16 ± 0.05	0.14 ± 0.02	1.18 ± 1.42	-6.968 ± 0.031	53898.34420	1.040	0.80	-0.350	1.16 ± 0.08	1.27 ± 0.09	5.80 ± 0.93	9.71 ± 0.11
1639-00934-1	HD 194035	7.13	0.730 ± 0.030	20.32 ± 0.67	5625 ± 10	4.03 ± 0.03	1.04 ± 0.04	0.18 ± 0.01	2.31 ± 0.65	16.333 ± 0.034	54290.44189	0.672	3.58	-0.109	0.51 ± 0.09	1.13 ± 0.04	1.79 ± 0.21	9.86 ± 0.05
1665-01555-1	HD 205603	6.51	0.940 ± 0.020	7.30 ± 0.52	4991 ± 10	2.90 ± 0.04	1.15 ± 0.04	-0.08 ± 0.01	1.79 ± 0.48	-6.461 ± 0.023	55342.40810	0.899	0.75	-0.264	1.71 ± 0.11	2.13 ± 0.13	9.09 ± 1.39	9.04 ± 0.09
1704-01449-1	HD 214567	5.82	0.930 ± 0.016	8.74 ± 0.44	4959 ± 5	2.67 ± 0.03	1.24 ± 0.04	-0.18 ± 0.01	1.9 ± 0.37	-14.797 ± 0.028	54750.27681	0.902	0.45	-0.276	1.83 ± 0.09	1.73 ± 0.07	10.59 ± 1.23	9.24 ± 0.03
1711-02473-1	HD 218101	6.44	0.830 ± 0.020	27.61 ± 0.56	5228 ± 7	3.89 ± 0.03	1.02 ± 0.04	0.10 ± 0.01	1.22 ± 0.45	-28.356 ± 0.026	53895.43095	0.817	3.65	-0.193	0.52 ± 0.06	1.17 ± 0.05	2.12 ± 0.21	9.81 ± 0.07
1723-02167-1	HD 221627	6.80	0.650 ± 0.016	20.75 ± 0.46	5763 ± 10	3.90 ± 0.03	1.16 ± 0.04	0.17 ± 0.01	0.83 ± 0.94	-5.989 ± 0.027	53897.45498	0.618	3.30	-0.088	0.61 ± 0.06	1.23 ± 0.04	2.05 ± 0.19	9.71 ± 0.04
1731-00568-1	HD 2925	6.86	0.910 ± 0.020	7.26 ± 0.52	4832 ± 15	2.45 ± 0.06	1.42 ± 0.07	-0.53 ± 0.02	1.22 ± 0.45	-111.278 ± 0.031	53745.11191	0.922	1.16	-0.324	1.56 ± 0.11	0.98 ± 0.09	9.17 ± 1.77	9.91 ± 0.14

Table 1. continued.

Ident	Ident	V	B − V	π	$T_{\rm eff}$	log g	$v_{\rm t}$	[Fe/H]	$v \sin i_*$	RV	MJD	$(B-V)_0$	M_V	BC_V	log $L/L_\odot$	M	R	log age
TYC	HD or BD	[mag]	[mag]	[mas]	[K]		[km s^{-1}]		[km s^{-1}]	[km s^{-1}]	+2400000 [d]	[mag]	[mag]	[mag]		[$M_\odot$]	[$R_\odot$]	[yr]
1796-00771-1	HD 20401	8.78	0.840 ± 0.050	8.10 ± 0.94	5294 ± 12	3.66 ± 0.04	1.01 ± 0.06	-0.00 ± 0.02	0.75 ± 0.44	32.399 ± 0.018	55881.38860	0.772	3.24	-0.178	0.67 ± 0.19	1.32 ± 0.08	2.70 ± 0.51	9.59 ± 0.08
1808-01162-1	HD 24301	7.97	0.637 ± 0.029	13.01 ± 1.04	5771 ± 10	3.79 ± 0.03	1.03 ± 0.08	-0.16 ± 0.01	2.54 ± 1.16	22.653 ± 0.027	54039.22727	0.587	3.39	-0.096	0.58 ± 0.13	1.15 ± 0.05	2.11 ± 0.28	9.72 ± 0.07
1812-00724-1	HD 23849	8.52	0.940 ± 0.030	12.57 ± 1.05	5006 ± 10	3.77 ± 0.03	0.77 ± 0.07	-0.28 ± 0.01	1.89 ± 1.2	49.966 ± 0.030	53960.44407	0.866	3.94	-0.261	0.43 ± 0.13	0.90 ± 0.01	2.11 ± 0.29	10.11 ± 0.02
1812-01975-1	HD 24365	7.87	0.830 ± 0.020	10.07 ± 0.97	5142 ± 10	3.51 ± 0.03	0.93 ± 0.05	-0.27 ± 0.01	1.05 ± 1.19	19.122 ± 0.022	53800.10545	0.810	2.89	-0.221	0.83 ± 0.13	1.21 ± 0.07	3.24 ± 0.47	9.65 ± 0.09
1814-01132-1	HD 25532	8.24	0.630 ± 0.030	4.03 ± 0.98	5566 ± 25	2.28 ± 0.05	1.47 ± 0.26	-1.16 ± 0.03	2.45 ± 1.81	-112.697 ± 0.057	53762.20904	0.579	1.19	-0.158	1.49 ± 0.27	0.86 ± 0.05	8.53 ± 2.13	10.02 ± 0.09
1827-01073-1	HD 26397	8.27	0.860 ± 0.020	11.82 ± 1.09	5050 ± 10	3.63 ± 0.03	0.85 ± 0.06	-0.24 ± 0.01	1.0 ± 0.42	77.046 ± 0.030	54068.38840	0.852	3.63	-0.247	0.55 ± 0.13	0.93 ± 0.03	2.45 ± 0.35	10.05 ± 0.05
1836-01183-1	HD 31782	7.29	0.810 ± 0.020	20.48 ± 0.69	5264 ± 15	3.89 ± 0.04	0.94 ± 0.06	0.03 ± 0.02	1.93 ± 0.78	-71.538 ± 0.022	53988.41948	0.790	3.85	-0.185	0.44 ± 0.08	1.05 ± 0.04	1.96 ± 0.28	9.95 ± 0.05
1841-01370-1	HD 28447	6.53	0.678 ± 0.020	25.93 ± 0.61	5525 ± 12	3.86 ± 0.04	0.94 ± 0.07	-0.08 ± 0.01	2.32 ± 0.56	30.575 ± 0.069	54037.48586	0.670	3.54	-0.130	0.54 ± 0.07	1.12 ± 0.05	2.04 ± 0.24	9.82 ± 0.08
1917-02488-1	HD 56176	6.40	0.869 ± 0.020	12.95 ± 0.74	4946 ± 7	3.13 ± 0.03	1.00 ± 0.06	-0.30 ± 0.02	2.47 ± 0.37	-10.129 ± 0.070	53754.37277	0.893	1.96	-0.281	1.23 ± 0.10	1.15 ± 0.07	5.22 ± 0.62	9.74 ± 0.05
1918-02322-1	HD 58683	7.37	0.880 ± 0.020	6.94 ± 0.71	5085 ± 20	2.62 ± 0.07	1.72 ± 0.08	0.06 ± 0.03	0.88 ± 0.56	56.411 ± 0.035	53754.38244	0.875	1.56	-0.233	1.37 ± 0.14	2.05 ± 0.11	8.92 ± 2.03	9.07 ± 0.07
1929-00358-1	HD 63991	8.61	1.062 ± 0.043	-	4723 ± 22	4.69 ± 0.07	0.53 ± 0.29	-0.08 ± 0.02	0.0 ± 0.46	-43.690 ± 0.061	55973.10101	1.035	7.47	-0.369	-0.69 ± 0.04	0.73 ± 0.02	0.66 ± 0.10	9.15 ± 0.63
1931-01928-1	HD 67767	5.73	0.810 ± 0.020	24.18 ± 0.35	5271 ± 10	3.63 ± 0.03	0.96 ± 0.06	-0.03 ± 0.01	1.36 ± 0.56	-44.226 ± 0.021	53743.20544	0.779	2.65	-0.184	0.91 ± 0.06	1.47 ± 0.04	3.25 ± 0.32	9.46 ± 0.08
1955-00360-1	HD 81505	8.38	0.749 ± 0.029	11.28 ± 1.00	5674 ± 17	4.17 ± 0.04	1.07 ± 0.05	0.43 ± 0.02	2.76 ± 4.16	16.778 ± 0.030	53784.16402	0.683	3.55	-0.095	0.52 ± 0.16	1.19 ± 0.08	1.68 ± 0.33	9.76 ± 0.05
1955-01547-1	HD 80956	6.40	0.880 ± 0.016	7.03 ± 0.40	5011 ± 10	2.62 ± 0.04	1.25 ± 0.06	-0.43 ± 0.02	1.63 ± 0.51	2.584 ± 0.025	53747.26384	0.845	0.55	-0.261	1.78 ± 0.09	1.52 ± 0.15	10.14 ± 1.52	9.35 ± 0.15
1957-00283-1	HD 78277	8.20	0.650 ± 0.030	12.53 ± 1.03	5849 ± 12	4.05 ± 0.03	1.15 ± 0.05	0.34 ± 0.01	2.87 ± 0.54	2.930 ± 0.029	53753.45518	0.609	3.58	-0.071	0.50 ± 0.15	1.27 ± 0.07	1.75 ± 0.28	9.66 ± 0.06
1958-00958-1	HD 80131	8.24	0.880 ± 0.030	10.25 ± 0.93	5047 ± 10	3.48 ± 0.03	0.91 ± 0.05	-0.28 ± 0.01	0.0 ± 0.58	1.067 ± 0.021	53763.43093	0.849	3.21	-0.248	0.71 ± 0.14	1.00 ± 0.05	2.98 ± 0.45	9.94 ± 0.09
1967-00517-1	HD 86680	7.99	0.580 ± 0.020	10.05 ± 0.83	5933 ± 10	4.17 ± 0.03	1.30 ± 0.06	0.20 ± 0.01	3.04 ± 0.69	3.511 ± 0.056	53802.12767	0.570	2.95	-0.060	0.74 ± 0.12	1.30 ± 0.06	1.88 ± 0.26	9.61 ± 0.06
1968-00092-1	HD 88008	8.52	0.670 ± 0.020	12.66 ± 1.03	5727 ± 15	4.33 ± 0.04	0.69 ± 0.09	0.13 ± 0.02	2.42 ± 1.32	-37.480 ± 0.024	53749.28228	0.630	4.79	-0.090	0.36 ± 0.12	1.01 ± 0.02	1.34 ± 0.20	9.96 ± 0.07
1969-01260-1	HD 89010	5.90	0.740 ± 0.020	32.08 ± 0.80	5686 ± 7	3.87 ± 0.02	1.10 ± 0.04	0.02 ± 0.01	2.68 ± 0.97	-33.802 ± 0.024	54436.41207	0.629	3.26	-0.103	0.64 ± 0.07	1.20 ± 0.04	2.12 ± 0.18	9.72 ± 0.05
1972-00618-1	BD+25 2237	9.27	0.990 ± 0.060	-	4838 ± 20	3.44 ± 0.07	0.94 ± 0.08	0.19 ± 0.03	0.41 ± 0.41	1.140 ± 0.030	54908.13486	1.012	3.03	-0.319	0.75 ± 0.15	1.20 ± 0.12	3.43 ± 0.85	9.81 ± 0.13
1976-00526-1	HD 91348	8.65	0.700 ± 0.020	10.83 ± 0.97	5693 ± 15	4.15 ± 0.04	1.01 ± 0.06	0.45 ± 0.01	1.22 ± 0.39	8.620 ± 0.025	54865.46029	0.677	3.82	-0.092	0.41 ± 0.16	1.17 ± 0.06	1.58 ± 0.28	9.76 ± 0.08
1977-00338-1	HD 91950	8.60	0.610 ± 0.020	8.83 ± 0.83	5631 ± 5	3.85 ± 0.02	1.09 ± 0.05	-0.02 ± 0.01	1.59 ± 0.57	40.842 ± 0.025	53763.48844	0.644	3.33	-0.113	0.61 ± 0.13	1.19 ± 0.05	2.13 ± 0.26	9.74 ± 0.07
1978-01005-1	BD+24 2306	9.44	1.000 ± 0.060	-	4770 ± 5	2.75 ± 0.01	1.06 ± 0.04	-0.67 ± 0.01	1.0 ± 0.41	-46.563 ± 0.033	55636.36751	0.936	2.13	-0.351	1.50 ± 0.02	0.85 ± 0.01	7.32 ± 0.28	10.12 ± 0.02
1980-00318-1	HD 94457	6.53	0.540 ± 0.020	15.38 ± 0.41	6125 ± 12	3.65 ± 0.03	1.46 ± 0.04	0.17 ± 0.01	3.12 ± 2.87	14.298 ± 0.031	53895.13944	0.510	2.26	-0.045	1.01 ± 0.07	1.66 ± 0.05	3.01 ± 0.29	9.32 ± 0.04
1986-01154-1	HD 106421	7.35	0.640 ± 0.040	10.19 ± 0.51	5915 ± 20	3.74 ± 0.04	1.44 ± 0.06	0.40 ± 0.02	3.03 ± 0.71	5.711 ± 0.047	54465.40286	0.595	2.26	-0.061	1.02 ± 0.14	1.68 ± 0.06	2.98 ± 0.53	9.34 ± 0.05
1987-01251-1	HD 103813	7.46	0.950 ± 0.040	8.23 ± 0.60	4816 ± 15	3.11 ± 0.05	1.01 ± 0.08	-0.36 ± 0.02	0.64 ± 0.31	42.368 ± 0.028	54568.10938	0.951	1.95	-0.330	1.25 ± 0.14	0.92 ± 0.04	5.23 ± 0.98	10.05 ± 0.07
1989-00539-1	HD 107469	7.30	0.890 ± 0.040	20.36 ± 0.71	5153 ± 20	3.94 ± 0.07	0.93 ± 0.10	0.09 ± 0.03	0.0 ± 0.67	24.430 ± 0.030	53797.25089	0.849	3.76	-0.213	0.48 ± 0.10	1.14 ± 0.07	2.03 ± 0.39	9.86 ± 0.11
2008-00633-1	HD 126991	7.90	0.800 ± 0.020	9.91 ± 0.71	5078 ± 7	3.21 ± 0.03	0.97 ± 0.04	-0.64 ± 0.01	1.27 ± 0.75	-94.188 ± 0.024	54224.38565	0.793	2.86	-0.244	0.85 ± 0.11	0.87 ± 0.02	3.63 ± 0.42	10.08 ± 0.04

Table 1. continued.

Ident	Ident	V	B − V	π	$T_{\rm eff}$	log g	$v_{\rm t}$	[Fe/H]	$v \sin i_*$	RV	MJD	$(B-V)_0$	M_V	BC_V	log $L/L_\odot$	M	R	log age
TYC	HD or BD	[mag]	[mag]	[mas]	[K]		[km s^{-1}]		[km s^{-1}]	[km s^{-1}]	+2400000 [d]	[mag]	[mag]	[mag]		[$M_\odot$]	[$R_\odot$]	[yr]
2014-00277-1	HD 126778	8.19	0.930 ± 0.020	2.38 ± 0.78	4823 ± 17	2.30 ± 0.07	1.44 ± 0.07	-0.53 ± 0.02	1.95 ± 0.5	-136.258 ± 0.039	53776.39882	0.926	0.06	-0.328	2.01 ± 0.33	1.46 ± 0.28	14.33 ± 5.17	9.37 ± 0.24
2021-00147-1	HD 128719	8.60	0.774 ± 0.029	6.42 ± 0.96	5339 ± 15	3.54 ± 0.04	1.03 ± 0.04	-0.23 ± 0.01	3.53 ± 4.06	-53.412 ± 0.027	54265.27480	0.733	2.57	-0.172	0.94 ± 0.19	1.36 ± 0.09	3.37 ± 0.69	9.48 ± 0.08
2021-00950-1	HD 128095	8.13	0.930 ± 0.030	8.37 ± 0.83	4960 ± 15	3.37 ± 0.05	0.94 ± 0.08	-0.08 ± 0.02	0.34 ± 0.4	29.389 ± 0.028	53759.45190	0.914	2.66	-0.274	0.94 ± 0.15	1.23 ± 0.12	3.89 ± 0.80	9.70 ± 0.14
2023-00534-1	HD 131509	7.93	0.890 ± 0.020	13.06 ± 0.65	5023 ± 10	3.66 ± 0.03	0.82 ± 0.05	-0.16 ± 0.01	1.25 ± 0.82	-46.503 ± 0.035	54289.21177	0.874	3.43	-0.254	0.63 ± 0.09	1.00 ± 0.04	2.58 ± 0.31	9.98 ± 0.06
2026-01358-1	HD 138541	7.55	0.903 ± 0.026	19.62 ± 0.76	5353 ± 20	4.20 ± 0.05	0.96 ± 0.10	0.51 ± 0.03	0.10 ± 0.64	7.361 ± 0.032	53759.48037	0.000	1.45	-0.160	1.39 ± 0.07	1.90 ± 0.05	3.79 ± 0.47	9.18 ± 0.04
2037-01827-1	HD 141714	4.60	0.757 ± 0.020	19.18 ± 0.26	5362 ± 20	3.29 ± 0.06	1.20 ± 0.09	-0.12 ± 0.03	4.56 ± 0.84	-20.356 ± 0.035	54597.21873	0.730	1.18	-0.170	1.59 ± 0.06	2.15 ± 0.05	6.37 ± 0.94	8.93 ± 0.04
2064-00277-1	HD 154183	8.66	0.640 ± 0.020	9.90 ± 1.03	5817 ± 15	4.01 ± 0.03	1.17 ± 0.06	0.13 ± 0.02	2.82 ± 1.32	-18.928 ± 0.027	54529.42720	0.598	3.57	-0.081	0.50 ± 0.14	1.13 ± 0.04	1.74 ± 0.26	9.83 ± 0.05
2077-04273-1	HD 161239	5.74	0.635 ± 0.020	25.60 ± 0.33	5742 ± 15	3.68 ± 0.04	1.30 ± 0.05	0.21 ± 0.02	4.31 ± 0.96	-23.281 ± 0.041	53895.42117	0.629	2.78	-0.090	0.82 ± 0.06	1.41 ± 0.04	2.73 ± 0.33	9.55 ± 0.04
2085-03062-1	HD 161797	3.41	0.760 ± 0.020	120.33 ± 0.16	5615 ± 12	4.07 ± 0.03	1.05 ± 0.04	0.31 ± 0.01	2.34 ± 1.02	-17.780 ± 0.028	53894.21453	0.694	3.73	-0.108	0.45 ± 0.06	1.13 ± 0.03	1.70 ± 0.17	9.87 ± 0.04
2114-01561-1	HD 170737	8.13	0.780 ± 0.020	8.95 ± 0.71	5006 ± 10	3.21 ± 0.03	0.90 ± 0.06	-0.81 ± 0.01	1.76 ± 1.43	-143.850 ± 0.039	53805.46911	0.798	2.89	-0.268	0.85 ± 0.12	0.82 ± 0.01	3.63 ± 0.47	10.12 ± 0.07
2179-00116-1	HD 199221	7.81	0.650 ± 0.020	16.10 ± 1.13	5863 ± 20	4.25 ± 0.04	1.03 ± 0.07	0.19 ± 0.02	2.81 ± 0.69	4.914 ± 0.029	54744.24051	0.596	3.84	-0.190	0.44 ± 0.16	1.13 ± 0.05	1.46 ± 0.28	9.75 ± 0.13
2199-00074-1	HD 203698	7.80	0.610 ± 0.030	11.89 ± 0.77	5906 ± 15	3.91 ± 0.04	1.32 ± 0.06	0.12 ± 0.01	4.67 ± 1.41	-16.268 ± 0.036	53954.18132	0.570	3.03	-0.070	0.72 ± 0.11	1.27 ± 0.05	2.13 ± 0.32	9.65 ± 0.06
2225-01821-1	HD 216131	3.51	0.917 ± 0.020	30.74 ± 0.27	5062 ± 15	2.99 ± 0.05	1.25 ± 0.05	0.02 ± 0.02	1.91 ± 0.57	12.980 ± 0.038	53898.41297	0.879	0.83	-0.241	1.66 ± 0.06	2.16 ± 0.09	8.29 ± 1.14	9.01 ± 0.07
2244-00967-1	HD 218935	6.17	0.940 ± 0.020	14.25 ± 0.45	4927 ± 15	3.07 ± 0.05	1.04 ± 0.05	-0.09 ± 0.02	0.68 ± 0.49	-9.864 ± 0.023	53731.08549	0.930	1.91	-0.286	1.25 ± 0.07	1.30 ± 0.07	5.64 ± 0.84	9.57 ± 0.06
2267-00101-1	HD 225239	6.10	0.640 ± 0.020	25.52 ± 3.28	5557 ± 10	3.71 ± 0.03	1.12 ± 0.07	-0.50 ± 0.01	2.75 ± 1.24	3.110 ± 0.027	53898.45035	0.629	3.13	-0.138	0.70 ± 0.16	1.03 ± 0.06	2.38 ± 0.39	9.81 ± 0.06
2285-00548-1	HD 5583	7.60	0.940 ± 0.030	-	4830 ± 15	2.53 ± 0.04	1.44 ± 0.05	-0.50 ± 0.02	2.21 ± 1.51	11.680 ± 0.032	54050.30285	0.926	0.65	-0.325	1.61 ± 0.09	1.01 ± 0.10	9.09 ± 1.50	9.87 ± 0.13
2289-01039-1	HD 5897	7.69	0.890 ± 0.030	12.88 ± 0.64	5286 ± 10	3.76 ± 0.03	1.01 ± 0.05	0.18 ± 0.01	1.72 ± 0.55	-17.539 ± 0.028	54063.26568	0.807	3.16	-0.178	0.71 ± 0.10	1.36 ± 0.06	2.62 ± 0.33	9.60 ± 0.05
2300-01644-1	HD 8375	6.29	0.830 ± 0.020	17.65 ± 0.39	5222 ± 15	3.59 ± 0.05	1.03 ± 0.08	-0.05 ± 0.02	1.68 ± 0.75	10.820 ± 0.024	54040.11624	0.798	2.52	-0.197	0.97 ± 0.07	1.54 ± 0.04	3.51 ± 0.49	9.40 ± 0.05
2311-01988-1	BD+32 334	9.06	0.810 ± 0.050	7.38 ± 1.14	5121 ± 10	3.55 ± 0.03	0.95 ± 0.04	-0.35 ± 0.01	0.74 ± 0.74	6.803 ± 0.020	55959.11723	0.810	3.33	-0.228	0.66 ± 0.22	0.95 ± 0.05	2.71 ± 0.53	9.99 ± 0.05
2316-00737-1	HD 12247	8.51	0.950 ± 0.030	4.10 ± 0.85	4900 ± 5	3.02 ± 0.03	1.01 ± 0.04	-0.32 ± 0.01	1.8 ± 0.94	67.994 ± 0.037	54015.45663	0.914	1.48	-0.297	1.43 ± 0.24	1.08 ± 0.08	6.25 ± 1.34	9.83 ± 0.13
2320-00643-1	BD+36 389	10.41	1.080 ± 0.150	-	4406 ± 20	1.73 ± 0.08	1.49 ± 0.06	-0.55 ± 0.03	2.85 ± 0.33	13.209 ± 0.031	54843.16407	1.173	-0.60	-0.548	2.40 ± 0.15	1.24 ± 0.26	26.21 ± 7.52	9.61 ± 0.24
2332-01630-1	HD 16559	7.60	0.910 ± 0.030	9.71 ± 0.64	5024 ± 10	3.36 ± 0.04	0.99 ± 0.04	-0.15 ± 0.01	0.0 ± 0.42	-13.743 ± 0.025	53760.15819	0.875	2.46	-0.254	1.02 ± 0.12	1.26 ± 0.07	4.08 ± 0.64	9.62 ± 0.06
2337-01072-1	HD 17605	6.44	0.610 ± 0.016	17.95 ± 0.57	5754 ± 20	3.47 ± 0.05	1.36 ± 0.06	-0.03 ± 0.02	4.9 ± 1.06	-3.495 ± 0.037	53984.32689	0.601	2.66	-0.095	0.87 ± 0.07	1.41 ± 0.03	3.18 ± 0.47	9.50 ± 0.02
2344-01957-1	HD 20099	8.06	0.940 ± 0.020	6.23 ± 1.01	4831 ± 5	2.94 ± 0.02	1.01 ± 0.04	-0.60 ± 0.01	0.67 ± 0.58	-82.799 ± 0.028	55950.19184	0.913	1.95	-0.325	1.25 ± 0.19	0.85 ± 0.01	5.59 ± 0.87	10.11 ± 0.02
2373-00291-1	HD 28855	8.51	1.080 ± 0.040	7.62 ± 1.13	4764 ± 17	3.16 ± 0.06	1.07 ± 0.08	0.13 ± 0.03	0.0 ± 0.68	-1.362 ± 0.033	56229.26425	1.039	2.82	-0.351	0.91 ± 0.20	1.13 ± 0.10	4.40 ± 1.07	9.90 ± 0.14
2387-00702-1	HD 30825	6.72	0.880 ± 0.030	15.46 ± 0.56	5059 ± 12	3.43 ± 0.04	0.91 ± 0.06	-0.26 ± 0.01	1.17 ± 0.73	-12.888 ± 0.022	53749.27353	0.846	2.59	-0.244	0.96 ± 0.09	1.18 ± 0.07	3.70 ± 0.52	9.69 ± 0.09
2483-00472-1	BD+31 1808	9.17	0.810 ± 0.030	7.06 ± 1.22	5087 ± 10	3.65 ± 0.03	0.90 ± 0.06	-0.47 ± 0.01	0.0 ± 0.53	-20.176 ± 0.028	56232.41175	0.810	3.34	-0.239	0.66 ± 0.21	0.90 ± 0.03	2.55 ± 0.49	10.08 ± 0.04
2490-01253-1	HD 73760	8.35	0.580 ± 0.030	6.81 ± 0.96	5917 ± 12	3.65 ± 0.03	1.37 ± 0.08	0.19 ± 0.02	6.0 ± 1.82	19.951 ± 0.058	53754.44145	0.574	2.44	-0.067	0.95 ± 0.18	1.55 ± 0.04	2.96 ± 0.49	9.44 ± 0.04

Table 1. continued.

Ident	Ident	V	B − V	π	$T_{\rm eff}$	log g	$v_{\rm t}$	[Fe/H]	$v \sin i_*$	RV	MJD	$(B-V)_0$	M_V	BC_V	log $L/L_\odot$	M	R	log age
TYC	HD or BD	[mag]	[mag]	[mas]	[K]		[km s^{-1}]		[km s^{-1}]	[km s^{-1}]	+2400000 [d]	[mag]	[mag]	[mag]		[$M_\odot$]	[$R_\odot$]	[yr]
2491-00821-1	HD 75247	8.38	0.890 ± 0.030	8.91 ± 0.96	5082 ± 15	3.62 ± 0.04	0.89 ± 0.07	-0.22 ± 0.02	0.0 ± 0.75	42.259 ± 0.020	55697.13752	0.841	3.05	-0.237	0.78 ± 0.15	1.16 ± 0.08	2.96 ± 0.57	9.74 ± 0.11
2491-00924-1	HD 75782	7.09	0.610 ± 0.020	15.69 ± 0.53	6003 ± 20	3.94 ± 0.05	1.27 ± 0.08	0.25 ± 0.02	0.14 ± 0.83	8.244 ± 0.040	54014.50267	0.554	2.87	-0.055	0.77 ± 0.08	1.45 ± 0.05	2.19 ± 0.33	9.49 ± 0.05
2496-00621-1	HD 80869	8.45	0.680 ± 0.030	12.29 ± 0.89	5771 ± 20	4.09 ± 0.04	1.06 ± 0.06	0.17 ± 0.02	2.61 ± 0.9	-18.031 ± 0.027	53754.46986	0.615	3.75	-0.087	0.44 ± 0.12	1.10 ± 0.04	1.61 ± 0.25	9.87 ± 0.05
2496-01223-1	HD 79452	5.99	0.810 ± 0.020	7.69 ± 0.54	5058 ± 15	2.45 ± 0.05	1.54 ± 0.09	-0.65 ± 0.02	1.89 ± 1.0	54.504 ± 0.032	53743.24016	0.799	0.39	-0.250	1.85 ± 0.11	1.23 ± 0.17	10.95 ± 2.12	9.59 ± 0.11
2502-00442-1	BD+32 1933	9.24	0.870 ± 0.050	8.56 ± 1.26	5083 ± 5	3.61 ± 0.02	0.86 ± 0.05	-0.27 ± 0.01	0.0 ± 0.65	-22.209 ± 0.025	56237.46328	0.835	3.82	-0.238	0.47 ± 0.21	0.96 ± 0.03	2.37 ± 0.38	10.00 ± 0.07
2511-01124-1	HD 91162	8.71	0.570 ± 0.030	7.47 ± 1.00	5761 ± 15	3.71 ± 0.03	1.25 ± 0.05	-0.39 ± 0.01	0.77 ± 1.47	33.590 ± 0.034	53757.49523	0.573	3.01	-0.105	0.74 ± 0.17	1.16 ± 0.06	2.42 ± 0.41	9.66 ± 0.07
2515-00244-1	BD+34 2154	9.74	0.820 ± 0.070	6.41 ± 1.24	5348 ± 15	4.05 ± 0.04	0.87 ± 0.07	0.12 ± 0.02	0.88 ± 0.44	0.496 ± 0.025	54922.30296	0.772	3.70	-0.164	0.48 ± 0.28	1.01 ± 0.06	1.80 ± 0.47	10.03 ± 0.05
2517-01209-1	HD 90537	4.21	0.894 ± 0.020	21.19 ± 0.50	4926 ± 35	2.85 ± 0.12	1.08 ± 0.08	0.09 ± 0.04	2.54 ± 0.57	8.520 ± 0.052	53895.12374	0.955	0.85	-0.285	1.67 ± 0.07	2.11 ± 0.16	9.18 ± 2.60	9.08 ± 0.16
2524-01410-1	HD 102602	8.71	0.690 ± 0.040	9.50 ± 1.04	5513 ± 10	3.97 ± 0.03	0.83 ± 0.08	-0.17 ± 0.01	1.44 ± 0.7	-13.612 ± 0.029	53806.19088	0.671	3.54	-0.137	0.54 ± 0.17	0.95 ± 0.04	1.86 ± 0.32	10.04 ± 0.07
2528-00473-1	HD 108693	7.98	0.560 ± 0.020	5.76 ± 1.46	5399 ± 27	3.47 ± 0.07	0.78 ± 0.22	-0.98 ± 0.03	7.77 ± 3.79	-54.368 ± 0.085	54478.37241	0.640	1.73	-0.180	1.28 ± 0.27	1.16 ± 0.12	4.13 ± 1.33	9.59 ± 0.11
2536-01011-1	HD 118051	7.82	0.630 ± 0.020	12.94 ± 0.65	5692 ± 10	3.83 ± 0.03	1.08 ± 0.05	0.17 ± 0.01	1.97 ± 0.85	-20.366 ± 0.038	54574.17440	0.645	3.38	-0.098	0.59 ± 0.09	1.23 ± 0.05	2.12 ± 0.25	9.71 ± 0.05
2540-00389-1	HD 120182	8.65	0.580 ± 0.030	6.98 ± 0.85	5757 ± 22	3.55 ± 0.05	1.28 ± 0.11	-0.44 ± 0.02	2.35 ± 1.21	-9.769 ± 0.022	55778.11567	0.570	2.78	-0.107	0.83 ± 0.17	1.23 ± 0.08	2.84 ± 0.60	9.57 ± 0.08
2549-00969-1	HD 124969	8.50	0.650 ± 0.030	8.99 ± 0.99	5734 ± 15	3.83 ± 0.05	1.13 ± 0.06	-0.02 ± 0.02	2.5 ± 0.72	-20.339 ± 0.028	53808.28828	0.609	3.16	-0.097	0.68 ± 0.15	1.21 ± 0.07	2.21 ± 0.43	9.71 ± 0.07
2559-00150-1	HD 126990	7.45	0.950 ± 0.016	8.77 ± 0.62	5015 ± 10	3.49 ± 0.03	1.04 ± 0.05	0.11 ± 0.02	0.0 ± 0.44	7.796 ± 0.028	53749.44806	0.915	2.07	-0.255	1.17 ± 0.10	1.61 ± 0.06	4.44 ± 0.56	9.38 ± 0.05
2568-00305-1	HD 135078	7.21	0.790 ± 0.020	19.97 ± 0.59	5215 ± 10	3.68 ± 0.04	0.88 ± 0.07	-0.13 ± 0.02	1.26 ± 1.01	-27.534 ± 0.021	53767.44461	0.793	3.71	-0.200	0.50 ± 0.07	1.06 ± 0.04	2.32 ± 0.27	9.87 ± 0.06
2573-01828-1	HD 145645	7.42	0.716 ± 0.026	18.09 ± 0.58	5636 ± 10	3.90 ± 0.02	1.04 ± 0.04	0.13 ± 0.01	2.22 ± 0.97	1.230 ± 0.035	54324.17844	0.661	3.62	-0.108	0.49 ± 0.08	1.15 ± 0.03	1.92 ± 0.18	9.82 ± 0.06
2587-01957-1	BD+37 2746B	8.71	0.700 ± 0.040	-	4949 ± 20	3.69 ± 0.07	1.06 ± 0.07	0.23 ± 0.02	0.00 ± 0.41	-66.689 ± 0.027	53809.36786	0.960	0.90	-0.280	0.56 ± 0.13	1.20 ± 0.12	2.59 ± 0.58	9.80 ± 0.11
2600-00350-1	BD+33 2885	8.60	0.780 ± 0.030	10.39 ± 0.84	5225 ± 10	3.77 ± 0.03	0.94 ± 0.04	-0.33 ± 0.01	1.27 ± 0.64	-50.120 ± 0.024	54273.37773	0.769	3.61	-0.201	0.54 ± 0.13	1.00 ± 0.05	2.21 ± 0.32	9.93 ± 0.06
2620-00561-1	HD 164213	7.34	0.940 ± 0.030	7.69 ± 0.41	4912 ± 12	3.00 ± 0.04	1.05 ± 0.04	-0.29 ± 0.01	0.95 ± 0.79	-4.198 ± 0.023	53808.44786	0.912	1.69	-0.293	1.34 ± 0.11	1.23 ± 0.09	6.14 ± 1.02	9.64 ± 0.11
2676-01264-1	HD 332196	8.40	0.866 ± 0.028	10.24 ± 0.86	4932 ± 12	3.65 ± 0.04	0.76 ± 0.07	-0.26 ± 0.02	0.0 ± 0.63	-88.642 ± 0.033	54607.35544	0.905	3.37	-0.285	0.67 ± 0.13	0.91 ± 0.02	2.66 ± 0.44	10.10 ± 0.06
2676-01686-1	HD 192787	5.71	0.908 ± 0.020	10.26 ± 0.31	5082 ± 12	3.07 ± 0.04	1.23 ± 0.06	-0.00 ± 0.02	1.18 ± 0.52	-11.631 ± 0.032	54580.43741	0.867	0.64	-0.235	1.74 ± 0.07	2.31 ± 0.10	8.43 ± 1.03	8.91 ± 0.06
2683-03963-1	HD 191026	5.36	0.850 ± 0.020	41.76 ± 0.30	5167 ± 15	3.77 ± 0.04	1.05 ± 0.06	0.02 ± 0.02	0.6 ± 0.44	-34.743 ± 0.026	54608.34031	0.831	3.46	-0.210	0.60 ± 0.05	1.22 ± 0.04	2.44 ± 0.28	9.71 ± 0.05
2700-01105-1	HD 199100	7.79	0.720 ± 0.020	17.36 ± 0.58	5693 ± 17	4.29 ± 0.04	1.05 ± 0.08	0.41 ± 0.02	2.31 ± 1.08	-25.642 ± 0.023	55344.36713	0.644	3.98	-0.204	0.39 ± 0.12	1.15 ± 0.05	1.44 ± 0.24	9.75 ± 0.08
2736-01822-1	HD 215549	6.38	0.920 ± 0.020	16.67 ± 0.60	4822 ± 12	3.20 ± 0.04	0.89 ± 0.06	-0.33 ± 0.02	1.6 ± 0.93	-2.089 ± 0.030	53898.40818	0.952	2.49	-0.327	1.03 ± 0.08	0.92 ± 0.02	4.33 ± 0.58	10.09 ± 0.04
2785-00063-1	HD 445	6.94	0.934 ± 0.020	16.86 ± 0.61	5044 ± 15	3.69 ± 0.05	0.91 ± 0.09	0.05 ± 0.02	0.0 ± 0.48	3.618 ± 0.024	53757.09618	0.892	2.98	-0.246	0.80 ± 0.08	1.32 ± 0.05	3.00 ± 0.44	9.60 ± 0.06
2814-01045-1	HD 9938	8.16	0.860 ± 0.030	8.34 ± 0.67	4931 ± 10	3.23 ± 0.04	0.93 ± 0.05	-0.55 ± 0.01	0.43 ± 0.66	-21.057 ± 0.022	54431.29106	0.869	2.69	-0.288	0.94 ± 0.13	0.85 ± 0.01	3.88 ± 0.57	10.11 ± 0.02
2817-00321-1	BD+40 287	8.71	0.680 ± 0.040	9.55 ± 0.97	5813 ± 15	4.15 ± 0.03	1.08 ± 0.05	0.19 ± 0.01	1.99 ± 0.66	-1.191 ± 0.023	54750.16270	0.605	3.43	-0.080	0.56 ± 0.16	1.12 ± 0.03	1.67 ± 0.27	9.83 ± 0.04
2820-00831-1	HD 11970	8.23	0.840 ± 0.030	7.71 ± 0.96	5069 ± 5	3.37 ± 0.02	0.95 ± 0.04	-0.33 ± 0.01	1.03 ± 0.62	-14.291 ± 0.022	54065.32625	0.833	2.59	-0.242	0.96 ± 0.17	1.17 ± 0.05	3.81 ± 0.56	9.69 ± 0.07

Table 1. continued.

Ident	Ident	V	B − V	π	$T_{\rm eff}$	$\log g$	$v_{\rm t}$	[Fe/H]	$v \sin i_*$	RV	MJD	$(B-V)_0$	M_V	BC_V	$\log L/L_\odot$	M	R	log age
TYC	HD or BD	[mag]	[mag]	[mas]	[K]		[km s^{-1}]		[km s^{-1}]	[km s^{-1}]	+2400000 [d]	[mag]	[mag]	[mag]		[$M_\odot$]	[$R_\odot$]	[yr]
2840-00727-1	HD 15753	7.15	0.710 ± 0.030	12.61 ± 0.70	5448 ± 15	3.53 ± 0.04	1.04 ± 0.05	-0.26 ± 0.01	2.38 ± 0.95	-31.971 ± 0.032	53785.09788	0.688	2.59	-0.151	0.92 ± 0.11	1.39 ± 0.07	3.30 ± 0.50	9.44 ± 0.05
2866-02130-1	HD 21630	8.64	0.570 ± 0.030	6.99 ± 1.16	5940 ± 22	3.51 ± 0.05	1.21 ± 0.10	-0.14 ± 0.02	2.47 ± 1.1	36.251 ± 0.036	53755.22722	0.538	2.69	-0.075	0.85 ± 0.20	1.36 ± 0.08	2.95 ± 0.66	9.50 ± 0.07
2877-01168-1	HD 25975	6.09	0.950 ± 0.020	22.68 ± 0.34	5012 ± 20	3.50 ± 0.06	1.03 ± 0.07	0.09 ± 0.02	1.09 ± 0.68	-43.978 ± 0.025	53743.26640	0.913	2.87	-0.256	0.86 ± 0.06	1.41 ± 0.06	3.52 ± 0.56	9.54 ± 0.05
2887-00274-1	HD 27969	7.65	0.634 ± 0.026	13.54 ± 0.72	5900 ± 10	4.00 ± 0.03	1.18 ± 0.06	0.18 ± 0.01	3.29 ± 0.75	46.888 ± 0.032	53987.39538	0.578	3.13	-0.069	0.67 ± 0.10	1.34 ± 0.07	1.99 ± 0.24	9.59 ± 0.06
2889-02279-1	HD 25693	7.46	0.853 ± 0.027	14.45 ± 1.57	5105 ± 15	3.68 ± 0.04	0.89 ± 0.07	-0.04 ± 0.02	1.63 ± 0.44	-66.626 ± 0.033	53762.23463	0.852	3.18	-0.228	0.72 ± 0.15	1.27 ± 0.07	2.81 ± 0.50	9.65 ± 0.07
2893-01895-1	HD 29923	6.75	0.780 ± 0.030	16.29 ± 0.95	5340 ± 10	3.67 ± 0.04	0.98 ± 0.06	0.00 ± 0.02	1.88 ± 0.65	32.657 ± 0.025	53748.28557	0.000	0.53	-0.170	1.76 ± 0.10	2.08 ± 0.07	6.18 ± 0.80	9.02 ± 0.04
2909-00500-1	HD 34956	8.70	0.970 ± 0.050	8.11 ± 1.05	4846 ± 15	3.38 ± 0.06	1.01 ± 0.06	0.14 ± 0.02	0.25 ± 0.47	-50.701 ± 0.031	55631.16084	1.001	3.16	-0.316	0.76 ± 0.20	1.15 ± 0.09	3.51 ± 0.84	9.85 ± 0.13
2912-01185-1	HD 39094	7.89	0.817 ± 0.027	15.40 ± 0.75	5430 ± 5	4.03 ± 0.01	0.95 ± 0.04	0.25 ± 0.01	1.3 ± 0.68	9.679 ± 0.025	54090.17076	0.762	3.76	-0.144	0.45 ± 0.10	1.05 ± 0.02	1.77 ± 0.17	10.00 ± 0.04
2919-02099-1	HD 37799	6.81	0.710 ± 0.030	11.27 ± 0.96	5646 ± 15	3.58 ± 0.04	1.16 ± 0.05	0.18 ± 0.01	2.3 ± 0.81	8.582 ± 0.033	53752.32258	0.664	2.01	-0.106	1.14 ± 0.13	1.66 ± 0.07	3.67 ± 0.60	9.35 ± 0.05
2931-00049-1	HD 45444	7.90	0.610 ± 0.030	8.56 ± 0.67	5844 ± 17	3.68 ± 0.05	1.30 ± 0.06	0.01 ± 0.02	4.48 ± 1.11	14.935 ± 0.049	54021.37849	0.578	2.44	-0.081	0.96 ± 0.13	1.41 ± 0.06	2.89 ± 0.52	9.50 ± 0.07
2986-01700-1	HD 75933	7.62	0.590 ± 0.016	13.43 ± 0.59	5752 ± 10	3.79 ± 0.03	1.08 ± 0.06	-0.18 ± 0.01	2.59 ± 0.92	-36.095 ± 0.032	54051.40059	0.590	3.21	-0.100	0.66 ± 0.08	1.16 ± 0.05	2.21 ± 0.25	9.71 ± 0.05
2992-01245-1	HD 83698	6.89	0.730 ± 0.016	19.50 ± 0.83	5681 ± 10	4.16 ± 0.03	1.06 ± 0.05	0.34 ± 0.01	1.61 ± 0.75	-0.490 ± 0.024	54160.13385	0.669	3.24	-0.096	0.64 ± 0.10	1.18 ± 0.04	1.83 ± 0.23	9.79 ± 0.06
2992-01646-1	HD 84180	8.54	0.840 ± 0.030	9.13 ± 0.99	5166 ± 10	3.50 ± 0.03	0.79 ± 0.05	-0.16 ± 0.01	0.94 ± 0.44	-42.169 ± 0.027	55631.10809	0.811	3.26	-0.213	0.68 ± 0.15	1.27 ± 0.06	3.02 ± 0.46	9.59 ± 0.07
2996-01462-1	HD 84965	9.48	0.970 ± 0.060	5.84 ± 1.51	4847 ± 10	3.25 ± 0.04	0.96 ± 0.04	-0.33 ± 0.01	0.0 ± 0.34	-105.085 ± 0.053	54908.32043	0.939	3.22	-0.317	0.74 ± 0.32	0.91 ± 0.02	3.53 ± 0.88	10.09 ± 0.04
3007-00138-1	HD 89221	6.53	0.900 ± 0.016	26.95 ± 0.57	5081 ± 12	3.79 ± 0.04	0.87 ± 0.06	0.18 ± 0.02	0.0 ± 0.5	-8.714 ± 0.025	53777.22162	0.896	3.60	-0.233	0.55 ± 0.06	1.25 ± 0.05	2.39 ± 0.27	9.71 ± 0.06
3010-01237-1	HD 97560	7.92	0.660 ± 0.016	3.43 ± 0.82	5230 ± 25	2.16 ± 0.07	1.80 ± 0.24	-1.08 ± 0.03	4.39 ± 2.11	-21.478 ± 0.048	53735.37178	0.697	0.54	-0.215	1.77 ± 0.25	1.31 ± 0.36	12.59 ± 4.49	9.47 ± 0.39
3011-00476-1	HD 94425	7.62	0.950 ± 0.030	6.99 ± 0.60	4840 ± 10	2.96 ± 0.04	0.97 ± 0.06	-0.40 ± 0.02	0.99 ± 0.82	10.119 ± 0.024	53809.15553	0.934	1.75	-0.320	1.33 ± 0.13	0.94 ± 0.05	5.95 ± 0.98	10.02 ± 0.05
3011-00829-1	HD 95088	8.41	0.940 ± 0.030	9.95 ± 0.83	5167 ± 10	3.88 ± 0.04	1.06 ± 0.07	0.22 ± 0.02	0.88 ± 0.46	0.681 ± 0.024	54874.46159	0.865	3.32	-0.208	0.66 ± 0.14	1.26 ± 0.08	2.40 ± 0.41	9.71 ± 0.11
3012-00715-1	HD 97657	7.94	0.630 ± 0.030	9.12 ± 0.64	5879 ± 22	3.78 ± 0.06	1.42 ± 0.11	0.11 ± 0.03	3.19 ± 0.94	-8.593 ± 0.036	53752.31332	0.577	2.57	-0.074	0.90 ± 0.12	1.41 ± 0.07	2.62 ± 0.51	9.52 ± 0.07
3013-02388-1	HD 99579	7.27	0.560 ± 0.030	11.83 ± 0.54	6002 ± 28	3.78 ± 0.07	1.52 ± 0.08	0.07 ± 0.03	6.75 ± 1.54	11.718 ± 0.065	54048.50106	0.540	1.74	-0.060	0.89 ± 0.10	1.49 ± 0.07	2.59 ± 0.50	9.45 ± 0.08
3014-00952-1	HD 103140	8.64	0.780 ± 0.020	10.22 ± 1.01	5531 ± 15	3.89 ± 0.05	1.08 ± 0.07	0.34 ± 0.02	1.46 ± 0.65	-14.640 ± 0.024	54579.09833	0.736	3.69	-0.122	0.47 ± 0.15	1.16 ± 0.06	1.95 ± 0.38	9.84 ± 0.09
3014-02450-1	HD 102799	8.73	0.700 ± 0.030	8.05 ± 1.02	5742 ± 5	3.85 ± 0.01	1.15 ± 0.04	0.21 ± 0.01	1.76 ± 0.52	4.075 ± 0.025	54153.48109	0.629	3.11	-0.090	0.69 ± 0.17	1.30 ± 0.02	2.24 ± 0.29	9.64 ± 0.05
3015-01713-1	HD 99995	6.67	0.910 ± 0.020	22.85 ± 0.59	4948 ± 17	3.63 ± 0.06	0.81 ± 0.09	-0.13 ± 0.02	0.0 ± 0.6	-18.017 ± 0.026	53753.53706	0.914	3.46	-0.279	0.63 ± 0.07	0.95 ± 0.04	2.64 ± 0.40	10.05 ± 0.06
3019-02029-1	HD 104556	6.64	0.860 ± 0.020	17.52 ± 0.51	4936 ± 15	3.46 ± 0.05	0.80 ± 0.06	-0.45 ± 0.01	0.0 ± 0.39	-10.528 ± 0.026	53768.54138	0.879	2.86	-0.286	0.87 ± 0.07	0.89 ± 0.02	3.32 ± 0.45	10.09 ± 0.04
3023-02319-1	HD 112957	8.81	0.701 ± 0.028	10.26 ± 1.17	5716 ± 15	4.25 ± 0.04	0.93 ± 0.09	0.14 ± 0.02	2.20 ± 1.08	-20.140 ± 0.023	54465.41718	0.630	4.80	-0.100	0.45 ± 0.15	1.02 ± 0.03	1.49 ± 0.26	9.97 ± 0.03
3048-00172-1	HD 136418	7.88	0.930 ± 0.016	10.18 ± 0.58	4985 ± 10	3.41 ± 0.04	0.95 ± 0.06	-0.08 ± 0.02	1.1 ± 0.73	-34.758 ± 0.025	53816.32185	0.902	2.84	-0.266	0.87 ± 0.09	1.26 ± 0.11	3.65 ± 0.54	9.67 ± 0.12
3049-00444-1	HD 130407	8.73	0.770 ± 0.030	10.29 ± 0.94	5087 ± 20	3.65 ± 0.05	0.69 ± 0.10	-0.73 ± 0.02	0.94 ± 0.55	-183.573 ± 0.049	53775.40913	0.779	3.72	-0.243	0.51 ± 0.14	0.82 ± 0.01	2.28 ± 0.42	10.11 ± 0.02
3050-00496-1	HD 132130	7.90	0.820 ± 0.030	16.22 ± 0.69	5382 ± 15	3.95 ± 0.05	0.92 ± 0.07	0.11 ± 0.02	1.17 ± 0.72	10.961 ± 0.020	54551.28932	0.756	3.88	-0.157	0.41 ± 0.10	1.06 ± 0.05	1.82 ± 0.30	9.96 ± 0.07

Table 1. continued.

Ident	Ident	V	B − V	π	$T_{\rm eff}$	log g	$v_{\rm t}$	[Fe/H]	$v \sin i_*$	RV	MJD	$(B-V)_0$	M_V	BC_V	log $L/L_\odot$	M	R	log age
TYC	HD or BD	[mag]	[mag]	[mas]	[K]		[km s^{-1}]		[km s^{-1}]	[km s^{-1}]	+2400000 [d]	[mag]	[mag]	[mag]		[$M_\odot$]	[$R_\odot$]	[yr]
3075-01080-1	HD 153527	8.09	0.560 ± 0.030	8.80 ± 0.68	5979 ± 20	3.92 ± 0.05	1.34 ± 0.09	-0.13 ± 0.02	5.42 ± 1.72	31.266 ± 0.047	54253.42027	0.530	1.71	-0.070	0.82 ± 0.12	1.21 ± 0.06	2.20 ± 0.39	9.64 ± 0.07
3085-00346-1	HD 155921	7.24	0.660 ± 0.016	17.44 ± 0.45	5546 ± 7	3.81 ± 0.02	1.08 ± 0.03	-0.23 ± 0.01	2.16 ± 0.59	-46.105 ± 0.025	54015.08265	0.655	3.39	-0.132	0.60 ± 0.06	1.06 ± 0.03	2.14 ± 0.17	9.84 ± 0.04
3105-00744-1	HD 171362	8.02	0.870 ± 0.030	-	4960 ± 10	3.21 ± 0.03	0.99 ± 0.06	-0.40 ± 0.01	0.73 ± 0.39	-64.471 ± 0.032	54604.27960	0.873	2.64	-0.277	0.98 ± 0.06	0.91 ± 0.04	4.04 ± 0.42	10.06 ± 0.07
3121-00744-1	HD 180123	8.49	0.760 ± 0.030	10.23 ± 0.66	5436 ± 12	3.82 ± 0.04	0.98 ± 0.06	-0.04 ± 0.01	2.24 ± 0.57	-17.916 ± 0.026	54015.15810	0.712	3.47	-0.148	0.57 ± 0.11	1.17 ± 0.07	2.18 ± 0.34	9.77 ± 0.11
3137-00509-1	HD 188326	7.56	0.780 ± 0.020	17.88 ± 0.53	5375 ± 7	4.08 ± 0.02	0.87 ± 0.05	-0.08 ± 0.01	1.91 ± 1.0	-73.228 ± 0.023	54061.06483	0.733	3.82	-0.162	0.44 ± 0.07	0.98 ± 0.02	1.70 ± 0.14	10.05 ± 0.05
3142-00274-1	HD 183473	7.88	0.728 ± 0.027	9.14 ± 0.51	5544 ± 12	3.69 ± 0.03	1.07 ± 0.04	-0.11 ± 0.01	2.14 ± 0.64	-46.663 ± 0.022	54063.03726	0.666	2.58	-0.130	0.92 ± 0.10	1.36 ± 0.04	2.94 ± 0.36	9.50 ± 0.08
3147-01921-1	HD 185351	5.18	0.925 ± 0.020	24.49 ± 0.22	5073 ± 17	3.49 ± 0.05	1.07 ± 0.07	0.12 ± 0.02	1.33 ± 0.72	-6.632 ± 0.027	53892.28594	0.890	2.12	-0.236	1.14 ± 0.06	1.74 ± 0.05	4.36 ± 0.58	9.28 ± 0.08
3177-02340-1	HD 202568	6.60	0.910 ± 0.016	14.83 ± 0.38	4954 ± 10	3.19 ± 0.04	0.99 ± 0.05	-0.23 ± 0.01	2.4 ± 1.09	-17.602 ± 0.022	53869.40759	0.898	2.38	-0.277	1.06 ± 0.06	1.10 ± 0.08	4.49 ± 0.57	9.81 ± 0.12
3224-00471-1	HD 217799	7.59	0.900 ± 0.020	9.42 ± 0.61	5004 ± 10	3.29 ± 0.03	0.99 ± 0.05	-0.25 ± 0.01	2.32 ± 1.1	-24.484 ± 0.024	53960.47883	0.871	2.38	-0.261	1.05 ± 0.10	1.13 ± 0.07	4.22 ± 0.55	9.76 ± 0.09
3263-02180-1	HD 5916	6.87	0.867 ± 0.020	5.93 ± 0.52	4915 ± 10	2.27 ± 0.04	1.39 ± 0.05	-0.72 ± 0.01	3.09 ± 0.94	-68.297 ± 0.026	53923.41289	0.855	0.70	-0.296	1.74 ± 0.12	1.02 ± 0.12	11.25 ± 1.97	9.79 ± 0.13
3293-02271-1	HD 13530	5.31	0.930 ± 0.020	15.39 ± 0.49	4834 ± 17	2.60 ± 0.07	1.07 ± 0.06	-0.53 ± 0.02	1.76 ± 0.8	31.460 ± 0.023	53760.14337	0.921	1.22	-0.324	1.54 ± 0.08	0.95 ± 0.07	8.24 ± 1.54	9.95 ± 0.13
3303-01758-1	HD 15241	8.61	0.980 ± 0.030	9.16 ± 0.88	4901 ± 20	3.65 ± 0.07	0.83 ± 0.09	0.16 ± 0.03	0.0 ± 0.37	-37.429 ± 0.083	55884.34523	0.976	3.33	-0.294	0.69 ± 0.15	1.19 ± 0.09	2.89 ± 0.66	9.80 ± 0.13
3321-01300-1	HD 22554	9.06	0.680 ± 0.050	7.01 ± 1.32	5682 ± 15	4.15 ± 0.04	0.97 ± 0.06	-0.23 ± 0.01	2.66 ± 1.16	-47.697 ± 0.024	54039.21608	0.610	3.12	-0.111	0.70 ± 0.25	0.92 ± 0.04	1.82 ± 0.46	10.06 ± 0.05
3341-00546-1	HD 27456	7.72	0.802 ± 0.027	17.02 ± 0.86	5218 ± 10	3.90 ± 0.04	0.83 ± 0.05	-0.25 ± 0.01	0.54 ± 0.6	10.187 ± 0.020	54114.25918	0.780	3.80	-0.201	0.46 ± 0.10	0.93 ± 0.04	1.93 ± 0.26	10.04 ± 0.05
3357-00308-1	HD 33580	7.19	0.630 ± 0.026	17.46 ± 0.97	5995 ± 25	4.46 ± 0.06	1.25 ± 0.11	0.17 ± 0.03	3.12 ± 0.87	-34.573 ± 0.095	54101.33318	0.559	3.28	-0.176	0.66 ± 0.15	1.22 ± 0.07	1.53 ± 0.32	9.62 ± 0.13
3360-00180-1	HD 37199	8.07	0.810 ± 0.030	11.32 ± 1.27	5062 ± 17	3.43 ± 0.06	0.79 ± 0.09	-0.79 ± 0.02	2.71 ± 1.32	-211.830 ± 0.098	53971.48013	0.781	3.27	-0.251	0.69 ± 0.16	0.82 ± 0.02	2.88 ± 0.61	10.10 ± 0.07
3362-00670-1	HD 35075	8.02	0.938 ± 0.030	-	5070 ± 0	2.49 ± 0.00	1.39 ± 0.00	-1.30 ± 0.00	3.38 ± 1.85	117.947 ± 0.053	53745.08602	0.734	0.79	-0.260	1.74 ± 0.09	0.91 ± 0.11	9.30 ± 1.33	9.92 ± 0.13
3385-00568-1	HD 47955	8.45	0.940 ± 0.030	8.27 ± 1.04	5137 ± 20	3.80 ± 0.06	1.00 ± 0.08	0.18 ± 0.02	0.66 ± 0.65	67.407 ± 0.031	55637.20971	0.871	2.96	-0.217	0.80 ± 0.17	1.35 ± 0.09	2.80 ± 0.64	9.61 ± 0.09
3390-01329-1	HD 49271	8.61	0.780 ± 0.030	9.33 ± 0.92	5360 ± 10	3.86 ± 0.03	0.96 ± 0.05	-0.23 ± 0.01	1.67 ± 0.85	70.562 ± 0.035	54048.30437	0.725	3.39	-0.168	0.61 ± 0.14	1.01 ± 0.06	2.15 ± 0.33	9.91 ± 0.08
3412-01716-1	HD 233440	8.33	0.890 ± 0.016	1.64 ± 1.00	4954 ± 10	2.21 ± 0.04	1.54 ± 0.05	-0.51 ± 0.01	2.95 ± 0.71	-29.785 ± 0.026	53772.13387	0.862	-0.68	-0.280	2.28 ± 0.57	2.76 ± 0.30	20.21 ± 8.54	8.60 ± 0.13
3429-01120-1	HD 83804	7.16	0.828 ± 0.020	21.07 ± 0.60	5092 ± 12	3.77 ± 0.04	0.81 ± 0.06	-0.38 ± 0.01	0.0 ± 0.61	22.873 ± 0.021	54419.43843	0.818	3.71	-0.236	0.51 ± 0.07	0.88 ± 0.01	2.16 ± 0.26	10.10 ± 0.04
3433-00003-1	HD 84453	6.83	0.926 ± 0.020	12.35 ± 0.56	4936 ± 15	3.26 ± 0.06	1.02 ± 0.08	-0.02 ± 0.03	0.0 ± 0.35	-44.022 ± 0.023	53753.48249	0.934	2.29	-0.282	1.10 ± 0.09	1.37 ± 0.07	4.70 ± 0.83	9.55 ± 0.07
3435-00314-1	HD 88985	8.54	0.710 ± 0.030	12.39 ± 0.97	5546 ± 15	4.02 ± 0.04	0.98 ± 0.07	-0.03 ± 0.02	0.83 ± 0.84	44.508 ± 0.023	53773.23683	0.672	3.95	-0.128	0.37 ± 0.13	0.99 ± 0.04	1.63 ± 0.26	10.02 ± 0.06
3435-00613-1	HD 88775	7.72	0.670 ± 0.030	13.10 ± 0.66	5737 ± 20	3.86 ± 0.06	1.17 ± 0.09	0.06 ± 0.02	2.64 ± 0.86	-26.971 ± 0.032	54051.45887	0.616	3.18	-0.095	0.67 ± 0.10	1.22 ± 0.06	2.17 ± 0.38	9.70 ± 0.07
3440-00338-1	HD 86760	8.68	0.760 ± 0.016	7.84 ± 1.06	5502 ± 15	3.90 ± 0.04	1.03 ± 0.05	0.15 ± 0.01	1.31 ± 0.6	43.224 ± 0.024	53773.20709	0.715	3.08	-0.132	0.72 ± 0.16	1.23 ± 0.08	2.29 ± 0.43	9.72 ± 0.10
3443-01003-1	HD 94119	8.39	1.070 ± 0.030	9.83 ± 0.95	4964 ± 30	3.81 ± 0.10	0.89 ± 0.13	0.35 ± 0.04	0.58 ± 0.44	-2.529 ± 0.030	54870.46542	0.974	3.25	-0.271	0.71 ± 0.17	1.30 ± 0.09	2.70 ± 0.78	9.70 ± 0.10
3448-00311-1	HD 91453	8.89	0.980 ± 0.030	11.19 ± 1.11	4866 ± 25	3.46 ± 0.07	0.85 ± 0.04	0.00 ± 0.01	0.0 ± 0.47	-48.336 ± 0.031	56398.28472	0.972	3.19	-0.308	1.79 ± 0.13	2.04 ± 0.14	7.72 ± 1.61	9.08 ± 0.09
3451-01449-1	HD 100030	6.42	0.880 ± 0.020	10.08 ± 0.45	5006 ± 10	3.05 ± 0.04	1.07 ± 0.05	-0.30 ± 0.01	0.25 ± 0.6	41.922 ± 0.023	53723.41113	0.863	1.38	-0.261	1.45 ± 0.09	1.49 ± 0.09	6.56 ± 0.86	9.37 ± 0.07

Table 1. continued.

Ident	Ident	V	B − V	π	$T_{\rm eff}$	$\log g$	$v_{\rm t}$	[Fe/H]	$v \sin i_*$	RV	MJD	$(B-V)_0$	M_V	BC_V	$\log L/L_\odot$	M	R	log age
TYC	HD or BD	[mag]	[mag]	[mas]	[K]		[km s^{-1}]		[km s^{-1}]	[km s^{-1}]	+2400000 [d]	[mag]	[mag]	[mag]		[$M_\odot$]	[$R_\odot$]	[yr]
3452-01150-1	HD 103768	8.70	0.710 ± 0.030	10.32 ± 1.12	5775 ± 20	4.41 ± 0.05	0.96 ± 0.11	0.41 ± 0.03	2.3 ± 0.86	-3.623 ± 0.027	53743.35683	0.620	3.65	-0.201	0.52 ± 0.20	1.17 ± 0.05	1.47 ± 0.34	9.60 ± 0.14
3452-01455-1	HD 103912	8.39	0.860 ± 0.020	6.85 ± 0.99	4946 ± 5	3.21 ± 0.02	0.99 ± 0.05	-0.64 ± 0.01	1.49 ± 0.95	47.082 ± 0.022	54191.37316	0.850	2.49	-0.280	1.02 ± 0.17	0.85 ± 0.01	4.09 ± 0.58	10.12 ± 0.01
3455-00364-1	HD 104955	8.69	0.820 ± 0.020	5.61 ± 1.12	5117 ± 15	3.50 ± 0.04	1.00 ± 0.08	-0.39 ± 0.02	0.91 ± 0.51	25.591 ± 0.026	54520.25281	0.807	2.43	-0.230	1.02 ± 0.22	1.08 ± 0.10	3.59 ± 0.86	9.79 ± 0.14
3461-00127-1	HD 113621	8.07	0.610 ± 0.030	10.25 ± 0.77	5902 ± 10	3.92 ± 0.03	1.28 ± 0.08	0.06 ± 0.01	2.94 ± 0.94	-8.554 ± 0.028	53754.40149	0.565	2.96	-0.073	0.74 ± 0.12	1.23 ± 0.04	2.13 ± 0.29	9.67 ± 0.09
3475-01198-1	HD 127243	5.59	0.850 ± 0.020	10.00 ± 0.25	4863 ± 5	2.17 ± 0.02	1.43 ± 0.04	-0.77 ± 0.01	2.57 ± 0.73	-8.116 ± 0.024	53756.44463	0.875	0.59	-0.315	1.79 ± 0.07	0.97 ± 0.06	12.24 ± 1.16	9.86 ± 0.11
3477-00595-1	HD 132369	7.68	0.700 ± 0.030	11.61 ± 0.51	5505 ± 12	3.74 ± 0.03	1.03 ± 0.05	-0.18 ± 0.01	2.49 ± 0.99	-32.099 ± 0.035	54285.24157	0.673	2.94	-0.138	0.78 ± 0.10	1.26 ± 0.05	2.61 ± 0.33	9.60 ± 0.09
3477-00689-1	HD 132891	8.77	0.890 ± 0.030	9.10 ± 0.80	5066 ± 10	3.65 ± 0.03	0.88 ± 0.06	-0.04 ± 0.02	0.75 ± 1.08	-54.723 ± 0.038	54281.24971	0.869	3.49	-0.240	0.60 ± 0.14	1.22 ± 0.07	2.66 ± 0.41	9.72 ± 0.13
3477-00814-1	HD 131526	7.64	0.650 ± 0.030	13.20 ± 0.46	5865 ± 15	3.94 ± 0.04	1.21 ± 0.05	0.25 ± 0.01	2.97 ± 0.6	-46.149 ± 0.035	54192.49203	0.595	3.09	-0.071	0.69 ± 0.09	1.35 ± 0.07	2.10 ± 0.30	9.58 ± 0.08
3477-01013-1	HD 131597	8.40	0.745 ± 0.028	8.43 ± 0.85	5240 ± 10	3.68 ± 0.04	0.89 ± 0.05	-0.63 ± 0.01	0.73 ± 0.58	-97.949 ± 0.026	55637.31108	0.734	2.96	-0.203	0.80 ± 0.14	0.94 ± 0.05	2.69 ± 0.46	9.95 ± 0.09
3478-00667-1	HD 126481	8.96	0.727 ± 0.036	8.48 ± 0.72	5536 ± 15	3.93 ± 0.04	1.03 ± 0.07	-0.01 ± 0.02	1.74 ± 0.71	-30.187 ± 0.024	54523.34536	0.677	3.54	-0.129	0.53 ± 0.14	1.09 ± 0.07	1.94 ± 0.35	9.88 ± 0.11
3520-01550-1	HD 158096	7.57	0.700 ± 0.016	17.59 ± 0.41	5580 ± 5	4.09 ± 0.01	0.96 ± 0.05	0.00 ± 0.01	1.13 ± 0.7	-0.761 ± 0.023	54516.50784	0.663	3.74	-0.121	0.45 ± 0.06	0.98 ± 0.02	1.63 ± 0.11	10.04 ± 0.08
3568-00768-1	HD 185147	7.99	0.910 ± 0.030	14.15 ± 0.48	4985 ± 10	3.60 ± 0.03	0.84 ± 0.04	-0.29 ± 0.01	4.6 ± 4.43	-59.280 ± 0.025	54608.33142	0.875	3.66	-0.268	0.54 ± 0.09	0.90 ± 0.01	2.49 ± 0.28	10.10 ± 0.07
3586-02801-1	HD 198387	6.27	0.890 ± 0.020	23.52 ± 0.43	5032 ± 10	3.58 ± 0.04	1.01 ± 0.06	-0.18 ± 0.01	0.0 ± 0.47	-42.517 ± 0.028	55703.38559	0.867	3.13	-0.252	0.75 ± 0.06	1.10 ± 0.04	2.97 ± 0.35	9.83 ± 0.07
3597-01243-1	HD 203284	7.69	0.560 ± 0.020	11.06 ± 0.59	5885 ± 20	3.80 ± 0.04	1.34 ± 0.10	-0.05 ± 0.02	1.58 ± 0.87	-13.277 ± 0.056	54659.24142	0.561	2.88	-0.078	0.78 ± 0.09	1.29 ± 0.05	2.37 ± 0.33	9.60 ± 0.08
3614-01477-1	HD 210800	7.73	0.810 ± 0.030	12.57 ± 0.51	5174 ± 10	3.51 ± 0.03	0.91 ± 0.05	-0.25 ± 0.01	1.45 ± 0.99	10.943 ± 0.028	53984.36252	0.798	3.16	-0.212	0.72 ± 0.09	1.18 ± 0.06	3.01 ± 0.37	9.67 ± 0.08
3633-00823-1	HD 216106	6.75	0.540 ± 0.016	15.93 ± 0.41	5962 ± 15	3.57 ± 0.03	1.31 ± 0.08	-0.26 ± 0.01	4.02 ± 1.2	-43.798 ± 0.037	53892.42263	0.523	2.60	-0.077	0.89 ± 0.06	1.33 ± 0.03	2.86 ± 0.29	9.49 ± 0.07
3637-00448-1	HD 221992	8.43	0.690 ± 0.030	9.99 ± 0.89	5645 ± 22	3.86 ± 0.06	1.06 ± 0.07	0.06 ± 0.02	2.67 ± 0.99	-13.274 ± 0.026	53731.09738	0.649	3.36	-0.109	0.60 ± 0.14	1.17 ± 0.08	2.10 ± 0.45	9.77 ± 0.13
3677-00590-1	HD 236628	8.88	0.772 ± 0.030	9.17 ± 1.15	5308 ± 10	3.86 ± 0.03	0.90 ± 0.04	-0.26 ± 0.01	2.14 ± 1.41	-101.607 ± 0.031	53935.41263	0.743	3.62	-0.180	0.52 ± 0.17	0.95 ± 0.06	2.02 ± 0.33	10.02 ± 0.11
3703-00815-1	HD 20670	7.67	0.721 ± 0.027	12.25 ± 0.77	5734 ± 10	3.94 ± 0.03	1.12 ± 0.05	0.25 ± 0.01	2.64 ± 0.8	15.758 ± 0.029	53985.36204	0.637	2.94	-0.090	0.76 ± 0.12	1.28 ± 0.04	2.21 ± 0.30	9.66 ± 0.08
3744-01297-1	-	9.39	1.060 ± 0.060	-	4815 ± 10	3.23 ± 0.04	0.91 ± 0.06	-0.18 ± 0.02	0.61 ± 0.27	-17.980 ± 0.029	54852.23281	0.975	3.04	-0.329	0.99 ± 0.06	0.94 ± 0.03	4.20 ± 0.45	10.08 ± 0.08
3760-01170-1	HD 237396	9.39	1.030 ± 0.060	-	4906 ± 20	3.81 ± 0.07	0.68 ± 0.12	0.25 ± 0.03	0.0 ± 0.44	22.590 ± 0.029	54867.21818	0.987	4.10	-0.293	0.62 ± 0.07	1.27 ± 0.05	2.58 ± 0.44	9.71 ± 0.06
3769-00260-1	HD 45743	7.55	0.550 ± 0.030	11.54 ± 0.82	6074 ± 20	3.70 ± 0.05	1.27 ± 0.12	-0.06 ± 0.02	2.58 ± 1.27	19.421 ± 0.030	54101.37729	0.510	2.80	-0.060	0.81 ± 0.12	1.40 ± 0.08	2.53 ± 0.46	9.49 ± 0.06
3776-00086-1	HD 44473	7.07	0.550 ± 0.030	8.11 ± 0.49	6394 ± 77	4.34 ± 0.14	1.66 ± 0.16	0.30 ± 0.06	7.1 ± 2.39	4.053 ± 0.061	53754.33321	0.464	1.40	-0.153	1.40 ± 0.17	1.92 ± 0.11	2.82 ± 0.93	9.12 ± 0.06
3777-02071-1	HD 45410	5.88	0.940 ± 0.020	17.92 ± 0.47	4957 ± 15	3.24 ± 0.05	1.01 ± 0.05	-0.09 ± 0.02	0.52 ± 0.47	39.652 ± 0.029	53754.34269	0.915	2.07	-0.275	1.18 ± 0.07	1.30 ± 0.07	4.91 ± 0.71	9.58 ± 0.08
3779-01730-1	HD 50522	4.35	0.850 ± 0.020	18.29 ± 0.25	4867 ± 25	2.90 ± 0.09	0.91 ± 0.08	0.07 ± 0.03	1.32 ± 1.19	1.284 ± 0.033	53746.35621	0.980	0.58	-0.310	1.79 ± 0.06	2.22 ± 0.24	9.90 ± 2.07	9.03 ± 0.14
3780-01165-1	HD 233357	8.96	1.160 ± 0.060	-	4818 ± 25	4.49 ± 0.07	0.94 ± 0.19	0.19 ± 0.04	0.0 ± 0.7	-25.196 ± 0.100	56233.37095	1.021	6.32	-0.328	-0.58 ± 0.03	0.81 ± 0.02	0.79 ± 0.14	9.04 ± 0.61
3783-01171-1	-	9.57	1.020 ± 0.050	-	4723 ± 18	3.07 ± 0.07	0.98 ± 0.09	-0.14 ± 0.03	2.23 ± 0.48	41.751 ± 0.053	55957.12700	1.027	2.69	-0.369	1.26 ± 0.12	1.02 ± 0.11	5.62 ± 1.18	9.97 ± 0.15
3787-00460-1	HD 63932	7.25	0.920 ± 0.030	17.39 ± 0.53	5090 ± 15	3.74 ± 0.05	0.89 ± 0.08	0.07 ± 0.02	0.0 ± 0.38	-3.913 ± 0.024	53735.45426	0.875	3.37	-0.232	0.64 ± 0.09	1.29 ± 0.07	2.61 ± 0.41	9.65 ± 0.08

Table 1. continued.

Ident	Ident	V	B − V	π	$T_{\rm eff}$	$\log g$	$v_{\rm t}$	[Fe/H]	$v \sin i_*$	RV	MJD	$(B-V)_0$	M_V	BC_V	$\log L/L_\odot$	M	R	log age
TYC	HD or BD	[mag]	[mag]	[mas]	[K]		[km s^{-1}]		[km s^{-1}]	[km s^{-1}]	+2400000 [d]	[mag]	[mag]	[mag]		[$M_\odot$]	[$R_\odot$]	[yr]
3788-00832-1	HD 54240	7.87	0.910 ± 0.030	3.92 ± 0.85	4896 ± 10	2.47 ± 0.04	1.45 ± 0.05	-0.60 ± 0.01	2.97 ± 0.59	79.406 ± 0.029	53735.38838	0.880	0.76	-0.301	1.72 ± 0.25	1.35 ± 0.15	10.62 ± 2.49	9.45 ± 0.15
3796-01198-1	HD 67539	6.48	0.960 ± 0.020	6.02 ± 0.49	4781 ± 12	2.54 ± 0.04	1.25 ± 0.05	-0.56 ± 0.02	1.95 ± 0.62	2.309 ± 0.026	53747.42396	0.944	0.29	-0.345	1.92 ± 0.12	1.22 ± 0.12	11.58 ± 2.02	9.58 ± 0.13
3806-00470-1	HD 79247	8.36	0.950 ± 0.030	10.45 ± 0.79	4989 ± 12	3.70 ± 0.04	0.84 ± 0.08	-0.02 ± 0.02	0.0 ± 0.75	13.095 ± 0.024	53754.45534	0.908	3.37	-0.264	0.66 ± 0.13	1.15 ± 0.07	2.68 ± 0.47	9.82 ± 0.10
3807-00900-1	HD 83394	7.44	0.920 ± 0.030	9.35 ± 0.66	4992 ± 10	3.36 ± 0.04	0.95 ± 0.06	-0.22 ± 0.01	0.0 ± 0.42	39.535 ± 0.039	53746.46663	0.880	2.21	-0.265	1.12 ± 0.12	1.26 ± 0.07	4.38 ± 0.72	9.62 ± 0.08
3808-01658-1	HD 237779	9.19	1.020 ± 0.050	-	4922 ± 20	3.44 ± 0.07	0.99 ± 0.06	0.13 ± 0.02	0.0 ± 0.53	19.491 ± 0.024	56237.41551	0.963	2.82	-0.287	0.77 ± 0.14	1.26 ± 0.12	3.44 ± 0.79	9.71 ± 0.11
3810-00944-1	HD 83784	8.91	0.850 ± 0.016	9.43 ± 1.25	5035 ± 15	3.68 ± 0.05	0.73 ± 0.08	-0.26 ± 0.02	0.0 ± 0.51	-16.855 ± 0.027	53745.47517	0.856	3.70	-0.252	0.52 ± 0.16	0.93 ± 0.04	2.35 ± 0.46	10.06 ± 0.06
3815-00383-1	HD 87140	9.00	0.660 ± 0.020	3.62 ± 1.22	5444 ± 0	3.18 ± 0.00	1.69 ± 0.00	-1.38 ± 0.00	4.55 ± 2.28	-38.275 ± 0.041	54039.50105	0.609	1.64	-0.184	1.32 ± 0.34	1.14 ± 0.10	4.83 ± 1.37	9.57 ± 0.13
3816-00141-1	HD 233749	9.74	0.980 ± 0.060	-	4768 ± 12	2.72 ± 0.04	1.09 ± 0.05	-0.69 ± 0.01	1.43 ± 0.44	94.529 ± 0.029	54906.34917	0.935	2.06	-0.352	1.59 ± 0.08	0.92 ± 0.09	8.02 ± 1.20	10.00 ± 0.11
3819-00705-1	HD 89862	8.22	0.920 ± 0.020	9.35 ± 0.92	4969 ± 20	3.46 ± 0.06	1.06 ± 0.07	-0.05 ± 0.02	0.0 ± 0.56	17.697 ± 0.036	53775.22429	0.914	3.07	-0.271	0.78 ± 0.13	1.22 ± 0.08	3.36 ± 0.70	9.72 ± 0.11
3819-01043-1	HD 237903	8.76	1.340 ± 0.020	91.00 ± 13.00	4398 ± 92	3.45 ± 0.37	1.09 ± 0.18	-0.70 ± 0.09	2.65 ± 1.10	8.777 ± 0.100	55138.50273	1.160	0.68	-0.550	-1.25 ± 0.19	0.52 ± 0.03	1.33 ± 1.54	9.01 ± 0.67
3831-00433-1	HD 237982	10.17	0.730 ± 0.070	2.70 ± 1.75	5250 ± 27	3.12 ± 0.14	0.81 ± 0.23	-1.32 ± 0.03	1.53 ± 1.66	62.630 ± 0.071	54850.34466	0.679	2.26	-0.218	1.08 ± 0.67	0.98 ± 0.18	4.35 ± 2.94	9.82 ± 0.25
3835-00028-1	BD+56 1545	9.97	0.970 ± 0.020	-	4816 ± 28	3.40 ± 0.10	0.80 ± 0.11	-0.00 ± 0.03	0.36 ± 0.4	60.001 ± 0.035	54883.27677	0.997	3.21	-0.329	0.87 ± 0.19	1.10 ± 0.14	3.67 ± 1.17	9.90 ± 0.13
3836-00578-1	HD 104239	8.55	0.870 ± 0.030	6.69 ± 1.03	5127 ± 15	3.58 ± 0.04	1.00 ± 0.07	-0.12 ± 0.02	0.57 ± 0.37	-9.158 ± 0.024	54486.36161	0.833	2.60	-0.223	0.95 ± 0.19	1.27 ± 0.07	3.41 ± 0.73	9.60 ± 0.09
3837-00241-1	HD 106576	8.70	0.910 ± 0.016	7.04 ± 0.98	4886 ± 12	3.27 ± 0.04	0.91 ± 0.05	-0.29 ± 0.01	1.22 ± 0.84	-36.581 ± 0.025	54516.44473	0.925	2.86	-0.302	0.88 ± 0.16	0.92 ± 0.03	3.76 ± 0.70	10.07 ± 0.05
3843-01342-1	HD 113437	8.69	0.860 ± 0.030	10.12 ± 0.97	5173 ± 15	3.61 ± 0.05	0.94 ± 0.07	-0.22 ± 0.02	1.28 ± 0.44	-0.122 ± 0.022	54221.13211	0.802	3.64	-0.212	0.53 ± 0.14	1.09 ± 0.08	2.50 ± 0.49	9.83 ± 0.13
3844-00559-1	HD 109508	8.76	0.810 ± 0.030	10.35 ± 0.95	5149 ± 10	3.82 ± 0.04	0.86 ± 0.04	-0.16 ± 0.01	0.62 ± 0.48	-42.447 ± 0.020	54221.30873	0.819	3.76	-0.217	0.48 ± 0.14	0.98 ± 0.04	2.10 ± 0.33	9.99 ± 0.09
3850-00458-1	HD 118203	8.06	0.690 ± 0.030	11.29 ± 0.70	5788 ± 17	3.99 ± 0.04	1.15 ± 0.06	0.22 ± 0.02	3.23 ± 0.77	-29.549 ± 0.034	55933.46466	0.616	3.15	-0.083	0.67 ± 0.12	1.24 ± 0.05	2.01 ± 0.33	9.70 ± 0.06
3857-00852-1	HD 119347	8.70	0.860 ± 0.030	10.69 ± 0.83	5081 ± 15	3.80 ± 0.04	0.79 ± 0.07	-0.21 ± 0.02	0.0 ± 0.55	-20.010 ± 0.025	54226.17142	0.843	3.76	-0.237	0.49 ± 0.13	0.97 ± 0.05	2.16 ± 0.37	10.02 ± 0.07
3859-00329-1	HD 125333	7.02	0.734 ± 0.020	17.87 ± 0.45	5616 ± 5	3.90 ± 0.02	1.13 ± 0.03	0.25 ± 0.01	1.62 ± 0.44	-45.078 ± 0.027	54564.24133	0.685	3.21	-0.109	0.66 ± 0.07	1.28 ± 0.04	2.17 ± 0.19	9.68 ± 0.05
3866-01308-1	BD+58 1523A	7.43	0.900 ± 0.030	-	5185 ± 15	3.95 ± 0.05	0.96 ± 0.08	0.22 ± 0.02	0.0 ± 0.48	-14.632 ± 0.027	53747.47274	0.857	4.28	-0.203	0.37 ± 0.10	1.08 ± 0.10	1.87 ± 0.33	9.96 ± 0.13
3883-01198-1	HD 144302	7.86	0.620 ± 0.020	13.52 ± 0.46	5909 ± 15	4.19 ± 0.04	1.15 ± 0.05	0.28 ± 0.01	2.72 ± 0.93	-39.213 ± 0.032	54217.30244	0.585	3.45	-0.065	0.55 ± 0.09	1.28 ± 0.05	1.65 ± 0.21	9.61 ± 0.06
3894-00779-1	HD 154255	8.35	0.760 ± 0.030	10.07 ± 0.51	5313 ± 10	3.71 ± 0.03	0.87 ± 0.06	-0.20 ± 0.01	1.65 ± 0.89	-18.050 ± 0.019	53809.43105	0.746	3.30	-0.178	0.65 ± 0.10	1.20 ± 0.06	2.50 ± 0.32	9.68 ± 0.06
3910-00257-1	HD 163607	7.98	0.783 ± 0.029	14.53 ± 0.46	5524 ± 10	3.99 ± 0.03	1.01 ± 0.04	0.19 ± 0.01	2.36 ± 0.89	-10.222 ± 0.029	54253.43484	0.714	3.72	-0.127	0.46 ± 0.09	1.12 ± 0.04	1.81 ± 0.21	9.89 ± 0.06
3918-01929-1	HD 175225	5.51	0.840 ± 0.020	38.96 ± 0.19	5338 ± 10	3.88 ± 0.04	1.02 ± 0.06	0.21 ± 0.02	1.23 ± 0.56	1.001 ± 0.025	53820.46146	0.792	3.46	-0.165	0.58 ± 0.05	1.25 ± 0.05	2.21 ± 0.25	9.71 ± 0.05
3920-01971-1	HD 181276	3.80	0.930 ± 0.020	26.27 ± 0.10	5021 ± 12	3.02 ± 0.04	1.22 ± 0.06	0.10 ± 0.02	1.08 ± 0.28	-29.357 ± 0.027	54597.33066	0.911	0.84	-0.253	1.67 ± 0.05	2.35 ± 0.12	8.43 ± 0.96	8.91 ± 0.08
3963-00944-1	HD 198654	7.80	0.890 ± 0.020	12.08 ± 0.45	4961 ± 10	3.56 ± 0.04	0.93 ± 0.08	-0.26 ± 0.02	0.0 ± 0.33	-84.188 ± 0.040	54588.44063	0.891	3.21	-0.275	0.73 ± 0.08	0.91 ± 0.02	2.89 ± 0.36	10.09 ± 0.04
3992-02562-1	HD 216509	7.42	0.480 ± 0.020	9.14 ± 0.53	6166 ± 25	3.69 ± 0.04	1.16 ± 0.12	-0.14 ± 0.02	0.40 ± 1.53	-49.743 ± 0.044	54623.44410	0.470	1.85	-0.050	1.05 ± 0.10	1.42 ± 0.06	2.87 ± 0.45	9.44 ± 0.04
3994-00789-1	HD 212591	8.04	0.890 ± 0.030	-	4840 ± 10	2.83 ± 0.04	1.08 ± 0.06	-0.72 ± 0.01	2.34 ± 0.82	-81.095 ± 0.028	53970.22359	0.894	2.15	-0.323	1.64 ± 0.04	0.84 ± 0.03	7.63 ± 0.69	10.08 ± 0.05

Table 1. continued.

Ident	Ident	V	B − V	π	$T_{\rm eff}$	log g	$v_{\rm t}$	[Fe/H]	$v \sin i_*$	RV	MJD	$(B-V)_0$	M_V	BC_V	log $L/L_\odot$	M	R	log age
TYC	HD or BD	[mag]	[mag]	[mas]	[K]		[km s^{-1}]		[km s^{-1}]	[km s^{-1}]	+2400000 [d]	[mag]	[mag]	[mag]		[$M_\odot$]	[$R_\odot$]	[yr]
3995-00864-1	HD 213730	8.62	0.641 ± 0.028	8.09 ± 0.82	5799 ± 15	4.03 ± 0.03	1.07 ± 0.07	0.04 ± 0.02	3.25 ± 1.04	7.535 ± 0.026	54671.45220	0.594	3.02	-0.086	0.73 ± 0.15	1.12 ± 0.05	1.99 ± 0.32	9.82 ± 0.07
4007-01585-1	-	7.45	0.830 ± 0.020	-	4928 ± 20	3.24 ± 0.07	0.43 ± 0.22	-0.10 ± 0.03	1.09 ± 0.32	-33.069 ± 0.035	54623.46433	0.930	0.88	-0.290	0.97 ± 0.16	1.11 ± 0.14	4.18 ± 1.03	9.83 ± 0.19
4022-01493-1	HD 443	7.04	0.916 ± 0.020	18.33 ± 0.49	5018 ± 10	3.68 ± 0.04	0.95 ± 0.07	0.04 ± 0.02	1.18 ± 0.54	4.754 ± 0.036	53960.43617	0.902	3.36	-0.254	0.66 ± 0.07	1.20 ± 0.05	2.72 ± 0.32	9.74 ± 0.07
4030-00110-1	HD 6755	7.73	0.670 ± 0.020	7.16 ± 0.84	5212 ± 22	3.21 ± 0.00	1.20 ± 0.16	-1.40 ± 0.01	3.22 ± 1.86	-315.951 ± 0.061	53970.34420	0.690	1.05	-0.230	1.21 ± 0.15	0.86 ± 0.06	4.37 ± 0.78	10.01 ± 0.11
4049-01482-1	HD 237097	9.03	0.610 ± 0.040	6.37 ± 1.58	5749 ± 15	3.66 ± 0.04	1.19 ± 0.08	-0.29 ± 0.02	2.28 ± 1.18	-5.403 ± 0.024	54700.44551	0.584	2.95	-0.103	0.76 ± 0.29	1.25 ± 0.08	2.57 ± 0.63	9.58 ± 0.16
4055-00933-1	HD 17075	8.59	0.970 ± 0.030	9.79 ± 1.12	4931 ± 20	3.58 ± 0.07	0.89 ± 0.09	0.17 ± 0.03	0.0 ± 0.37	-34.360 ± 0.034	54862.08766	0.963	3.45	-0.283	0.63 ± 0.16	1.22 ± 0.09	2.90 ± 0.68	9.77 ± 0.15
4072-00168-1	BD+63 485	8.63	0.890 ± 0.030	7.77 ± 1.16	5001 ± 10	3.76 ± 0.04	0.79 ± 0.07	-0.24 ± 0.01	0.0 ± 0.54	30.775 ± 0.025	54826.24065	0.873	3.00	-0.262	0.80 ± 0.19	0.91 ± 0.02	2.71 ± 0.52	10.09 ± 0.05
4077-00906-1	HD 27380	9.17	0.880 ± 0.030	-	5166 ± 18	4.71 ± 0.04	0.62 ± 0.25	0.24 ± 0.03	0.0 ± 0.67	15.357 ± 0.031	54830.19640	0.869	7.33	-0.208	-0.36 ± 0.02	0.91 ± 0.02	0.76 ± 0.08	8.80 ± 0.52
4085-00359-1	HD 37281	7.11	0.945 ± 0.020	15.11 ± 0.59	4936 ± 15	3.50 ± 0.05	0.90 ± 0.09	-0.04 ± 0.02	0.0 ± 0.45	-36.973 ± 0.027	53796.14689	0.932	2.92	-0.283	0.85 ± 0.08	1.23 ± 0.07	3.45 ± 0.53	9.71 ± 0.09
4095-02203-1	HD 41980	9.20	0.987 ± 0.048	8.44 ± 1.25	5188 ± 30	3.97 ± 0.09	0.98 ± 0.13	0.39 ± 0.04	0.0 ± 0.36	-16.627 ± 0.028	54910.12985	0.884	3.74	-0.201	0.48 ± 0.24	1.14 ± 0.11	1.99 ± 0.66	9.89 ± 0.14
4097-01176-1	HD 46480	5.90	0.930 ± 0.020	19.21 ± 0.48	4897 ± 10	3.16 ± 0.04	0.93 ± 0.05	-0.47 ± 0.01	0.59 ± 0.76	-50.274 ± 0.025	53799.17851	0.896	2.21	-0.299	1.13 ± 0.07	0.91 ± 0.03	4.63 ± 0.56	10.07 ± 0.08
4107-00519-1	BD+67 419	9.12	0.990 ± 0.050	7.22 ± 1.59	4881 ± 15	3.50 ± 0.05	0.92 ± 0.08	0.10 ± 0.02	0.0 ± 0.33	-26.048 ± 0.033	55883.35632	0.978	3.32	-0.302	0.69 ± 0.28	1.17 ± 0.10	3.13 ± 0.87	9.83 ± 0.16
4117-00937-1	BD+63 729	9.63	1.070 ± 0.060	-	4543 ± 8	1.49 ± 0.05	1.50 ± 0.05	-1.44 ± 0.02	2.22 ± 1.09	145.415 ± 0.041	54865.19923	1.014	-0.82	-0.464	2.84 ± 0.10	0.99 ± 0.18	36.04 ± 6.62	9.80 ± 0.21
4121-00439-1	HD 63103	7.40	0.950 ± 0.030	12.00 ± 9.00	4875 ± 10	3.00 ± 0.04	1.07 ± 0.04	-0.21 ± 0.01	0.62 ± 0.47	8.939 ± 0.023	54121.32719	0.941	2.71	-0.306	0.94 ± 0.71	1.16 ± 0.13	4.88 ± 2.26	9.77 ± 0.15
4129-00910-1	HD 69010	7.56	0.760 ± 0.030	5.80 ± 0.72	5007 ± 10	2.08 ± 0.04	1.45 ± 0.07	-0.96 ± 0.01	2.19 ± 0.98	-14.935 ± 0.021	54066.50543	0.778	1.31	-0.270	1.49 ± 0.17	0.92 ± 0.08	10.95 ± 1.97	9.96 ± 0.18
4130-01698-1	HD 73725	8.44	0.865 ± 0.030	1.58 ± 0.99	4905 ± 17	2.13 ± 0.06	1.42 ± 0.04	-0.79 ± 0.02	7.99 ± 1.49	-32.591 ± 0.147	54040.48686	0.851	-0.65	-0.300	2.28 ± 0.61	1.42 ± 0.23	18.05 ± 9.36	9.36 ± 0.29
4137-00392-1	BD+61 1163	9.36	0.951 ± 0.046	7.22 ± 1.47	5086 ± 15	3.75 ± 0.05	0.90 ± 0.07	0.19 ± 0.02	0.55 ± 0.39	16.062 ± 0.027	54922.28610	0.895	3.56	-0.232	0.57 ± 0.26	1.23 ± 0.10	2.46 ± 0.66	9.75 ± 0.15
4137-00704-1	BD+61 1167	9.35	0.920 ± 0.030	7.88 ± 1.26	5043 ± 15	3.44 ± 0.06	0.97 ± 0.09	-0.12 ± 0.03	0.52 ± 0.63	-19.889 ± 0.025	54909.14852	0.870	3.75	-0.248	0.50 ± 0.20	1.05 ± 0.08	2.79 ± 0.69	9.91 ± 0.13
4139-00971-1	HD 84406	6.95	0.918 ± 0.020	13.49 ± 0.49	4951 ± 15	3.32 ± 0.06	0.94 ± 0.07	-0.02 ± 0.02	1.11 ± 0.52	6.967 ± 0.029	53747.40590	0.926	2.60	-0.277	0.97 ± 0.08	1.32 ± 0.06	4.16 ± 0.67	9.61 ± 0.09
4142-00981-1	BD+67 613	9.36	0.990 ± 0.050	-	4778 ± 18	3.64 ± 0.06	0.85 ± 0.12	0.26 ± 0.04	0.0 ± 0.44	-47.540 ± 0.039	54913.22034	1.049	3.83	-0.345	0.57 ± 0.11	1.08 ± 0.08	2.72 ± 0.51	9.99 ± 0.13
4144-00960-1	BD+61 1185	9.29	0.840 ± 0.030	9.07 ± 1.09	4995 ± 12	3.79 ± 0.04	0.63 ± 0.09	-0.31 ± 0.02	0.0 ± 0.55	-18.028 ± 0.060	54912.31214	0.867	4.00	-0.265	0.41 ± 0.16	0.90 ± 0.01	2.07 ± 0.36	10.11 ± 0.09
4147-01100-1	BD+63 909	8.95	0.790 ± 0.030	6.87 ± 1.05	5129 ± 10	3.55 ± 0.03	0.85 ± 0.06	-0.43 ± 0.01	0.5 ± 0.45	-60.540 ± 0.029	54852.32888	0.797	3.06	-0.227	0.76 ± 0.19	0.98 ± 0.05	2.90 ± 0.53	9.94 ± 0.09
4151-01127-1	HD 94667	8.34	0.710 ± 0.030	11.90 ± 0.91	5804 ± 15	4.14 ± 0.03	0.99 ± 0.05	0.38 ± 0.01	3.22 ± 0.76	-89.536 ± 0.029	53763.40047	0.627	3.54	-0.076	0.51 ± 0.15	1.25 ± 0.06	1.68 ± 0.27	9.64 ± 0.07
4153-01130-1	HD 101365	7.08	0.540 ± 0.020	12.23 ± 0.46	6060 ± 32	3.55 ± 0.06	1.48 ± 0.13	-0.01 ± 0.03	7.89 ± 2.47	9.221 ± 0.069	54085.49252	0.512	2.32	-0.058	1.00 ± 0.08	1.53 ± 0.05	3.14 ± 0.56	9.40 ± 0.04
4154-00969-1	HD 104163	8.48	0.890 ± 0.030	11.86 ± 0.81	4983 ± 15	3.79 ± 0.05	0.73 ± 0.07	-0.18 ± 0.02	0.0 ± 0.33	-46.298 ± 0.031	56453.11384	0.890	3.77	-0.268	0.50 ± 0.12	0.94 ± 0.03	2.22 ± 0.38	10.08 ± 0.05
4165-00783-1	HD 112337	9.07	0.740 ± 0.040	9.99 ± 0.81	5725 ± 15	4.30 ± 0.04	1.03 ± 0.06	0.33 ± 0.01	1.3 ± 0.53	-20.547 ± 0.027	54516.46118	0.634	3.91	-0.203	0.42 ± 0.19	1.08 ± 0.03	1.43 ± 0.29	9.82 ± 0.12
4207-00652-1	HD 161237	8.37	0.700 ± 0.030	12.70 ± 0.52	5714 ± 10	4.09 ± 0.03	1.06 ± 0.06	0.09 ± 0.01	1.48 ± 1.15	-21.918 ± 0.026	53957.18263	0.627	3.72	-0.097	0.45 ± 0.09	1.07 ± 0.03	1.63 ± 0.19	9.92 ± 0.04
4209-01339-1	HD 166356	7.54	0.740 ± 0.020	17.02 ± 0.42	5671 ± 15	4.04 ± 0.04	1.09 ± 0.07	0.41 ± 0.02	2.28 ± 0.77	-7.489 ± 0.030	54249.38468	0.682	3.69	-0.096	0.46 ± 0.09	1.21 ± 0.06	1.75 ± 0.25	9.76 ± 0.08

Table 1. continued.

Ident	Ident	V	B − V	π	$T_{\rm eff}$	$\log g$	$v_{\rm t}$	[Fe/H]	$v \sin i_*$	RV	MJD	$(B-V)_0$	M_V	BC_V	$\log L/L_\odot$	M	R	log age
TYC	HD or BD	[mag]	[mag]	[mas]	[K]		[km s^{-1}]		[km s^{-1}]	[km s^{-1}]	+2400000 [d]	[mag]	[mag]	[mag]		[$M_\odot$]	[$R_\odot$]	[yr]
4237-00736-1	HD 194666	8.61	0.600 ± 0.030	6.75 ± 0.67	5771 ± 20	3.65 ± 0.05	1.17 ± 0.10	0.01 ± 0.02	3.25 ± 1.17	-2.419 ± 0.030	53971.28137	0.600	2.71	-0.091	0.85 ± 0.15	1.36 ± 0.07	2.78 ± 0.54	9.54 ± 0.06
4246-01967-1	HD 198149	3.41	0.910 ± 0.016	70.10 ± 0.11	5003 ± 15	3.42 ± 0.06	0.98 ± 0.05	-0.13 ± 0.02	0.61 ± 0.6	-87.450 ± 0.025	53888.36824	0.886	2.56	-0.260	0.98 ± 0.04	1.23 ± 0.06	3.84 ± 0.52	9.65 ± 0.08
4250-02163-1	HD 196587	7.79	0.858 ± 0.027	10.52 ± 0.56	5199 ± 10	3.69 ± 0.03	0.98 ± 0.04	-0.06 ± 0.01	1.04 ± 1.27	-7.187 ± 0.022	54039.09928	0.807	2.82	-0.203	0.85 ± 0.10	1.39 ± 0.04	3.04 ± 0.37	9.52 ± 0.04
4284-01402-1	HD 221585	7.44	0.740 ± 0.020	17.40 ± 0.60	5604 ± 15	4.11 ± 0.04	0.98 ± 0.07	0.35 ± 0.02	2.81 ± 1.11	7.640 ± 0.022	53971.29477	0.705	3.64	-0.109	0.49 ± 0.10	1.14 ± 0.04	1.71 ± 0.24	9.87 ± 0.05
4296-01443-1	HD 6840	6.55	0.545 ± 0.020	18.30 ± 0.53	5854 ± 10	3.71 ± 0.03	1.36 ± 0.08	-0.39 ± 0.01	6.38 ± 1.54	-7.109 ± 0.110	53943.44888	0.545	2.77	-0.093	0.83 ± 0.07	1.21 ± 0.04	2.54 ± 0.27	9.59 ± 0.05
4376-01142-1	HD 81438	9.06	1.040 ± 0.040	11.41 ± 1.07	4811 ± 15	3.32 ± 0.05	0.93 ± 0.07	0.09 ± 0.02	0.0 ± 0.4	-6.059 ± 0.031	54871.30478	1.011	4.26	-0.330	0.33 ± 0.15	1.00 ± 0.03	2.87 ± 0.55	10.07 ± 0.05
4394-01268-1	HD 107028	7.64	0.830 ± 0.020	6.15 ± 0.49	5171 ± 15	3.16 ± 0.04	1.03 ± 0.05	-0.09 ± 0.02	1.46 ± 0.44	-24.985 ± 0.026	53869.14732	0.816	1.54	-0.210	1.37 ± 0.12	1.81 ± 0.10	5.95 ± 1.00	9.15 ± 0.05
4406-00708-1	BD+71 683	9.53	0.680 ± 0.050	5.30 ± 0.87	5773 ± 10	4.02 ± 0.02	1.10 ± 0.04	0.36 ± 0.01	1.96 ± 0.39	-25.482 ± 0.027	54614.21223	0.634	3.06	-0.081	0.71 ± 0.25	1.25 ± 0.07	2.03 ± 0.43	9.70 ± 0.08
4420-00064-1	HD 152123	8.49	0.530 ± 0.030	6.53 ± 0.62	6006 ± 20	3.53 ± 0.04	1.39 ± 0.10	-0.10 ± 0.02	1.58 ± 1.17	-21.799 ± 0.039	54553.46205	0.521	2.41	-0.066	0.96 ± 0.14	1.41 ± 0.06	3.09 ± 0.52	9.45 ± 0.05
4420-02152-1	BD+68 878	8.77	0.880 ± 0.050	5.26 ± 0.70	4920 ± 10	3.25 ± 0.04	0.92 ± 0.05	-0.47 ± 0.01	0.81 ± 0.43	-72.592 ± 0.026	54213.38373	0.885	2.29	-0.292	1.10 ± 0.20	0.90 ± 0.03	4.30 ± 0.88	10.07 ± 0.05
4463-02213-1	HD 209675	8.74	0.920 ± 0.020	10.02 ± 0.73	5046 ± 7	3.61 ± 0.03	0.91 ± 0.04	-0.10 ± 0.01	1.59 ± 1.1	54.834 ± 0.034	53960.31615	0.871	3.74	-0.247	0.50 ± 0.11	0.99 ± 0.04	2.45 ± 0.29	9.98 ± 0.05
4668-00168-1	HD 1936	7.78	0.770 ± 0.030	4.37 ± 0.71	5048 ± 15	2.55 ± 0.00	1.30 ± 0.10	-1.46 ± 0.02	3.47 ± 1.82	-7.732 ± 0.052	53990.30422	0.731	0.91	-0.269	1.64 ± 0.20	0.83 ± 0.05	8.34 ± 1.67	10.03 ± 0.05
4674-01053-1	HD 5682	7.77	0.890 ± 0.030	-	4893 ± 12	2.97 ± 0.04	1.05 ± 0.05	-0.46 ± 0.01	0.5 ± 0.48	48.406 ± 0.026	54677.41123	0.899	2.14	-0.301	1.24 ± 0.11	0.99 ± 0.10	5.62 ± 0.97	9.94 ± 0.11
4682-00108-1	HD 7672	5.43	0.866 ± 0.020	12.41 ± 0.27	5044 ± 17	3.05 ± 0.06	1.51 ± 0.09	-0.38 ± 0.03	2.64 ± 0.66	-23.276 ± 0.039	53725.06456	0.837	0.81	-0.250	1.68 ± 0.07	1.79 ± 0.11	7.84 ± 1.19	9.12 ± 0.05
4691-00867-1	HD 14459	8.10	0.740 ± 0.020	12.61 ± 0.89	5334 ± 25	3.73 ± 0.06	0.91 ± 0.06	-0.19 ± 0.02	1.12 ± 0.59	26.211 ± 0.021	54759.36220	0.739	3.60	-0.173	0.53 ± 0.11	1.08 ± 0.07	2.25 ± 0.45	9.84 ± 0.11
4701-00764-1	HD 16193	8.62	0.710 ± 0.040	10.29 ± 1.03	5694 ± 10	4.05 ± 0.03	1.08 ± 0.05	0.18 ± 0.01	2.18 ± 0.99	47.306 ± 0.025	54076.16010	0.645	3.56	-0.098	0.51 ± 0.16	1.12 ± 0.04	1.75 ± 0.28	9.87 ± 0.05
4717-01094-1	HD 22918	6.95	0.960 ± 0.020	20.82 ± 0.59	4888 ± 10	3.71 ± 0.04	0.76 ± 0.08	0.02 ± 0.02	0.0 ± 0.52	42.966 ± 0.027	56261.20064	0.963	3.54	-0.300	0.60 ± 0.07	1.00 ± 0.03	2.55 ± 0.29	10.04 ± 0.05
4719-01250-1	HD 22076	8.63	0.820 ± 0.030	10.70 ± 1.00	5361 ± 15	3.94 ± 0.05	0.93 ± 0.06	0.07 ± 0.01	0.45 ± 0.4	26.942 ± 0.025	54842.12426	0.758	3.71	-0.162	0.48 ± 0.14	1.10 ± 0.08	1.93 ± 0.37	9.90 ± 0.11
4769-01580-1	HD 39954	8.29	0.720 ± 0.020	9.80 ± 0.97	5373 ± 10	3.72 ± 0.03	0.99 ± 0.05	-0.10 ± 0.01	1.73 ± 3.19	-56.418 ± 0.032	54044.36264	0.732	3.25	-0.163	0.67 ± 0.13	1.20 ± 0.06	2.51 ± 0.36	9.67 ± 0.05
4788-01372-1	HD 43698	8.58	0.950 ± 0.040	-	5070 ± 10	3.62 ± 0.04	0.94 ± 0.07	-0.04 ± 0.02	0.74 ± 0.42	-7.450 ± 0.025	54874.17368	0.868	3.25	-0.239	0.66 ± 0.09	1.25 ± 0.09	2.81 ± 0.39	9.68 ± 0.11
4840-00356-1	HD 63066	9.10	0.660 ± 0.020	8.22 ± 1.51	5610 ± 10	3.86 ± 0.03	1.16 ± 0.08	-0.39 ± 0.01	2.05 ± 0.90	5.298 ± 0.028	55644.10184	0.620	3.58	-0.130	0.52 ± 0.20	0.93 ± 0.05	1.90 ± 0.35	10.00 ± 0.05
4848-00260-1	HD 69663	7.45	0.860 ± 0.020	6.82 ± 0.63	4937 ± 5	3.00 ± 0.03	1.07 ± 0.04	-0.77 ± 0.01	0.86 ± 0.73	34.341 ± 0.023	53796.23089	0.837	1.55	-0.289	1.40 ± 0.13	0.82 ± 0.01	5.78 ± 0.75	10.11 ± 0.05
4914-01290-1	HD 94363	6.12	0.895 ± 0.020	12.61 ± 0.43	5005 ± 15	3.20 ± 0.05	1.08 ± 0.06	-0.16 ± 0.02	0.6 ± 0.52	26.667 ± 0.020	53727.51919	0.882	1.58	-0.260	1.37 ± 0.08	1.55 ± 0.09	5.80 ± 0.88	9.35 ± 0.08
4922-00403-1	HD 97491	7.62	0.910 ± 0.030	8.29 ± 0.60	4848 ± 10	3.01 ± 0.04	1.01 ± 0.05	-0.59 ± 0.01	0.55 ± 0.53	133.003 ± 0.036	55637.30499	0.906	2.13	-0.319	1.17 ± 0.12	0.86 ± 0.02	5.12 ± 0.76	10.10 ± 0.03
4926-00290-1	HD 99030	8.97	1.070 ± 0.060	7.40 ± 1.30	4797 ± 22	3.19 ± 0.07	0.95 ± 0.08	0.05 ± 0.03	0.15 ± 0.41	6.300 ± 0.029	55637.24464	1.013	3.22	-0.336	0.75 ± 0.25	1.06 ± 0.10	3.87 ± 1.20	9.96 ± 0.13
4931-00439-1	HD 102096	7.32	0.910 ± 0.020	8.96 ± 0.89	4902 ± 7	3.11 ± 0.03	0.98 ± 0.04	-0.20 ± 0.01	1.15 ± 0.66	27.444 ± 0.027	54073.52580	0.928	2.08	-0.296	1.19 ± 0.13	1.16 ± 0.08	5.20 ± 0.77	9.75 ± 0.10
4932-00592-1	HD 103459	7.60	0.680 ± 0.020	16.68 ± 0.88	5777 ± 12	4.12 ± 0.03	1.08 ± 0.05	0.28 ± 0.01	1.9 ± 0.5	20.200 ± 0.026	54475.44191	0.625	3.65	-0.083	0.47 ± 0.10	1.21 ± 0.05	1.65 ± 0.21	9.72 ± 0.07
4941-00829-1	HD 108474	7.99	0.760 ± 0.030	2.23 ± 0.67	5054 ± 10	2.28 ± 0.04	1.51 ± 0.06	-0.89 ± 0.01	0.77 ± 0.79	26.321 ± 0.036	53768.41247	0.771	-0.34	-0.255	2.14 ± 0.32	1.76 ± 0.09	15.61 ± 4.09	9.12 ± 0.06

Table 1. continued.

Ident	Ident	V	B − V	π	$T_{\rm eff}$	log g	$v_{\rm t}$	[Fe/H]	$v \sin i_*$	RV	MJD	$(B-V)_0$	M_V	BC_V	log $L/L_\odot$	M	R	log age
TYC	HD or BD	[mag]	[mag]	[mas]	[K]		[km s^{-1}]		[km s^{-1}]	[km s^{-1}]	+2400000 [d]	[mag]	[mag]	[mag]		[$M_\odot$]	[$R_\odot$]	[yr]
4969-00979-1	HD 118674	8.41	0.890 ± 0.030	2.67 ± 0.68	4986 ± 15	2.65 ± 0.05	1.39 ± 0.06	-0.54 ± 0.02	0.97 ± 0.82	-144.373 ± 0.036	54215.24341	0.842	0.46	-0.270	1.82 ± 0.28	1.40 ± 0.22	10.10 ± 3.03	9.41 ± 0.21
4989-00183-1	HD 129136	7.87	0.950 ± 0.030	10.51 ± 0.75	4973 ± 12	3.48 ± 0.04	0.95 ± 0.06	-0.01 ± 0.02	1.5 ± 1.06	-57.960 ± 0.024	54527.48985	0.917	2.89	-0.270	0.85 ± 0.12	1.27 ± 0.06	3.48 ± 0.55	9.66 ± 0.08
5005-00580-1	HD 135005	7.99	0.710 ± 0.030	12.40 ± 0.98	5648 ± 7	3.94 ± 0.03	1.08 ± 0.04	0.14 ± 0.01	0.26 ± 1.05	-28.411 ± 0.048	54296.13422	0.658	3.38	-0.106	0.59 ± 0.13	1.16 ± 0.05	1.99 ± 0.28	9.80 ± 0.07
5102-00416-1	HD 168723	3.26	0.940 ± 0.020	53.93 ± 0.18	4905 ± 10	2.95 ± 0.04	1.08 ± 0.05	-0.21 ± 0.01	2.47 ± 1.0	9.331 ± 0.027	53895.36727	0.925	1.87	-0.295	1.27 ± 0.05	1.29 ± 0.06	6.13 ± 0.71	9.59 ± 0.07
5102-00417-1	HD 167768	6.00	0.890 ± 0.020	9.67 ± 0.41	4900 ± 15	2.36 ± 0.06	1.40 ± 0.05	-0.68 ± 0.02	3.58 ± 3.42	0.766 ± 0.046	53898.36021	0.868	0.86	-0.301	1.68 ± 0.08	1.23 ± 0.10	10.87 ± 1.94	9.57 ± 0.11
5128-00405-1	HD 176982	8.35	0.700 ± 0.020	8.95 ± 1.54	5414 ± 10	3.68 ± 0.03	1.00 ± 0.04	-0.16 ± 0.01	2.02 ± 0.99	-9.964 ± 0.032	54620.32389	0.710	3.11	-0.155	0.72 ± 0.20	1.25 ± 0.08	2.65 ± 0.50	9.61 ± 0.11
5131-00216-1	HD 182905	8.00	0.760 ± 0.020	14.59 ± 0.65	5370 ± 7	3.79 ± 0.03	0.93 ± 0.05	0.09 ± 0.01	1.83 ± 1.16	58.147 ± 0.031	53985.17972	0.757	3.82	-0.160	0.44 ± 0.09	1.16 ± 0.05	2.10 ± 0.23	9.81 ± 0.05
5134-00072-1	HD 181368	8.02	0.950 ± 0.030	-	4852 ± 15	2.49 ± 0.05	1.34 ± 0.05	-0.06 ± 0.02	0.72 ± 2.43	-28.583 ± 0.029	54726.14500	0.971	-0.16	-0.314	1.75 ± 0.03	1.72 ± 0.12	11.52 ± 1.59	9.30 ± 0.08
5213-01462-1	HD 206513	8.48	0.850 ± 0.030	8.42 ± 1.13	4970 ± 10	3.54 ± 0.03	0.82 ± 0.07	-0.52 ± 0.01	0.54 ± 0.77	-6.365 ± 0.030	54014.16902	0.853	3.03	-0.275	0.80 ± 0.18	0.85 ± 0.01	2.99 ± 0.51	10.12 ± 0.07
5254-00842-1	HD 221980	8.16	0.500 ± 0.030	6.97 ± 1.00	6215 ± 30	3.84 ± 0.06	1.42 ± 0.11	-0.35 ± 0.02	5.4 ± 1.81	3.673 ± 0.059	53971.37703	0.448	2.05	-0.058	1.10 ± 0.18	1.25 ± 0.07	2.64 ± 0.62	9.54 ± 0.07

Table 2. An photometric estimate of $T_{\rm eff}$ and $\log g$ for stars with unstable CCF.

Name	HD/BD	V [mag]	Teff [K]	logg
Spectroscopic binaries - SB2				
TYC 0738-01228-1	HD 42071	8.36	5828 ± 23	4.40 ± 0.54
TYC 0835-00046-1	BD+14 2168	9.37	4709 ± 38	2.84 ± 0.51
TYC 0928-00468-1	HD 138750	7.88	6032 ± 21	4.37 ± 1.06
TYC 1142-00238-1	HD 212141	8.22	5695 ± 21	4.43 ± 0.70
TYC 1181-01709-1	HD 483	6.99	5838 ± 21	4.40 ± 0.57
TYC 1188-01246-1	HD 4077	8.15	6231 ± 22	4.33 ± 1.11
TYC 1357-02074-1	HD 54563	6.35	4901 ± 11	4.55 ± 0.81
TYC 1440-01432-1	HD 100885	9.31	5265 ± 21	4.55 ± 0.35
TYC 1752-00264-1	HD 9939	6.91	5020 ± 14	4.56 ± 0.49
TYC 1954-01881-1	HD 78418	5.92	5651 ± 14	4.44 ± 0.57
TYC 1968-00092-1	HD 88008	8.46	5470 ± 19	4.50 ± 0.41
TYC 2204-02355-1	HD 210211	6.49	5090 ± 26	3.03 ± 1.21
TYC 2267-00721-1	HD 375	7.34	6073 ± 17	4.37 ± 0.79
TYC 2320-01525-1	HD 12376	8.11	5018 ± 14	4.56 ± 0.34
TYC 2562-00748-1	HD 134901	8.32	5328 ± 18	4.53 ± 0.71
TYC 2587-01957-1	BD+37 2746B	8.65	5782 ± 19	4.40 ± 0.52
TYC 2676-01308-1	HD 194178	8.00	6140 ± 19	4.35 ± 0.90
TYC 2872-02575-1	HD 24945	8.45	5630 ± 18	4.45 ± 0.43
TYC 3013-02388-1	HD 99579	7.22	6034 ± 18	4.37 ± 0.83
TYC 3023-02319-1	HD 112957	8.75	5662 ± 18	4.44 ± 0.47
TYC 3711-00072-1	HD 21059	8.32	4941 ± 14	4.55 ± 0.91
TYC 4007-01585-1	-	7.38	5209 ± 14	4.55 ± 1.03
TYC 4181-01085-1	HD 137687	7.26	5072 ± 13	4.57 ± 0.48
TYC 4204-00207-1	HD 164330	7.66	5809 ± 17	4.40 ± 0.72
TYC 4412-00310-1	HD 139586	6.92	5440 ± 16	4.50 ± 0.54
Weak CCF, fast rotators of low metallicity stars				
TYC 0614-00516-1	HD 8956	7.99	6223 ± 19	4.34 ± 0.73
TYC 1211-00570-1	HD 10007	7.80	6833 ± 74	4.27 ± 1.30
TYC 1427-00095-1	HD 91455	7.24	6228 ± 18	4.33 ± 1.11
TYC 1563-03552-1	HD 160935	6.70	6256 ± 17	4.33 ± 1.20
TYC 1634-03057-1	HD 197963	5.10	5997 ± 120	4.38 ± 0.96
Variable CCF/SB2				
TYC 0027-00157-1	HD 8357	7.23	4812 ± 25	2.90 ± 0.46
TYC 0061-00077-1	HD 19638	8.10	5686 ± 17	4.43 ± 0.76
TYC 0224-01333-1	-	3.42	5437 ± 66	3.21 ± 1.87
TYC 0295-00346-1	HD 109402	7.93	4884 ± 29	2.92 ± 0.63
TYC 0643-00549-1	HD 17662	8.37	5301 ± 22	4.54 ± 0.34
TYC 0913-00256-1	HD 127068	8.34	4773 ± 28	2.88 ± 0.75
TYC 1100-01527-1	HD 196645	7.72	4996 ± 15	4.56 ± 0.88
TYC 1181-00051-1	HD 489	7.90	5600 ± 17	4.46 ± 0.51
TYC 1743-01174-1	HD 6009	6.64	5262 ± 13	4.55 ± 1.02
TYC 1925-01291-1	HD 64704	7.28	5796 ± 20	4.40 ± 0.64
TYC 1946-01937-1	HD 76095	6.69	5563 ± 17	4.47 ± 0.59
TYC 2037-01827-1	HD 141714	4.53	5291 ± 62	3.14 ± 1.58
TYC 2380-01896-1	HD 27961	8.24	6023 ± 21	4.37 ± 0.70
TYC 2551-00233-1	HD 122517	7.47	4955 ± 12	4.55 ± 1.05
TYC 3075-01080-1	HD 153527	8.04	5968 ± 17	4.38 ± 0.87
TYC 3959-01685-1	HD 198084	4.46	6222 ± 102	4.34 ± 1.03
TYC 3992-02562-1	HD 216509	7.38	6555 ± 26	4.28 ± 1.23

Table 3. 62 PTPS stars also included in other surveys.

Name	$T_{\rm eff}$ [K]	$\log g$	[Fe/H]	$M/\,M_{\odot}$	$\log L/L_{\odot}$	$T_{\rm eff}$ [K]	$\log g$	[Fe/H]	$M/\,M_{\odot}$	$\log L/L_{\odot}$
			Jones et al. (2011)					this work		
TYC 4717-01094-1	4930	3.41	-0.07 ± 0.07	1.05	0.62	4888 ± 10	3.71 ± 0.04	0.02 ± 0.02	0.995 ± 0.03	0.60 ± 0.07
TYC 4989-00183-1	5040	3.45	0.03 ± 0.12	1.51	0.86	4973 ± 12	3.49 ± 0.04	-0.01 ± 0.02	1.27 ± 0.06	0.85 ± 0.12
			Wang et al. (2011)					this work		
TYC 1488-00278-1	4933	2.93	-0.20	1.77	1.47	4977 ± 15	3.05 ± 0.05	-0.12 ± 0.02	1.57 ± 0.10	1.42 ± 0.08
TYC 3147-01921-1	4951	3.22	-0.05	1.65	1.23	5073 ± 17	3.49 ± 0.05	0.12 ± 0.02	1.74 ± 0.05	1.14 ± 0.06
			Takeda et al. (2008)					this work		
TYC 0185-02499-1	4983	2.73	-0.05	2.45	1.71	4989 ± 15	2.89 ± 0.06	-0.05 ± 0.02	2.06 ± 0.11	1.64 ± 0.07
TYC 0259-01552-1	4920	2.55	-0.20	2.60	1.98	5001 ± 12	2.77 ± 0.05	-0.11 ± 0.02	1.95 ± 0.17	1.83 ± 0.07
TYC 0576-01918-1	4935	2.57	-0.34	2.11	1.74	4816 ± 15	2.31 ± 0.06	-0.39 ± 0.02	1.32 ± 0.11	1.71 ± 0.09
TYC 0580-01884-1	4802	2.25	-0.62	1.67	1.79	4854 ± 10	2.43 ± 0.04	-0.54 ± 0.02	1.32 ± 0.06	1.82 ± 0.05
TYC 0701-02047-1	4704	2.49	-0.65	1.08	1.53	4734 ± 10	2.64 ± 0.04	-0.58 ± 0.01	0.86 ± 0.02	1.52 ± 0.06
TYC 0852-01409-1	5039	2.74	-0.10	2.43	1.70	5048 ± 10	2.94 ± 0.04	-0.04 ± 0.02	2.24 ± 0.09	1.71 ± 0.08
TYC 0886-01326-1	5044	2.63	0.07	2.70	1.86	5043 ± 20	2.82 ± 0.06	0.13 ± 0.03	2.72 ± 0.12	1.96 ± 0.05
TYC 0914-01741-1	4901	2.54	-0.25	2.68	1.96	4973 ± 10	2.81 ± 0.05	-0.19 ± 0.02	2.55 ± 0.10	2.03 ± 0.08
TYC 1704-01449-1	4989	2.69	-0.21	2.57	1.84	4959 ± 5	2.67 ± 0.03	-0.18 ± 0.01	1.73 ± 0.07	1.83 ± 0.09
TYC 2225-01821-1	5000	2.69	-0.05	2.49	1.73	5062 ± 15	2.99 ± 0.05	0.02 ± 0.02	2.16 ± 0.09	1.66 ± 0.06
TYC 2496-01223-1	4990	2.27	-0.74	2.04	1.93	5058 ± 15	2.45 ± 0.05	-0.65 ± 0.02	1.23 ± 0.17	1.85 ± 0.11
TYC 2676-01686-1	5025	2.86	-0.07	2.47	1.73	5082 ± 12	3.07 ± 0.04	0.00 ± 0.02	2.31 ± 0.10	1.74 ± 0.07
TYC 3147-01921-1	5006	3.16	0.00	1.76	1.16	5073 ± 17	3.49 ± 0.05	0.12 ± 0.02	1.74 ± 0.05	1.14 ± 0.06
TYC 3475-01198-1	4893	2.21	-0.77	1.92	1.74	4863 ± 5	2.17 ± 0.02	-0.77 ± 0.01	0.97 ± 0.06	1.79 ± 0.07
TYC 3777-02071-1	4978	3.16	-0.13	1.71	1.19	4957 ± 15	3.24 ± 0.05	-0.09 ± 0.02	1.30 ± 0.07	1.18 ± 0.07
TYC 3779-01730-1	4850	2.71	0.04	2.50	1.73	4867 ± 25	2.90 ± 0.09	0.07 ± 0.03	2.22 ± 0.24	1.79 ± 0.06
TYC 3920-01971-1	4986	2.78	0.04	2.41	1.65	5021 ± 12	3.02 ± 0.04	0.10 ± 0.02	2.35 ± 0.12	1.67 ± 0.05
TYC 4097-01176-1	4866	3.04	-0.55	1.08	1.11	4897 ± 10	3.16 ± 0.04	-0.47 ± 0.01	0.91 ± 0.03	1.13 ± 0.07
TYC 5102-00416-1	4972	3.12	-0.18	1.84	1.30	4905 ± 10	2.95 ± 0.04	-0.21 ± 0.01	1.29 ± 0.06	1.27 ± 0.05
TYC 5102-00417-1	4895	2.13	-0.70	2.07	1.79	4900 ± 15	2.36 ± 0.06	-0.68 ± 0.02	1.23 ± 0.10	1.68 ± 0.08
			Reffert et al. (2014)					this work		
TYC 0185-02499-1	5062 ± 35	2.98 ± 0.04	0.06 ± 0.10	2.44 ± 0.12	1.63 ± 0.03	4989 ± 15	2.89 ± 0.06	-0.05 ± 0.02	2.06 ± 0.11	1.64 ± 0.07
TYC 0259-01552-1	4903 ± 37	2.65 ± 0.08	-0.11 ± 0.10	2.00 ± 0.32	1.83 ± 0.02	5001 ± 12	2.77 ± 0.05	-0.11 ± 0.02	1.95 ± 0.17	1.83 ± 0.07
TYC 0580-01884-1	4902 ± 40	2.55 ± 0.08	-0.54 ± 0.10	1.56 ± 0.21	1.80 ± 0.01	4854 ± 10	2.43 ± 0.04	-0.54 ± 0.02	1.32 ± 0.06	1.82 ± 0.05
TYC 0852-01409-1	5085 ± 38	2.92 ± 0.05	-0.06 ± 0.10	2.45 ± 0.15	1.71 ± 0.03	5048 ± 10	2.94 ± 0.04	-0.04 ± 0.02	2.24 ± 0.09	1.71 ± 0.08
TYC 0886-01326-1	5077 ± 48	2.77 ± 0.03	0.09 ± 0.10	2.94 ± 0.08	1.92 ± 0.01	5043 ± 20	2.82 ± 0.06	0.13 ± 0.03	2.72 ± 0.12	1.96 ± 0.05
TYC 0914-01741-1	4947 ± 33	2.59 ± 0.06	-0.27 ± 0.10	2.46 ± 0.22	1.99 ± 0.04	4973 ± 10	2.81 ± 0.05	-0.19 ± 0.02	2.55 ± 0.10	2.03 ± 0.08
TYC 2037-01827-1	5301 ± 36	3.07 ± 0.03	-0.26 ± 0.10	2.24 ± 0.06	1.58 ± 0.01	5362 ± 20	3.29 ± 0.06	-0.12 ± 0.03	2.15 ± 0.05	1.59 ± 0.06
TYC 2225-01821-1	5005 ± 43	2.90 ± 0.06	-0.10 ± 0.10	2.20 ± 0.20	1.64 ± 0.01	5062 ± 15	2.99 ± 0.05	0.02 ± 0.02	2.16 ± 0.09	1.66 ± 0.06
TYC 2496-01223-1	5100 ± 22	2.58 ± 0.08	-0.63 ± 0.10	1.45 ± 0.30	1.83 ± 0.06	5058 ± 15	2.45 ± 0.05	-0.65 ± 0.02	1.23 ± 0.17	1.85 ± 0.11
TYC 3147-01921-1	5028 ± 37	3.27 ± 0.05	0.00 ± 0.10	1.73 ± 0.15	1.17 ± 0.01	5073 ± 17	3.49 ± 0.05	0.12 ± 0.02	1.74 ± 0.05	1.14 ± 0.06
TYC 3226-02285-1	4245 ± 12	1.64 ± 0.07	-0.17 ± 0.10	1.32 ± 0.21	2.42 ± 0.02	4261 ± 13	1.76 ± 0.05	-0.28 ± 0.07	1.38 ± 0.17	2.42 ± 0.10
TYC 3475-01198-1	5052 ± 15	2.49 ± 0.08	-0.70 ± 0.10	1.09 ± 0.20	1.79 ± 0.02	4863 ± 5	2.17 ± 0.02	-0.77 ± 0.01	0.97 ± 0.06	1.79 ± 0.07
TYC 3779-01730-1	5245 ± 38	2.97 ± 0.03	-0.04 ± 0.10	2.57 ± 0.06	1.74 ± 0.01	4867 ± 25	2.90 ± 0.09	0.07 ± 0.03	2.22 ± 0.24	1.79 ± 0.06
TYC 3920-01971-1	5031 ± 37	2.95 ± 0.04	0.09 ± 0.10	2.49 ± 0.11	1.66 ± 0.01	5021 ± 12	3.02 ± 0.04	0.10 ± 0.02	2.35 ± 0.12	1.67 ± 0.05
TYC 4246-01967-1	4997 ± 33	3.35 ± 0.06	-0.18 ± 0.10	1.31 ± 0.13	0.96 ± 0.01	5003 ± 15	3.42 ± 0.06	-0.13 ± 0.02	1.23 ± 0.062	0.98 ± 0.04
TYC 5102-00416-1	4940 ± 40	3.08 ± 0.08	-0.15 ± 0.10	1.50 ± 0.20	1.27 ± 0.02	4905 ± 10	2.95 ± 0.04	-0.21 ± 0.01	1.29 ± 0.06	1.27 ± 0.05
TYC 5102-00417-1	4953 ± 9	2.66 ± 0.04	-0.77 ± 0.10	1.34 ± 0.09	1.65 ± 0.03	4900 ± 15	2.36 ± 0.06	-0.68 ± 0.02	1.23 ± 0.10	1.68 ± 0.08
			Ghezzi & Johnson (2015)					this work		
TYC 0289-01040-1	5294 ± 18	3.65 ± 0.04	-0.10 ± 0.01	1.27 ± 0.06	0.72 ± 0.11	5260 ± 10	3.62 ± 0.03	-0.13 ± 0.01	1.27 ± 0.06	0.72 ± 0.11
TYC 0534-02537-1	5000 ± 29	3.13 ± 0.03	-0.20 ± 0.02	1.38 ± 0.06	1.16 ± 0.09	5013 ± 10	3.22 ± 0.04	-0.21 ± 0.01	1.35 ± 0.06	1.16 ± 0.09
TYC 0543-01428-1	5004 ± 15	3.66 ± 0.03	-0.22 ± 0.01	1.16 ± 0.06	0.87 ± 0.14	4973 ± 7	3.70 ± 0.03	-0.21 ± 0.01	0.96 ± 0.03	0.88 ± 0.14
TYC 0661-00782-1	5637 ± 15	3.74 ± 0.03	0.15 ± 0.01	1.39 ± 0.09	0.93 ± 0.13	5564 ± 10	3.64 ± 0.03	0.09 ± 0.02	1.47 ± 0.05	0.91 ± 0.14
TYC 0663-01231-1	5079 ± 25	3.49 ± 0.04	-0.02 ± 0.01	1.60 ± 0.04	1.07 ± 0.09	5094 ± 12	3.48 ± 0.04	-0.02 ± 0.02	1.57 ± 0.05	1.07 ± 0.08
TYC 0826-00789-1	4944 ± 28	3.52 ± 0.09	-0.44 ± 0.02	0.94 ± 0.03	0.85 ± 0.18	4982 ± 15	3.60 ± 0.04	-0.41 ± 0.01	0.89 ± 0.03	0.81 ± 0.17
TYC 1100-01527-1	5085 ± 15	3.48 ± 0.04	-0.10 ± 0.01	1.36 ± 0.05	0.85 ± 0.12	5082 ± 10	3.47 ± 0.04	-0.13 ± 0.01	1.25 ± 0.06	0.86 ± 0.12
TYC 1328-00038-1	5101 ± 22	3.29 ± 0.06	0.01 ± 0.01	1.79 ± 0.04	1.20 ± 0.09	5049 ± 7	3.15 ± 0.03	-0.07 ± 0.01	1.74 ± 0.05	1.21 ± 0.07
TYC 1496-01841-1	4841 ± 49	2.89 ± 0.31	0.13 ± 0.04	1.40 ± 0.11	1.16 ± 0.13	4922 ± 13	3.65 ± 0.05	0.17 ± 0.06	1.42 ± 0.10	1.19 ± 0.15

TYC 1812-01975-1	5177 ± 18	3.54 ± 0.06	-0.25 ± 0.01	1.28 ± 0.07	0.86 ± 0.14	5142 ± 10	3.51 ± 0.03	-0.27 ± 0.01	1.21 ± 0.07	0.83 ± 0.13
TYC 2008-00633-1	5160 ± 25	3.30 ± 0.06	-0.59 ± 0.02	0.99 ± 0.05	0.86 ± 0.12	5078 ± 7	3.21 ± 0.03	-0.64 ± 0.01	0.87 ± 0.02	0.85 ± 0.11
TYC 2021-00950-1	4991 ± 26	3.35 ± 0.10	-0.06 ± 0.02	1.33 ± 0.07	0.94 ± 0.14	4960 ± 15	3.37 ± 0.05	-0.08 ± 0.02	1.23 ± 0.12	0.94 ± 0.15
TYC 2300-01644-1	5244 ± 22	3.64 ± 0.04	-0.03 ± 0.01	1.58 ± 0.02	1.00 ± 0.08	5222 ± 15	3.59 ± 0.05	-0.05 ± 0.02	1.54 ± 0.04	0.97 ± 0.07
TYC 2736-01822-1	4896 ± 28	3.25 ± 0.07	-0.30 ± 0.01	1.01 ± 0.05	1.06 ± 0.09	4822 ± 12	3.20 ± 0.05	-0.33 ± 0.02	0.92 ± 0.02	1.03 ± 0.08
TYC 2820-00831-1	5128 ± 18	3.49 ± 0.05	-0.27 ± 0.01	1.29 ± 0.08	0.95 ± 0.17	5069 ± 5	3.37 ± 0.02	-0.33 ± 0.01	1.17 ± 0.05	0.96 ± 0.17
TYC 2877-01168-1	4993 ± 32	3.38 ± 0.15	0.09 ± 0.02	1.45 ± 0.03	0.89 ± 0.07	5012 ± 20	3.50 ± 0.06	0.09 ± 0.02	1.41 ± 0.06	0.86 ± 0.06
TYC 3048-00172-1	4987 ± 40	3.39 ± 0.14	-0.08 ± 0.02	1.27 ± 0.07	0.87 ± 0.11	4985 ± 10	3.41 ± 0.04	-0.08 ± 0.02	1.26 ± 0.11	0.87 ± 0.09
TYC 3142-00274-1	5609 ± 25	3.80 ± 0.06	-0.08 ± 0.01	1.39 ± 0.04	0.92 ± 0.11	5544 ± 12	3.69 ± 0.03	-0.11 ± 0.01	1.36 ± 0.04	0.92 ± 0.10
TYC 3147-01921-1	5067 ± 29	3.32 ± 0.15	0.12 ± 0.02	1.80 ± 0.02	1.18 ± 0.07	5073 ± 17	3.49 ± 0.05	0.12 ± 0.02	1.74 ± 0.05	1.14 ± 0.06
TYC 3777-02071-1	5014 ± 28	3.24 ± 0.09	-0.08 ± 0.02	1.58 ± 0.05	1.18 ± 0.08	4957 ± 15	3.24 ± 0.05	-0.09 ± 0.02	1.30 ± 0.07	1.18 ± 0.07
TYC 3807-00900-1	5013 ± 15	3.28 ± 0.07	-0.24 ± 0.01	1.32 ± 0.05	1.12 ± 0.12	4992 ± 10	3.36 ± 0.05	-0.22 ± 0.01	1.26 ± 0.0717	1.12 ± 0.12

Table 4. A comparison of stellar hosts masses for planetary systems from the list of Reffert et al. (2014) originally published by various authors with our estimates.

Name	Mass (original paper)	Mass (this work)
	[$M_\odot$]	
EXPRESS		
HIP 63242	1.54 ± 0.05	1.31 ± 0.20
HIP 105854	2.12 ± 0.10	2.05 ± 0.15
HIP 67851	1.63 ± 0.20	1.32 ± 0.16
HIP 65891	2.50 ± 0.21	2.11 ± 0.14
HIP 107773	2.42 ± 0.27	2.39 ± 0.40
EAPSNet		
HD 175679	2.70 ± 0.30	1.51 ± 0.24
HD 14067	2.40 ± 0.20	1.99 ± 0.36
HIP 20889	2.70 ± 0.10	2.71 ± 0.22
HD 104985	2.30 ± 0.00	1.12 ± 0.16
HIP 103527	2.30 ± 0.00	2.06 ± 0.13
HIP 97938	2.20 ± 0.00	1.46 ± 0.16
HD 81688	2.10 ± 0.00	1.37 ± 0.34
HIP 116076	2.20 ± 0.15	1.46 ± 0.17
HIP 12247	2.40 ± 0.25	1.21 ± 0.31
HD 145457	1.90 ± 0.30	1.61 ± 0.21
HD 180314	2.60 ± 0.30	2.11 ± 0.11
HIP 11791	2.49 ± 0.15	1.77 ± 0.16
HIP 41704	3.09 ± 0.07	2.72 ± 0.28
HIP 75049	2.13 ± 0.12	1.31 ± 0.27
HIP 77655	1.51 ± 0.19	1.35 ± 0.11
HD 2952	2.54 ± 0.10	1.81 ± 0.20
HD 120084	2.39 ± 0.18	2.13 ± 0.23
HIP 77578	2.17 ± 0.25	1.24 ± 0.35
HIP 60202	2.70 ± 0.30	2.22 ± 0.25
HD 173416	2.00 ± 0.30	1.34 ± 0.18
Retired A Stars and Their Companions		
HD 1502	1.61 ± 0.11	1.66 ± 0.03
HD 5891	1.91 ± 0.13	1.96 ± 0.07
HD 18742	1.60 ± 0.11	1.63 ± 0.05
HD 28678	1.74 ± 0.12	2.05 ± 0.02
HD 30856	1.35 ± 0.09	1.45 ± 0.06
HD 33142	1.48 ± 0.10	1.57 ± 0.05
HD 82886	1.06 ± 0.07	1.88 ± 0.01
HD 96063	1.02 ± 0.07	1.82 ± 0.01
HD 98219	1.30 ± 0.09	1.53 ± 0.04
HD 99706	1.72 ± 0.12	1.64 ± 0.05
HD 102329	1.95 ± 0.14	1.69 ± 0.06
HD 106270	1.32 ± 0.09	1.33 ± 0.02
HD 108863	1.85 ± 0.13	1.80 ± 0.05
HD 116029	1.58 ± 0.11	1.62 ± 0.05
HD 131496	1.61 ± 0.11	1.51 ± 0.05
HD 142245	1.69 ± 0.12	1.63 ± 0.05
HD 152581	0.93 ± 0.07	1.93 ± 0.02
HD 158038	1.65 ± 0.12	1.57 ± 0.06
Lick K-giant Survey		
HIP 75458	1.05 ± 0.36	1.42 ± 0.15

Table 5. Original and updated stellar atmospheric parameters for 57 RV detected evolved stars ($\log g < 3$), including 11 objects from red clump PTPS sample stars.

Planet	[Fe/H]	$T_{\rm eff}$ [K]	$\log g$	$\log L/L_{\odot}$	$m_{\rm p} \sin i$	$M_{\star}$	$M_{\star}$(updated)	$m_{\rm p} \sin i$ (updated)
11 UMi b	0.04 ± 0.04	4340 ± 70	1.60 ± 0.15	2.36 ± 0.08	10.50	1.80	1.74 ± 0.23	10.27
42 Dra b	-0.46 ± 0.05	4200 ± 70	1.71 ± 0.05	2.26 ± 0.08	3.88	0.98	1.01 ± 0.09	3.95
Aldebaran b	-0.27 ± 0.05	4055 ± 70	1.20 ± 0.10	2.58 ± 0.08	6.47	1.13	1.10 ± 0.13	6.37
HD 122430 b	-0.05 ± 0.05	4300 ± 70	2.00 ± 0.20	2.27 ± 0.10	3.71	1.39	1.59 ± 0.22	4.06
HD 208527 b	-0.09 ± 0.16	4035 ± 65	1.60 ± 0.30	2.98 ± 0.21	9.90	1.60	2.15 ± 0.78	12.07
HD 220074 b	-0.25 ± 0.25	3935 ± 110	1.30 ± 0.50	2.84 ± 0.20	11.10	1.20	1.40 ± 0.31	12.29
HD 47536 b[a)]	-0.68 ± 0.05	4352 ± 70	2.10 ± 0.20	2.25 ± 0.09	4.96	1.10	1.01 ± 0.11	4.69
HD 66141 b	-0.32 ± 0.03	4323 ± 15	1.92 ± 0.07	2.22 ± 0.08	6.00	1.10	1.10 ± 0.09	6.01
beta Cnc b	-0.29 ± 0.06	4092 ± 18	1.40 ± 0.10	2.81 ± 0.08	7.80	1.70	1.62 ± 0.12	7.57
beta Umi b	-0.27 ± 0.07	4126 ± 25	1.50 ± 0.10	2.64 ± 0.07	6.10	1.40	1.50 ± 0.14	6.38
gamma 1 Leo b[b)]	-0.51 ± 0.05	4330 ± 15	1.59 ± 0.10	2.59 ± 0.08	8.78	1.23	1.41 ± 0.16	9.61
sig Per b	-0.21 ± 0.06	4201 ± 22	1.77 ± 0.09	2.58 ± 0.09	6.50	2.25	1.56 ± 0.13	5.09
tau Gem b	0.14 ± 0.10	4388 ± 25	1.96 ± 0.08	2.39 ± 0.10	20.60	2.30	2.43 ± 0.33	21.34
11 Com b	-0.35 ± 0.09	4742 ± 100	2.31 ± 0.10	2.08 ± 0.09	19.40	2.70	1.81 ± 0.22	14.85
14 And b	-0.24 ± 0.03	4813 ± 20	2.63 ± 0.07	1.78 ± 0.08	5.33	2.20	1.55 ± 0.11	4.22
18 Del b	-0.05 ± 0.02	4979 ± 18	2.82 ± 0.06	1.59 ± 0.08	10.30	2.30	1.99 ± 0.07	9.34
81 Cet b	-0.06 ± 0.03	4785 ± 25	2.35 ± 0.08	1.74 ± 0.09	3.39	1.21	1.26 ± 0.22	3.48
91 Aqr b	-0.03 ± 0.10	4665 ± 18	2.52 ± 0.05	1.72 ± 0.09	3.20	1.40	1.45 ± 0.16	3.27
HD 100655 b	0.15 ± 0.12	4861 ± 110	2.89 ± 0.10	1.66 ± 0.14	1.70	2.40	2.10 ± 0.14	1.56
HD 104985 b[c)]	-0.35 ± 0.06	4702 ± 48	2.62 ± 0.24	1.74 ± 0.09	6.30	1.60	1.20 ± 0.14	5.21
HD 110014 b	0.19 ± 0.05	4445 ± 70	2.10 ± 0.10	2.21 ± 0.10	11.09	2.17	2.15 ± 0.29	11.02
HD 11977 b	-0.21 ± 0.10	4975 ± 70	2.90 ± 0.20	1.82 ± 0.08	6.54	1.91	1.88 ± 0.25	6.48
HD 120084 b	0.09 ± 0.05	4892 ± 22	2.71 ± 0.08	1.70 ± 0.09	4.50	2.39	2.04 ± 0.16	4.05
HD 139357 b	-0.13 ± 0.05	4700 ± 70	2.90 ± 0.15	1.85 ± 0.10	9.76	1.35	1.57 ± 0.17	10.77
HD 14067 b	-0.10 ± 0.08	4815 ± 100	2.61 ± 0.10	1.89 ± 0.14	7.80	2.40	1.76 ± 0.34	6.35
HD 145457 b	-0.14 ± 0.09	4757 ± 100	2.77 ± 0.10	1.65 ± 0.12	2.90	1.90	1.52 ± 0.23	2.50
HD 1690 b	-0.32 ± 0.06	4393 ± 85	2.12 ± 0.17	1.49 ± 0.46	6.10	1.09	1.08 ± 0.17	6.06
HD 180314 b	0.20 ± 0.20	4917 ± 100	2.98 ± 0.10	1.65 ± 0.14	22.00	2.60	2.07 ± 0.13	18.92
HD 2952 b	0.00 ± 0.04	4844 ± 20	2.67 ± 0.07	2.92 ± 0.09	1.60	2.54	3.55 ± 0.14	2.00
HD 32518 b	-0.15 ± 0.04	4580 ± 70	2.10 ± 0.15	1.71 ± 0.12	3.04	1.13	1.13 ± 0.14	3.05
HD 5891 b	-0.02 ± 0.03	4907 ± 44	2.90 ± 0.06	1.61 ± 0.32	7.60	1.91	1.94 ± 0.09	7.67
HD 62509 b[d)]	0.19 ± 0.08	4666 ± 95	2.69 ± 0.09	1.67 ± 0.08	2.90	1.47	1.80 ± 0.15	3.32
HD 81688 b	-0.36 ± 0.02	4753 ± 15	2.22 ± 0.05	1.78 ± 0.09	2.70	2.10	1.14 ± 0.22	1.79
HIP 107773 b	0.03 ± 0.10	4945 ± 100	2.60 ± 0.20	1.83 ± 0.11	1.98	2.42	2.20 ± 0.36	1.86
HIP 65891 b	0.16 ± 0.10	5000 ± 100	2.90 ± 0.20	1.60 ± 0.14	6.00	2.50	2.09 ± 0.14	5.33
alf Ari b	-0.09 ± 0.03	4553 ± 15	2.33 ± 0.06	1.93 ± 0.07	1.80	1.50	1.52 ± 0.19	1.81
eps CrB b	-0.09 ± 0.00	4406 ± 15	1.94 ± 0.08	2.18 ± 0.07	6.70	1.70	1.42 ± 0.14	5.93
eps Tau b	0.17 ± 0.04	4901 ± 20	2.64 ± 0.07	1.95 ± 0.08	7.60	2.70	2.66 ± 0.14	7.53
eta Cet b	0.12 ± 0.08	4528 ± 19	2.36 ± 0.05	1.91 ± 0.08	2.55	1.70	1.72 ± 0.15	2.57
eta Cet c	0.12 ± 0.08	4528 ± 19	2.36 ± 0.05	1.91 ± 0.08	3.32	1.70	1.72 ± 0.15	3.35
ksi Aql b	-0.21 ± 0.04	4780 ± 30	2.66 ± 0.11	1.69 ± 0.08	2.80	2.20	1.46 ± 0.10	2.13
mu Leo b	0.36 ± 0.05	4538 ± 28	2.40 ± 0.10	1.74 ± 0.09	2.40	1.50	1.37 ± 0.16	2.26
nu Oph b	0.13 ± 0.05	4928 ± 25	2.63 ± 0.09	2.04 ± 0.08	23.90	3.04	2.76 ± 0.10	22.43
nu Oph c	0.13 ± 0.05	4928 ± 25	2.63 ± 0.09	2.04 ± 0.08	26.30	3.04	2.76 ± 0.10	24.69
ome Ser b	-0.24 ± 0.02	4770 ± 10	2.32 ± 0.04	1.83 ± 0.08	1.70	2.17	1.17 ± 0.13	1.12
omi CrB b	-0.29 ± 0.03	4749 ± 20	2.34 ± 0.06	1.71 ± 0.09	1.50	2.13	1.39 ± 0.20	1.13
HD 240237 b	-0.26 ± 0.07	4361 ± 10	1.66 ± 0.05	-	5.30	1.69	1.46 ± 0.32	4.80
BD +48 738 b	-0.20 ± 0.07	4414 ± 15	2.24 ± 0.06	-	0.91	0.74	1.16 ± 0.22	1.23
HD 96127 b	-0.24 ± 0.10	4152 ± 23	2.06 ± 0.09	-	4.00	0.91	1.39 ± 0.29	5.30